

# Lip Gloss--2008 Trend Color - "Cotton Candy"

Color Cosmetics

Ref: CC/0310/US

Product Name	INCI Name	%W/W	Supplier
<b>A</b>			
		100.00	
Versagel M750	Hydrogenated Polyisobutene (and) Ethylene/Propylene/Styrene Copolymer (and) Butylene/Ethylene/Styrene Copolymer	82.40	www.penreco.com
Dermol DID	Diisopropyl Dimer Dilinoleate	8.00	www.alzointernational.com
Candelilla Wax SP-75	Candelilla Wax	1.00	www.strahlpitsch.cjom
Permethyl 104A	Polyisobutene	2.00	www.presperse.com
<b>B</b>			
dl-á-Tocopheryl Acetate	Tocopheryl Acetate	2.00	www.dsm.com
Phenonip	Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Butylparaben (and) Propylparaben (and) Isobutylparaben	0.40	www.clariant.com
<b>C</b>			
Prestige Sparkling Coral Gold	Mica (and) Titanium Dioxide (and) Iron Oxides (and) Carmine	2.30	www.eckart.net
Prestige Bright Mystic Violet	Mica (and) Titanium Dioxide	1.90	www.eckart.net

## Procedure

1. Mix Phase A together, heat to 80-85C under agitation
2. Let batch cool to 75C
3. Add Phase B and mix
4. Add Phase C under low shear and mix until homogenous

## Stability

Stable for at least 3 months at RT and 40C.

## Customer Support

ECKART GmbH & Co. KG  
info.eckart@altana.com

ECKART Cosmetic Colours LLC  
info.eckart.cosmetics@altana.com

ECKART Asia Limited  
info.eckart.asia@altana.com

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility.