

Liquid Eye Liner - "Silverline"

Color Cosmetic

Ref: CC/0317/EU

Product Name	INCI Name	%W/W	Supplier
A			
Aqua	Water	68.60	
MBD 201 20% Dispersion	Water (and) Carbon Black	3.00	www.geotech.nl
Veegum HV	Magnesium Aluminum Silicate	0.50	www.rtvanderbilt.com
Keltrol T	Xanthan Gum	0.30	www.cpkelco.com
Covacryl E14	Acrylates Copolymer	10.00	www.lcw.fr
B			
Triethanolamine	Triethanolamine	1.00	www.vwr.com
1,2-Propandiol	Propylene Glycol	3.00	www.vwr.com
C			
Visionaire® Sparkling Silver Sea	Aluminum Powder (and) Silica	4.00	www.eckart.net
Silk Mica	Silk Mica	0.50	www.vwr.com
D			
Kortacid 1895	Stearic Acid	2.50	www.akzonobel.com
Aldo MS K FG	Glyceryl Stearate	0.80	www.lonza.com
HD-Ocenol 90/95 V	Oleyl Alcohol	0.50	www.cognis.com
Uniphyl P-23	Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Butylparaben	0.30	www.induchem.com
E			
Dow Corning 2-1184 Fluid	Dimethicone (and) Trisiloxane	5.00	www.dowcorning.com

Procedure

1. Mix water and pigment dispersion of phase A
2. Add Covacryl E14, Keltrol T and Veegum HV to phase A while stirring
3. Let phase A stir for 15 minutes
4. Add phase B to phase A and afterwards phase C to phase AB
5. Let phase ABC stir for 10 minutes and heat up to 75°C
6. Heat up phase D to 75°C
7. Add phase D slowly to phase ABC while stirring
8. Cool down to 60°C and add phase E
9. Pour into an appropriate container

Stability

Stable for at least 3 months at RT and 40°C.

Customer Support

ECKART GmbH & Co. KG
info.eckart@altana.com

ECKART Cosmetic Colours LLC
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility.