

## Coloring Soft Wax - "Blue"

Hair Care

Ref: HC/0200/EU

Product Name	INCI Name	%W/W	Supplier
<b>A</b>			
Prestige® Sapphire	Mica (and) Titanium Dioxide (and) Ferric Ferrocyanide	8.00	www.eckart.net
Water	Aqua	49.05	
1,2-Propanediol	Propylene Glycol	3.50	www.vwr.com
<b>B</b>			
Glycerox HE	PEG-7 Glyceryl Cocoate	11.50	www.croda.com
Abil B 8843	PEG-14 Dimethicone	2.00	www.degussa.com
Cremophor WO 7	PEG-7 Hydrogenated Castor Oil	1.00	www.basf.com
Cremophor A 25	Cetareth-25	24.50	www.basf.com
<b>C</b>			
Phenonip	Phenoxyethanol (and) Methylparaben (and) Butylparaben (and) Ethylparaben (and) Propylparaben (and) Isobutylparaben	0.30	www.clariant.com
Nike Fresh OA	Fragrance	0.15	www.bell-europe.com

### Procedure

1. Heat phase A and phase B to 85°C while stirring
2. Add phase B slowly to phase A while stirring
3. Cool down phase AB to 60°C while stirring
4. Add phase C to phase AB
5. Pour into an appropriate container

### Stability

Stability data for this formulation is not yet completed.

### Customer Support

ECKART GmbH & Co. KG  
info.eckart@altana.com

ECKART Cosmetic Colours LLC  
info.eckart.cosmetics@altana.com

ECKART Asia Limited  
info.eckart.asia@altana.com

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility.