

Clean all-over Skin Stars – “Twinkling Gold Galaxy”

Color Cosmetics

Ref: CC/3350/EU

| Product Name | INCI Name | %W/W | Supplier |
|------------------------------|--|-------------|----------------------------|
| A | | | |
| Water | Aqua | 72.40 | |
| PURABYK-R 5510 | Bentonite (and) Xanthan Gum | 1.80 | www.eckart.net |
| B | | | |
| Blanova Glycerine 85% | Glycerin | 5.00 | www.azelis.com |
| C | | | |
| Biochemica Biovera Aloe Oil | Aloe Barbadensis Leaf Extract, Canola Oil | 1.00 | www.hallstarbeauty.com |
| Emulium Dolcea MB | Cetearyl Alcohol (and) Glyceryl Stearate (and) Jojoba Esters (and) Helianthus Annuus (Sunflower) Seed Wax (and) Sodium Stearoyl Glutamate (and) Water (and) Polyglycerin-3 | 2.00 | www.gattefosse.com |
| DUB 50 P MB | Stearic Acid (and) Palmitic Acid | 1.00 | www.stearinerie-dubois.com |
| D | | | |
| MIRAGE Twinkling Gold | Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide | 5.00 | www.eckart.net |
| SYNCRYSTAL Silver | Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Tin Oxide | 4.50 | www.eckart.net |
| SYNCRYSTAL Copper | Synthetic Fluorophlogopite (and) Iron Oxides | 0.50 | www.eckart.net |
| SYNAFIL S1050 | Synthetic Fluorophlogopite | 5.00 | www.eckart.net |
| Optiphen BSB-W | Sodium Benzoate (and) Potassium Sorbate (and) Benzyl Alcohol | 0.80 | www.ashland.com |
| Energinius | Fructose (and) Glycerin (and) Water (and) Withania Somnifera Root Extract | 1.00 | www.gattefosse.com |
| Citric Acid (10%) | Citric Acid (and) Aqua | q.s. | |

Procedure:

1. Disperse PURABYK-R 5510 into water and stir for 15min under very high shear
2. Add B to A
3. Heat AB and C separately to 75°C
4. Add C to AB slowly under high shear
5. Cool ABC to at least 40°C
6. Add D under low to medium shear
7. Adjust pH to 6.0-6.5

- ⇒ MIRAGE Twinkling Gold gives the skin a unique sparkle completely free from micro plastic. It is COSMOS approved.
- ⇒ SYNCRYSTAL Silver and SYNCRYSTAL Copper in combination provide a light rosy bulk color and shimmer
- ⇒ SYNAFIL S1050 works as translucent filler with soft skin feel
- ⇒ PURABYK-R 5510 is also COSMOS approved and improves the stability of the formulation through thickening while having a light feeling gel texture.



Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.12.2022
Revision : 01.12.2022