

High Gloss Lipstick “Twinkling Red Berry Tales”

Ref: CC/3404/EU

Color Cosmetic

Product Name	INCI Name	%W/W	Supplier
A			
		100.00	
Castor Oil	Castor Oil	14.00	
Kahlwax 6240 P5	Hydrogenated Vegetable Oil	14.00	www.kahlwax.com
DUB ODOL	Octyldodecanol	8.50	www.stearinerie-dubois.com
Kahlwax 6607L	Helianthus Annuus (Sunflower) Seed Wax	10.00	www.kahlwax.com
Biochemica Murumuru Butter Ref	Astrocaryum Murumuru Seed Butter	6.00	www.hallstarbeauty.com
Biochemica Cupuacu Butter Ref	Theobroma Grandiflorum Seed Butter	4.80	www.hallstarbeauty.com
Ewanol KR	Cocos Nucifera Oil	9.50	www.wagnerlanolin.de
Lexgard O	Caprylyl Glycol	1.00	www.inolex.com
TIXOGEL-CCT	Caprylic/Carpic Triglyceride (and) Stearalkonium Bentonite (and) Propylene Carbonate	18.40	www.eckart.net
B			
MIRAGE Twinkling Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	8.00	www.eckart.net
SYNCRYSTAL Soft Black	Synthetic Fluorophlogopite (and) Iron Oxides	1.00	www.eckart.net
D&C Red 7 Ca Lake 4.FD.007LC0 (13%)	Red 7 Lake (CI 15850)	4.00	www.spectracolors.com
C			
Biochemica Vitamin E Nat	Tocopherol	0.50	www.hallstarbeauty.com
Chocolate Nut	Flavor	0.30	

Procedure:A

- Combine phase A and heat up to 80-85°C while stirring with low to medium shear until it is completely melted
 - Add phase B and while stirring with low to medium shear
 - Add C shortly before casting process
 - Pour into an appropriate mold and let cool in the refrigerator for at least 2h
- ⇒ MIRAGE Twinkling Red provides coarse twinkling pinkish red sparkle while having a soft skin feel.
 - ⇒ SYNCRYSTAL Soft Black darkens the lipstick color to an elegant deep pink
 - ⇒ TIXOGEL-CCT supports the nourishing effect, prevents effect pigments from settling during pouring process and from deformation until 50°C



Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.05.2023
Revision : 01.05.2023