

Silky Lipstick "Dark Azalea"

Ref: CC/3238/EU

Color Cosmetic

Product Name	INCI Name	%W/W	Supplier
A			
100.00			
TIXOGEL-CCT	Caprylic/Carpic Triglyceride (and) Stearalkonium Bentonite (and) Propylene Carbonate	18.00	www.eckart.net
Castor Oil	Ricinus Communis Seed Oil	12.30	
Lipex BC	Hydrogenated Vegetable Oil	13.50	www.kahlwax.com
Tegosoft G 20	Octyldodecanol	9.50	www.evonik.com
Kahlwax 6607L	Helianthus Annuus (Sunflower) Seed Wax	10.50	www.kahlwax.com
Lexgard O	Caprylyl Glycol	0.90	www.inolex.com
Murumuru Butter	Astrocaryum Murumuru Seed Butter	5.70	www.hallstarbeauty.com
Cupuacu Butter Ref	Theobroma Grandiflorum Seed Butter	4.80	www.hallstarbeauty.com
Coconut Oil Ev org	Cocos Nucifera (Coconut) Oil	9.50	www.hallstarbeauty.com
SYNCRYSTAL Supernova Red	Synthetic Fluorphlogopite (and) Iron Oxides (and) Tin Oxide	4.00	www.eckart.net
SYNCRYSTAL Ivory	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	3.00	www.eckart.net
ECOFIL B110	Hydroxybutyric Acid/Hydroxypentanoic Acid Copolymer	5.00	www.eckart.net
Red 7 (24%)	CI 15850	2.00	
Biochemica Vitamin E Nat	Tocopherol	1.00	www.hallstarbeauty.com
Raspberry	Flavor	0.30	

Procedure:

- Combine phase A and heat up to 80-85°C while stirring with low to medium shear until it is completely melted
 - Add phase B step by step while stirring with low to medium shear until it is homogeneous
 - Pour into a mould and let cool to RT
- ⇒ SYNCRYSTAL Supernova Red gives the formulation a body color and shimmer
 - ⇒ SYNCRYSTAL Ivory provides a metallic looking shimmer
 - ⇒ ECOFIL B110 balances the silky effect in combination with SYNCRYSTAL Red
 - ⇒ TIXOGEL-CCT stabilizes the effect pigments during the pouring process and supports the formulation with a nourishing feel

Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.



Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 21.05.2021
Revision : 21.05.2021