

Pressed Eye Shadow Double - "Illuminating & Ultimate Gray"

Color Cosmetic

Ref: CC/3300/EU

Product Name	INCI Name	%W/W	Supplier
A			
SYNAFIL S1050	Synthetic Fluorphlogopite	47.00	www.eckart.net
Zinc Stearate	Zinc Stearate	4.00	
Boroneige #1501	Boron Nitride	3.00	www.esk.com
Agenaflo 9050	Corn Starch Modified	10.00	www.agrana.com
Color Mix "Illuminating" or "Ultimate Gray"		25.00	www.eckart.net
B			
Miglyol PPG 810	Propylene Glycol Dicaprylate/Dicaprate	3.00	www.ioioleo.de
Miglyol Coco 810	Coco Caprylate/Caprate	4.00	www.ioioleo.de
TIXOGEL-CCT	Caprylic/Carpic Triglyceride (and) Stearalkonium Bentonite (and) Propylene Carbonate	4.00	www.eckart.net

Color Mix for "Illuminating"			
SYNCRYSTAL Gold	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	9.20	www.eckart.net
SYNCRYSTAL Green	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	9.20	www.eckart.net
SYNCRYSTAL Soft Silver	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	2.60	www.eckart.net
MIRAGE Silver	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	1.40	www.eckart.net
FD&C Yellow 5		2.60	

Color Mix for "Ultimate Gray"			
SYNCRYSTAL Soft Black	Synthetic Fluorphlogopite (and) Iron Oxides	9.50	www.eckart.net
SYNCRYSTAL Ivory	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	11.25	www.eckart.net
VISIONAIRE Splendid Silver Sea	Aluminum Powder (and) Silica	4.25	www.eckart.net

Procedure:

1. Combine and mix phase A very well.
2. Add phase B to A and mix again very well.
3. Press for 30 seconds at 100 bar.

Illuminating

- ⇒ SYNCRYSTAL Gold, SYNCRYSTAL Green and SYNCRYSTAL Soft Silver in combination create a very fresh and bright yellow shimmer.
- ⇒ MIRAGE Silver gives the formulation a great sparkle.

Ultimate Gray

- ⇒ SYNCRYSTAL Soft Black, SYNCRYSTAL Ivory and VISIONAIRE Splendid Silver Sea create together a opaque and shimmering gray color
- ⇒ TIXOGEL-CCT provides good binding properties and pay off

Stability:

Stable for at least 2 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 15.03.2021
Revision : 15.03.2021