

Weightless Highlighter Stick "Ivory Dream"

Color Cosmetic

Ref: CC/3240/EU

Product Name	INCI Name	%W/W	Supplier
A			
Trivent OC-G	Tricaprylin	31.50	www.polygon.ch
CLAYTONE-VP V	Quaternium-90 Bentonite	3.00	www.eckart.net
Propylene Carbonate 99%	Propylene carbonate	0.90	
Water		0.60	
B			
Tegosoft G20	Octyldodecanol	6.00	www.evonik.com
Belsil DM5	Dimethicone	3.00	www.wacker.com
TeCero-Wax 1030 K	Microcrystalline Wax	7.00	www.wax-tromm.de
Lipocire Pellets	C10-18 Triglycerides	4.00	www.gattefosse.com
Syncrowax HRC	Glyceryl Tribehenate	7.00	www.croda.com
DUB VCI 10	Isodecyl Neopentanoate	3.00	www.stearinerie-dubois.com
Lexgard O	Caprylyl Glycol	1.00	www.inolex.com
C			
Covabead Velvet 10	Polymethyl Methacrylate	9.50	www.sensient-cosmetics.com
Dermofeel E 74 A	Tocopheryl Acetate; Helianthus Annuus (Sunflower) Seed Oil	0.50	www.dr-straetmans.de
SYNAFIL S1050	Synthetic Fluorphlogopite	5.00	www.eckart.net
SYNCRYSTAL Ivory	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	5.00	www.eckart.net
SYNCRYSTAL Red	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	7.00	www.eckart.net
SYNCRYSTAL Gold	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	6.00	www.eckart.net

Procedure:

1. Combine phase A and stir under very high shear for at least 15 minutes
2. Add phase B to A and heat to 80°C until it is completely melted
3. Add phase C to AB and stir with moderate shear until homogeneous
4. Pour into an appropriate container and let cool to RT

- ⇒ SYNCRYSTAL Ivory gives a bright shimmer while providing a nude undertone
- ⇒ SYNAFIL S1050 works as a translucent filler with soft skin feel properties
- ⇒ CLAYTONE-VP V stabilizes the formulation during the cooling process and prevents pigments from settling

Stability:

Stable for at least 2 months at RT and 40°C.
Stable for at least 1 month at 50°C.



Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.06.2021
Revision : 01.06.2021