

Lip Cream – “Country Peaches”

Color Cosmetics

Ref: CC/3047/EU

Product Name	INCI Name	%W/W	Supplier
A			
Isohexadecane	Isohexadecane	48.80	www.ineos.com
CLAYTONE-VP V XR	Quaternium-90 Bentonite	8.00	www.eckart.net
Propylene Carbonate	Propylene Carbonate	1.00	
B			
Crodamol PTIS	Pentaerythrityl Tetraisostearate	9.00	www.croda.com
Kahlwax 1540	Synthetic Beeswax	6.00	www.kahlwax.com
Xiameter PMX-200 Silicone Fluid 10cs	Dimethicone	6.00	www.dowcorning.com
Compritol 888 CG Pastilles	Glyceryl Dibehenate (and) Tribehenin (and) Glyceryl Behenate	5.00	www.gattefosse.com
Dow Corning 9041 Silicone Elastomer Blend	Dimethicone (and) Dimethicone Crosspolymer	4.00	www.dowcorning.com
Lexgard O	Caprylyl Glycol	1.00	www.inolex.com
C			
SYNCRYSTAL Red	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	5.00	www.eckart.net
SYNCRYSTAL Supernova Orange	Synthetic Fluorphlogopite (and) Iron Oxides (and) Tin Oxide	2.00	www.eckart.net
ECOFIL B110	Hydroxybutyric Acid/Hydroxypentanoic Acid Copolymer	4.00	www.eckart.net
D			
Raspberry	Aroma	0.20	www.pura-natura.com

Procedure:

1. Homogenize CLAYTONE-VP V XR and Isohexadecane for 15 minutes
2. Add the Propylene Carbonate under high shear and mix well
3. Add phase B to phase A and heat to 80°C
4. Add the ingredients of phase C and stir until uniform
5. Add the Aroma and fill into an appropriate container

- ⇒ SYNCRYSTAL Red with a hint of SYNCRYSTAL Supernova Orange creates an beautiful peach tone
- ⇒ ECOFIL B110 as mattifying agent for a tarnished finish on the lips and the colorant Red 6 tints the bulk
- ⇒ CLAYTONE VP V XR provides anti-settling properties and control the thixotropic rheological properties

Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.



Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 18.10.2019
Revision : 18.10.2019