Highlighter Fluid - "Pearly Dune"

Desert SocietySpring/Summer 2023

Product Name	INCI Name	%W/W	Supplier
A			
Water	Aqua	80.20	
OPTIGEL-WX	Bentonite (and) Xanthan Gum	1.80	www.byk.com
В			
1,2-Propanediol	Propylene Glycol	3.00	
Glycerin, 85%	Glycerin	2.00	www.wagnerlanolin.de
С			
Biochemica Biovera Aloe Oil	Aloe Barbadensis Leaf Extract, Canola Oil	1.00	www.hallstarbeauty.com
Tegin M Pellets	Cetearyl Alcohol	2.00	www.evonik.com
DUB 50 P	Stearic Acid (and) Palmitic Acid	1.00	www.stearinerie-dubois.com
D			
D-Panthenol 75 W	Panthenol	2.00	www.carecreations.basf.com
Biochemica Biovera 10X Aloe	Aloe Barbadensis Leaf Juice	1.00	www.hallstarbeauty.com
Euxyl K 830	Phenoxyethanol, Ethylhexylglycerin* (and) Octenidine HCl	0.80	www.ashland.com
Aloe Vera	Fragrance	0.20	www.drom.com
SYNCRYSTAL Ivory	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	2.50	www.eckart.net
SYNCRYSTAL Spring Gold	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	2.50	www.eckart.net
Citric Acid (10%)		q.s.	

Procedure:

- 1. Combine phase A under very high shear (Dissolver 7000 rpm) at least for 15 minutes
- 2. Add phase B to phase A
- 3. Combine phase C separately
- 4. Heat phase AB and phase C separately to 80°C
- 5. When C is completely melted, add C very slowly to AB under high shear until it forms a smooth emulsion
- 6. Cool down ABC to at least 50°C
- 7. Add phase D under low to moderate shear
- 8. Adjust pH to 6.0 to 6.5
- 9. Pour into an appropriate container

Stability:

parties.

Stable for at least 6 months at RT and 40°C Stable for at least 1 month at 50°C

Customer Support:

ECKART GmbH info.eckart@altana.com

ECKART America Corporation info.eckart.cosmetics@altana.com

ECKART Asia Limited info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third

Date: 01.09.2021 Revision: 01.09.2021



