

## Lipstick – “SYNCRYSTAL Garnet”

Ref: CC/3523/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
<b>A</b>		<b>100.00</b>	
Ewacera 12	Bees Wax	6.00	www.wagnerlanolin.de
Ewacera 34	Carnauba Wax	5.50	www.wagnerlanolin.de
Ewacera 42	Candelilla Wax	5.00	www.wagnerlanolin.de
Ewanol JO-R	Simmondsia Chinensis Oil	8.00	www.wagnerlanolin.de
Lipocire A SG	C10-18 Triglycerides	2.00	www.gattefosse.com
MOD	Octyldodecyl Myristate	31.70	www.gattefosse.com
GARAMITE-7308 XR	Quaternium-90 Sepiolite (and) Quaternium-90 Montmorillonite	1.00	www.byk.com
Isostearyl Isostearate	Isostearyl Isostearate	22.00	www.gattefosse.com
Acticire	Jobba Esters and Acacia Decurrens Flower Wax and Helianthus Annuus (Sunflower) Seed Wax and Polyglyceryl-3	3.00	www.gattefosse.com
<b>B</b>			
<b>SYNCRYSTAL Garnet</b>	<b>Synthetic Fluorophlogopite (and) Iron Oxides (and) Tin Oxide</b>	<b>15.00</b>	<b>www.eckart.net</b>
dl-alpha-Tocopheryl Acetate	Tocopheryl Acetate	0.30	www.imcdgroup.com
Strawberry	Flavor	0.50	

### Procedure:

1. Pre-disperse GARAMITE-7308 XR with some of the MOD
2. Melt phase A by heating to 80-85°C
3. Add the pigment of phase B
4. Cool down to 75°C and add the last two ingredients of phase B
5. Pour into lipstick mold

⇒ SYNCRYSTAL Garnet gives the formulation an intense, highly chromatic, deep red color



### Stability:

Stable for at least 6 months at RT and 40°C.  
Stable for at least 1 month at 50°C.

### Customer Support

ECKART GmbH  
info.eckart@altana.com

ECKART America Corporation  
info.eckart.cosmetics@altana.com

ECKART Asia Limited  
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 03.06.2024  
Revision : 03.06.2024