## **Liquid Eyeshadow – "Garden Cosmos"**

# Bloom & Boom Spring/Summer 2026



| Product Name<br>A     | INCI Name   | %W/W  | Supplier            |
|-----------------------|---|-------|---------------------|
| Water                 | Aqua  | 57.40 |                     |
| PURABYK-R 5510        | Bentonite (and) Xanthan Gum   | 1.30  | www.byk.com         |
| В                     |   |       |                     |
| Glycerin 85%          | Glycerin  | 2.00  |                     |
| С                     |   |       |                     |
| Emulium Dolcea MB     | Cetearyl Alcohol (and) Glyceryl Stearate<br>(and) Jojoba Esters (and) Helianthus Annuus<br>(Sunflower) Seed Wax (and) Sodium Stearoyl<br>Glutamate (and) Water (and) Polyglycerin-3 | 4.50  | www.gattefosse.com  |
| Lipocire A SG Pellets | C10-18 Triglycerides  | 4.00  | www.gattefosse.com  |
| Miglyol Coco 810      | Coco Caprylate/Caprate  | 6.00  | www.ioioleo.de      |
| Cetyl Alcohol         | Cetyl Alcohol   | 1.50  | www.vwr.com         |
| D                     | <u>_</u>  |       |                     |
| Citric Acid (10%)     | Citric Acid   | q.s.  |                     |
| SYNCRYSTAL Red        | Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide  | 10.00 | www.eckart.net      |
| SYNCRYSTAL Blue       | Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide  | 9.40  | www.eckart.net      |
| SYNCRYSTAL Sapphire   | Synthetic Fluorphlogopite (and) Titanium<br>Dioxide (and) Ferric Ferrocyanide (and)<br>Tin Oxide  | 1.20  | www.eckart.net      |
| SYNCRYSTAL Garnet     | Synthetic Fluorphlogopite (and) Iron Oxides (and) Tin Oxide   | 1.80  | www.eckart.net      |
| Sweet Spring Lily     | Fragrance   | 0.10  | www.bell-europe.com |
| Euxyl PE 9010         | Phenoxyethanol, Ethylhexylglycerin  | 0.80  | www.ashland.com     |

## Procedure:

- 1. Spread PURABYK-R 5510 into water and stir with very high shear
- 2. Add phase B
- 3. Heat phase AB and C separately to 80°C
- 4. Add phase C to AB while stirring
- 5. Cool down to 40°C and add phase D step by step
- 6. Adjust pH with citric acid to 6.5
- 7. Pour into an appropriate container

## Stability:

Stable for at least 6 months at RT and 40°C Stable for at least 1 month at 50°C

info.eckart@altana.com

Customer Support: **ECKART GmbH** 

**ECKART America Corporation** info.eckart.cosmetics@altana.com

**ECKART Asia Limited** info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice - whether verbal, in writing or by way of trials - are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned here in and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 29.08.2024 Revision: 29.08.2024



