



## Mousse Eyeshadow – “Platinum Berry Rosé”

Ref: CC/3568/EU

Color Cosmetic

Product Name	INCI Name	%W/W	Supplier
<b>A</b>			
Jolee 7181	Pentaerythrityl Tetraisostearate	9.00	www.oleon.com
Biochemica Avocado Butter	Persea Gratissima (Avocado) Oil and Hydrogenated Avocado Oil	5.00	www.hallstarbeauty.com
Dekanex 2006 CG	Hydrogenated Polydecene	6.00	www.jandekker.com
Polypon IN	Isononyl Isononanoate	12.00	www.polygon.ch
Ewacera 42	Candelilla Cera	3.00	www.wagnerlanolin.de
Claytone-VP V XR	Quaternium-90 Bentonite	2.50	www.byk.com
Puresil BSG- 5041	Dimethicone (and) Dimethicone/Vinyl Dimethicone Crosspolymer	12.20	www.elkem.com
<b>B</b>			
TIXOGEL-DMC	Dimethicone (and) Quaternium-90 Bentonite (and) Triethyl Citrate	23.00	www.byk.com
<b>C</b>			
Neofect PEH	Phenoxyethanol, Ethylhexylglycerin	1.00	www.jandekker.com
Pearl	Fragrance	0.30	www.symrise.com
<b>D</b>			
<b>SYNCRYSTAL Platinum</b>	<b>Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide</b>	<b>13.00</b>	<b>www.eckart.net</b>
<b>SYNCRYSTAL Very Berry</b>	<b>Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide</b>	<b>7.50</b>	<b>www.eckart.net</b>
<b>SYNCRYSTAL Gold</b>	<b>Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Tin Oxide</b>	<b>5.50</b>	<b>www.eckart.net</b>

### Procedure:

1. Combine phase A and heat up to 85°C and stir until homogeneous
2. Add phase B and stir until homogeneous
3. Add phase C and stir until homogeneous
4. Add phase D and stir with medium share until homogeneous
5. Pour into an appropriate container

- ⇒ SYNCRYSTAL Platinum transforms this this pigment combination into a metallic version.
- ⇒ SYNCRYSTAL Very Berry is a veggie and carmin-free pink pearl pigment which provides the berry color.
- ⇒ SYNCRYSTAL Gold provides a warm undertone.



### Stability:

Stable for at least 1 month at 50°C.

### Customer Support

ECKART GmbH  
info.eckart@altana.com

ECKART America Corporation  
info.eckart.cosmetics@altana.com

ECKART Asia Limited  
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025  
Revision : 01.01.2025