

## Make-up and Protect – Mousse-to-Powder Foundation “Hot Chocolate”

Color Cosmetics

Ref: CC/3650/EU

Product Name	INCI Name	%W/W	Supplier
<b>A</b>			
		100.00	
Myritol 331	Cocoglycerides	4.00	www.personal-care.basf.com
Polypon AB	C12-15 Alkyl Benzoate	4.00	www.polygon.ch
Parsol EHS	Ethylhexyl Salicylate	5.00	www.dsm.com
Tinosorb S	Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	3.00	www.personal-care.basf.com
Uvinul T 150	Ethylhexyl Triazone	3.00	www.personal-care.basf.com
Uvinul A plus Granulat	Diethylamino Hydroxybenzoyl Hexyl Benzoate	2.00	www.personal-care.basf.com
<b>B</b>			
Isododecane	Isododecane	13.80	www.ineos.com
Dow Corning 9041 Silicone Elastomer Blend	Dimethicone (and) Dimethicone Crosspolymer	33.00	www.dowcorning.com
Goldmann Ti White A L	Titanium Dioxide CI 77891 (and) Hydrogenated Lecithin	2.85	www.gold-mann.de
Goldmann Fe Yellow L	Iron Oxides CI 77492 (and) Hydrogenated Lecithin	4.30	www.gold-mann.de
Goldmann Fe Red L	Iron Oxides CI 77491 (and) Hydrogenated Lecithin	2.85	www.gold-mann.de
Goldmann Fe Black L	Iron Oxides CI 77499 (and) Hydrogenated Lecithin	2.00	www.gold-mann.de
<b>C</b>			
<b>LIGNOBASE Cool BE25</b>	<b>Betula Pendula Wood Extract</b>	<b>1.00</b>	<b>www.eckart.net</b>
<b>SYNCRYSTAL Spring Gold</b>	<b>Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide</b>	<b>2.00</b>	<b>www.eckart.net</b>
Dowsil 9701 Cosmetic Powder	Dimethicone/ Vinyl Dimethicone Crosspolymer and Silica	16.00	www.dowcorning.com
<b>D</b>			
Lait de Coco	Fragrance	0.20	www.bell-europe.com
Neofect PEH	Phenoxyethanol, Ethylhexylglycerin	1.00	www.jandekker.com

### Procedure:

1. Combine phase A and heat to 75°C while stirring
2. Cool down phase A when transparent
3. Add phase B to A and stir with very high shear
4. Premix phase C and add to phase AB while stirring
5. Add phase D to ABC
6. Pour into an appropriate container

- ⇒ LIGNOBASE Cool BE25 boosts the SPF of the UV-filter and prevents from white residues on skin caused by mineral UV-filters due to its brown color. Furthermore, it provides a high antioxidant property and do not need further stabilizing ingredients.
- ⇒ SYNCRYSTAL Spring Gold in combination with the iron oxides combines coverage and golden glow for dark skin.



### Stability:

Stable for at least 1 month at 50°C.

### Customer Support

ECKART GmbH  
info.eckart@altana.com

ECKART America Corporation  
info.eckart.cosmetics@altana.com

ECKART Asia Limited  
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 11.02.2025  
Revision : 11.02.2025