

Lip Tint - "Peppy Tangerine"



Style your Smile!

Trend Colors *Autumn/Winter 2025/2026*

CC/3479/EU

| Product Name | INCI Name | %W/W | Supplier |
|---------------------------------------------|--------------------------------------------------------------------------------------------|-------------|-----------------------|
| A | | | |
| Water | Aqua | 61.90 | |
| PURABYK-R 5510 | Bentonite (and) Xanthan Gum | 2.40 | www.byk.com |
| B | | | |
| 1,2-Propanediol | Propylene Glycol | 2.00 | www.vwr.com |
| Glycerin 85% | Glycerin | 3.00 | |
| C | | | |
| Tefose 2000 CG MB | PEG-6 Stearate (and) Ceteth-20 (and) Steareth-20 | 3.00 | www.gattefosse.com |
| Isostearyl Isostearate | Isostearyl Isostearate | 4.00 | www.gattefosse.com |
| Imwitor 960 K | Glyceryl Stearate | 2.00 | www.ioioleo.de |
| Silmer UR-5050 | Bis Hydroxypropyl Dimethicone/SMDI Copolymer | 7.00 | www.siltech.com |
| D | | | |
| SunCroma D&C Red 6 Na Salt Dispersion (24%) | Red 6 (CI 15850) (and) Castor Oil | 2.00 | www.sunchemical.com |
| E | | | |
| Citric Acid (10%) | Citric Acid (and) Aqua | q.s. | |
| SYNCRYSTAL Supernova Orange | Synthetic Fluorophlogopite (and) Iron Oxides (and) Tin Oxide | 3.50 | www.eckart.net |
| SYNCRYSTAL Red | Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Tin Oxide | 3.00 | www.eckart.net |
| SYNCRYSTAL Soft Autumn Gold | Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide | 3.00 | www.eckart.net |
| dl-alpha-Tocopheryl Acetate | Tocopheryl Acetate | 1.00 | www.jandekker.com |
| Euxyl PE 9010 | Phenoxyethanol, Ethylhexylglycerin | 1.00 | www.ashland.com |
| Gatuline Radiance | Propanediol (and) Evodia Rutaecarpa Fruit Extract | 1.00 | www.gattefosse.com |
| Orange | Flavor | 0.20 | www.pura-natura.com |

Procedure:

1. Spread PURABYK-R 5510 into water with very high shear
2. Add phase B to phase A
3. Heat phase AB and C to 75°C
4. Add phase C to phase AB while stirring
5. Add phase D to phase ABC
6. Adjust pH with citric acid to 6.5 and add remaining ingredients of phase E
7. Pour into an appropriate container



Stability:

Stable for at least 6 months at RT and 40°C

Stable for at least 1 month at 50°C

Customer Support:

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 14.02.2024

Revision: 14.02.2024