



Let it Glow!

Loveable Lotion - "Healthy & fresh glow for your skin"

Skin Care

Ref: SC/3033EU

Product Name	INCI Name	%W/W	Supplier
A			
Water	Aqua	q.s.	
OPTIGEL-CK XR	Bentonite	1.70	www.eckart.net
Keltrol CG-T	Xanthan Gum	0.30	www.cpkelco.com
Glycerin 85%	Glycerin	2.00	www.wagnerlanolin.de
B			
Emulium Mellifera	Polyglyceryl-6 Distearate (and) Jojoba Esters (and) Polyglyceryl-3 Beeswax (and) Cetyl Alcohol	5.50	www.gattefosse.com
Acticire	Jojoba Esters and Acacia Decurrens Flower Wax and Helianthus Annuus (Sunflower) Seed Wax and Polyglyceryl-3	3.00	www.gattefosse.com
LexFeel WOW	Triheptanoin (and) C13-16 Isoparaffin	1.50	www.inolex.com
Eutanol G	Octyldodecanol	3.00	www.personal-care.basf.com
Luvitol Lite	Hydrogenated Polyisobutene	5.00	www.personal-care.basf.com
Cetiol OE	Dicaprylyl Ether	3.00	www.personal-care.basf.com
C			
SYNCRYSTAL Soft Peach	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	0.10	www.eckart.net
SYNCRYSTAL Red	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	0.50	www.eckart.net
SYNCRYSTAL Silver	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	1.90	www.eckart.net
Gatuline Radiance	Propanediol (and) Evodia Rutaecarpa Fruit Extract	2.00	www.gattefosse.com
Euxyl K830	Phenoxyethanol, Ethylhexylglycerin* (and) Octenidine HCl	0.80	www.schuelke.com
Heartbeat	Fragrance	0.20	www.iff.com

Procedure:

1. Disperse OPTIGEL-CK XR and Xanthan Gum in water
2. Add the Glycerin and stir until uniform
3. Adjust pH to 6.5 with citric acid (10%)
4. Heat phase A and phase B separately to 80°C
5. Add phase B to phase A
6. Cool down to 45°C and add phase C step by step
7. Fill into an appropriate container

- ⇒ The Lotion obtains its nude base color thanks to a small amount of SYNCRYSTAL Soft Peach
- ⇒ SYNCRYSTAL Silver and SYNCRYSTAL Red brings a decent brightening effect and make your skin look radiant
- ⇒ OPTIGEL-CK XR improves the stability of the texture by thickening and stabilizing effects. The specific rheology behavior allows an excellent application



Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART Cosmetic Colours LLC
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

Date: 13.11.2019
Revision : 13.11.2019