Brow Styling Fluid – “Soft Feather”

Color Cosmetics

Ref: CC/3579/EU

Product Name	INCI Name	%W/W	Supplier
A		100.00	
Water	Aqua	71.40	
PURABYK-R 5510	Bentonite (and) Xanthan Gum	1.80	www.byk.com
B			
Glycerin 85%	Glycerin	5.00	
C			
Biochemica Biovera Aloe Oil	Aloe Barbadensis Leaf Extract, Canola Oil	1.00	www.hallstarbeauty.com
Emulium Dolcea MB	Cetearyl Alcohol (and) Glyceryl Stearate (and) Jojoba Esters (and) Helianthus Annuus (Sunflower) Seed Wax (and) Sodium Stearoyl Glutamate (and) Water (and) Polyglycerin-3	2.00	www.gattefosse.com
DUB 50 P	Stearic Acid (and) Palmitic Acid	1.00	www.stearinerie-dubois.com
D			
D-Panthenol 75 W	Panthenol	2.00	www.carecreations.basf.com
Euxyl K830	Phenoxyethanol, Ethylhexylglycerin* (and) Octenidine HCl	0.80	www.ashland.com
SYNCRYSTAL Soft Black	**Synthetic Fluorphlogopite (and) Iron Oxides**	**9.00**	**www.eckart.net**
SYNCRYSTAL Soft Autumn Gold	**Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide**	**1.00**	**www.eckart.net**
SYNAFIL S115	**Synthetic Fluorphlogopite**	**5.00**	**www.eckart.net**
pH-adjuster		q.s.	

Procedure:

1. Disperse PURABYK-R 5510 into water and stir for 15min under very high shear
2. Add B to A
3. Combine C
4. Heat AB and C separately to 80°C
5. Add C to AB very slowly under high shear
6. Cool down ABC still stirring under high shear
7. Add D to ABC under medium shear and stir until homogeneous, adjust pH to 5.5 to 6.0

⇒ SYNCRYSTAL Soft Black and SYNCRYSTAL Soft Autumn Gold in combination create a warm dark brown. Due to their small particle size, the pigments fit perfectly around each individual hair.

⇒ SYNAFIL S115 works as an translucent filler and softens the appearance of the pigments

Stability:

Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025
Revision : 01.01.2025