



Brightening Base – “Rose Moya”

Ref: SC/3703/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A			
Water	Aqua	69.00	
Keltrol CG-T	Xanthan Gum	0.30	www.cpkelco.com
Optigel-CK	Bentonite	1.70	www.byk.com
B			
Blanova Glycerine 85%	Glycerin	2.00	www.azelis.com
C			
Emulium Mellifera MB	Polyglyceryl-6 Distearate (and) Jojoba Esters (and) Polyglyceryl-3 Beeswax (and) Cetyl Alcohol	5.00	www.gattefosse.com
Acticire MB	Acacia Decurrens/Jojoba/Sunflower Seed Wax/Polyglyceryl-3Esters	3.00	www.gattefosse.com
Eutanol G	Octyldodecanol	3.00	www.personal-care.basf.com
Cetiol OE	Dicaprylyl Ether	2.50	www.personal-care.basf.com
Luvitol Lite	Hydrogenated Polyisobutene	4.00	www.personal-care.basf.com
LexFeel WOW	Triheptanoin (and) C13-16 Isoparaffin	1.00	www.inolex.com
D			
SYNAFIL S1050	Synthetic Fluorphlogopite	3.00	www.eckart.net
SYNCRYSTAL Soft Copper	Synthetic Fluorphlogopite (and) Iron Oxides	0.15	www.eckart.net
SYNCRYSTAL Very Berry	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	0.35	www.eckart.net
SYNCRYSTAL Silk Silver	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	1.00	www.eckart.net
Sakura Rose	Fragrance	0.20	
Euxyl K830	Phenoxyethanol, Ethylhexylglycerin* (and) Octenidine HCl	0.80	www.ashland.com
AnnonaSense CLR	Annona Cherimola Fruit Extract	3.00	www.clr-berlin.com
Citric Acid (10%)	Citric Acid (and) Aqua	q.s.	

Procedure:

1. Combine phase A and stir with very high shear at least 15 minutes
 2. Add phase B to A
 3. Combine phase C
 4. Heat up phase AB and C separately to 80°C
 5. Add C to AB very slowly under very high shear
 6. Cool down to at least 40°C still under high shear
 7. Add phase D step by step under medium shear
 8. Adjust pH to 5.5
 9. Pour into an appropriate container
- ⇒ SYNCRYSTAL Soft Copper provides a hint of rose beige
 - ⇒ SYNCRYSTAL Very Berry gives a healthy pink hint with blueish shimmer
 - ⇒ SYNCRYSTAL Silk Silver cools the whole skin tone and provides silky glow
 - ⇒ SYNAFIL S1050 supports subtle glow



Stability:

Stable for at least 6 months at RT and 40°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 18.11.2025
Revision : 18.11..2025