

Skin Lightening Cream – "Soft Ivory" Ref: SC/3382/EU Skin Care

| Product Name | INCI Name | %W/W | Supplier |
|-----------------------|---|--------|----------------------------|
| A | | 100.00 | |
| Water | Aqua | 68.80 | |
| PURABYK R-5510 | Bentonite (and) Xanthan Gum | 2.00 | www.eckart.net |
| В | | | |
| Emulium Mellifera MB | Polyglyceryl-6 Distearate (and) Jojoba Esters (and) Polyglyceryl-3 Beeswax (and) Cetyl Alcohol | 4.00 | www.gattefosse.com |
| Cetyl Alcohol | Cetyl Alcohol | 2.00 | www.vwr.com |
| MOD MB | Octyldodecyl Myristate | 2.00 | www.gattefosse.com |
| Labrafac CC MB | Caprylic/Capric Triglyceride | 5.00 | www.gattefosse.com |
| Cetiol OE | Dicaprylyl Ether | 5.00 | www.carecreations.basf.com |
| С | | | |
| SYNCRYSTAL Soft Ivory | Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxide (and) Tin Oxide | 2.00 | www.eckart.net |
| SYNAFIL S115 | Synthetic Fluorphlogopite | 3.00 | www.eckart.net |
| Agenaflo 9050 | Corn Starch Modified | 2.00 | www.agrana.com |
| Gatuline Radiance | Propanediol (and) Evodia Rutaecarpa Fruit Extract | 2.00 | www.gattefosse.com |
| Euxyl PE 9010 | Phenoxyethanol, Ethylhexylglycerin | 2.00 | www.ashland.com |
| Mandarina Girl | Fragrance | 0.20 | www.iff.com |
| Citric Acid (10%) | Citric Acid (and) Aqua | q.s. | |

Procedure:

1. Disperse PURABYK R-5510 in Water

2. Heat phase A and phase B separately to 80°C

3. Add phase B to phase A and emulsify

4. Cool down to 60°C and add phase C step by step while stirring

5. Adjust pH to 6.5 with citric acid (10%)

⇒ SYNCRYSTAL Soft Ivory turns the immediate lightening effect into an soft whitening direction thanks to it's nude bulk color and illuminates the skin.

⇒ SYNAFIL S115 is a semi-translucent filler. It gives an incredibly soft skin feel to the formula, leads to a better pay off and enhance the texture of the application.

⇒ The Cosmos approved PURABYK R-5510 stabilizes the formulation and increase viscosity without being sticky.



Stability:

Stable for at least 6 months at RT and 40°C. Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH info.eckart@altana.com

ECKART America Corporation info.eckart.cosmetics@altana.com

ECKART Asia Limited info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 15.03.2023 Revision : 15.03.2023

