

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## Aquavex Plus Elite 0015

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Aquavex Plus Elite 0015  
Material number : 028596HV0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH  
Guntersthal 4  
91235 Hartenstein  
Telephone : +499152770  
Telefax : +499152777008  
E-mail address : [msds.eckart@altana.com](mailto:msds.eckart@altana.com)  
Responsible/issuing person

#### 1.4 Emergency telephone number

**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

### SECTION 2: Hazards identification

#### GHS Classification

: Acute toxicity, Category 5, Oral, H303  
Serious eye damage/eye irritation, Category 1, H318  
Short-term (acute) aquatic hazard, Category 2, H401

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

Long-term (chronic) aquatic hazard, Category 2, H411

**GHS-Labeling**

Symbol(s)



Signal word

: Danger

Hazard statements

 : H303: May be harmful if swallowed.  
 H318: Causes serious eye damage.  
 H411: Toxic to aquatic life with long lasting effects.

Precautionary statements

 : **Prevention:**  
 P273 Avoid release to the environment.  
 P280 Wear eye protection/ face protection.  
**Response:**  
 P301 + P317 IF SWALLOWED: Get medical help.  
 P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse  
 with water for several minutes. Remove contact lenses, if  
 present and easy to do. Continue rinsing. Get medical help.  
 P391 Collect spillage.  
**Disposal:**  
 P501 Dispose of contents/ container to an approved waste  
 disposal plant.

**Hazardous components which must be listed on the label**

 Identification CAS-No.  
 Alcohols, C9-11-iso-, C10-rich, ethoxylated 78330-20-8

**Other hazards which do not result in classification**

Combustible Solids

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

**SECTION 3: Composition/information on ingredients**

Substance No. :

**Hazardous components**

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
aluminium	7429-90-5 231-072-3	Flam. Sol.;1;H228	50 - 100
Alcohols, C9-11-iso-, C10-rich, ethoxylated	78330-20-8	Acute Tox.;4;H302 Eye Dam./Irrit.;1;H318	10 - 20
trizinc bis(orthophosphate)	7779-90-0 231-944-3	Aquatic Acute;1;H400 Aquatic Chronic;1;H410	2,5 - 10
polymeric alkoxyate	Not Assigned	Eye Dam./Irrit.;2A;H319	1 - 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures**
**4.1 Description of first aid measures**

General advice : Move the victim to fresh air.  
 Move out of dangerous area.  
 Consult a physician.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.

If inhaled : Remove to fresh air.

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

In case of skin contact	: If unconscious, place in recovery position and seek medical advice.
In case of eye contact	: If symptoms persist, call a physician. : Wash off immediately with soap and plenty of water. : Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**4.2 Most important symptoms and effects, both acute and delayed**

This information is not available.

**4.3 Indication of any immediate medical attention and special treatment needed**

This information is not available.

**SECTION 5: Firefighting measures**
**5.1 Extinguishing media**

Suitable extinguishing media : Dry sand, Special powder against metal fire

Unsuitable extinguishing media : ABC powder, Carbon dioxide (CO<sub>2</sub>), Water, Foam

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

Contact with water liberates extremely flammable gas (hydrogen).

**5.3 Advice for firefighters**

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

- Personal precautions : Use personal protective equipment.  
Evacuate personnel to safe areas.  
Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.

**6.2 Environmental precautions**

- General advice : The product should not be allowed to enter drains, water courses or the soil.  
Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

This information is not available.

**6.3 Methods and materials for containment and cleaning up**

- Methods for cleaning up : Use mechanical handling equipment.

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

Do not use a vacuum cleaner.  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

This information is not available.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : Avoid dust formation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Store away from heat.

Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect from humidity and water.

Advice on common storage : Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Other data : No decomposition if stored and applied as directed.


**7.3 Specific end use(s)**

This information is not available.

**SECTION 8: Exposure controls/personal protection**
**8.1 Control parameters**
**Germany:**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium	7429-90-5	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	2021-07-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
aluminium	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2021-07-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

**8.2 Exposure controls**
**Personal protective equipment**

Page 7 / 18	102000038303	A member of 
-------------	--------------	---

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024


Print Date 17.05.2025

- Eye protection : Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Hand protection  
Material : Protective gloves  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.  
The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.  
The exact break through time can be obtained from the protective glove producer and this has to be observed.
- Skin and body protection : Long sleeved clothing  
: Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : Use suitable breathing protection if workplace concentration requires.  
Breathing apparatus with filter.  
P1 filter

**Environmental exposure controls**

- General advice : The product should not be allowed to enter drains, water courses or the soil.  
: Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

**SECTION 9: Physical and chemical properties**
**9.1 Information on basic physical and chemical properties**

Page 8 / 18	102000038303	A member of  <b>ALTANA</b>
-------------	--------------	---

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

Appearance	: pellets
Colour	: silver
Odour	: characteristic
pH	: substance/mixture is non-soluble (in water)
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Bulk density	: No data available
Flammability (solid, gas)	: Combustible Solids
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative density	: 2,11
Density	: 2,11 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: insoluble
Miscibility with water	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

Flow time : No data available

**9.2 Other information**

No data available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No decomposition if stored and applied as directed.

**10.2 Chemical stability**

No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Contact with acids and alkalis may release hydrogen.

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

**10.4 Conditions to avoid**

Conditions to avoid : No data available

**10.5 Incompatible materials**Materials to avoid : Acids  
Bases  
Oxidizing agents  
Water**10.6 Hazardous decomposition products**

Other information : No data available

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****Components:****Alcohols, C9-11-iso-, C10-rich, ethoxylated :**

Acute oral toxicity : The component/mixture is moderately toxic after single  
ingestion.

**Skin corrosion/irritation****Product**

Extremely corrosive and destructive to tissue.

**Serious eye damage/eye irritation****Product**

May cause irreversible eye damage.

**Respiratory or skin sensitisation**

No data available

**Carcinogenicity**

No data available

**Toxicity to reproduction/fertility**

No data available

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

---

**Reprod.Tox./Development/Teratogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information****Product**No data available

---

**SECTION 12: Ecological information****12.1 Toxicity****Components:****trizinc bis(orthophosphate) (7779-90-0) :****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard : Very toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

---

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other adverse effects****Product:**Additional ecological  
information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

Do not re-use empty containers.

**SECTION 14: Transport information****14.1 UN number****ADR** : 3077**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG** : 3077**IATA** : 3077**14.2 Proper shipping name****ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(paint related material )**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(,paint related material )**IATA** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(paint related material)**14.3 Transport hazard class****ADR** : 9

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG** : 9**IATA** : 9**14.4 Packing group****ADR**

Packaging group : III

Classification Code : M7

Hazard Identification Number : 90

Labels : 9

Tunnel restriction code : (-)

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG**

Packaging group : III

Labels : 9

EmS Code : F-A, S-F

**IATA**Packing instruction (cargo  
aircraft) : 956Packing instruction  
(passenger aircraft) : 956

Packing instruction (LQ) : Y956

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## Aquavex Plus Elite 0015

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

Packaging group : III

Labels : 9

### 14.5 Environmental hazards

**IMDG** : Marine pollutant

**ADR** : Environmentally hazardous

### 14.6 Special precautions for user

**IMDG Code- segregation group:**

: IMDG Code segregation group 7 - Heavy metals and their salts

For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, : Banned and/or restricted (aluminium powder (stabilised))

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**Aquavex Plus Elite 0015**

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

mixtures and articles (Annex XVII)

(Alcohols, C9-11-iso-, C10-rich,  
ethoxylated)  
(Phosphoric acid, C11-14-isoalkyl  
esters, C13-rich)  
: Listed  
(aluminium powder (stabilised))

Regulation (EU) 2019/1148 on the marketing and use of  
explosives precursors

**15.2 Chemical safety assessment**

No data available

**SECTION 16: Other information****Full text of H-Statements**

H228 : Flammable solid.  
H302 : Harmful if swallowed.  
H303 : May be harmful if swallowed.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H400 : Very toxic to aquatic life.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET



Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## Aquavex Plus Elite 0015

Version 1.0

Revision Date 18.12.2024

Print Date 17.05.2025

---