

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/24/2024	102000023147	Date of first issue: 03/21/2018

SECTION 1. IDENTIFICATION

Product name Product code	:	STANDART RESIST AT Rich Gold Bronze Powde 069507C20			
Manufacturer or supplier's	deta	ils			
Company name of supplier Address	:	ECKART America Corporation 830 East Erie Street Painesville OH 44077			
Telephone	:	866-458-7837 (440) 954-7600			
Telefax	:	(440) 354-6224			
e-mail adresse	:	info.eckart.america.oh@altana.com			
Emergency telephone	:	CHEMTREC: 800-424-9300			
		CHEMTREC: 1-703-527-3387 (International)			
		NCEC:			
		(contract no. ECKART29003-NCEC)			
		US: +1 866 928 0789 (Toll free)			
		Canada: +1 800 579 7421 (Toll Free)			
		Maxiaa			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification	in accordance	with the OSHA	Hazard	Communication	Standard	(29 CFR
1910.1200)						
Combustible dust						

Mexico: +52 55 5004 8763

Acute toxicity (Oral)	:	Category 4
Eye irritation	:	Category 2A
GHS label elements Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	May form combustible dust concentrations in air. H302 Harmful if swallowed. H319 Causes serious eye irritation.



Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/24/2024	102000023147	Date of first issue: 03/21/2018

Precautionary Statements :	Prevention: P264 P270 P280	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/ face protection.
	Response:	
	P301 + P312 + I	P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
	P305 + P351 + I	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.
	Disposal:	
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label: Copper

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Copper	7440-50-8	>= 50 - < 70
Zinc	7440-66-6	>= 20 - < 30
Silica	7631-86-9	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Take the victim into fresh air.
	Move out of dangerous area.
	Show this material safety data sheet to the doctor in
	attendance.





Version 2.1	Revision Date: 04/24/2024	SDS Number: 102000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018		
lf inha	aled	Do not leave to fre	he victim unattended. sh air.		
In case of skin contact In case of eye contact		advice. If symptoms p : Wash off imm : Immediately fl Remove conta	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. Wash off immediately with soap and plenty of water. Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. 		
If swallowed		: Induce vomitir Keep respirato Do not give mi Never give any	persists, consult a specialist. Ig immediately and call a physician. Iry tract clear. Ik or alcoholic beverages. Athing by mouth to an unconscious person. ersist, call a physician.		
Most important symptoms and effects, both acute and delayed		: Harmful if swa			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media Specific hazards during fire fighting		Special powder against metal fire Dry sand ABC powder Water High volume water jet Carbon dioxide (CO2) Do not allow run-off from fire fighting to enter drains or water courses.
Further information Special protective equipment for fire-fighters	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	:	Use personal protective equipment.
protective equipment and		Evacuate personnel to safe areas.
emergency procedures		Use personal protective equipment.



Version 2.1	Revision Date: 04/24/2024	-	9S Number: 2000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018	
			Avoid dust format Avoid breathing d		
General advice		:	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform		
Enviro	Environmental precautions		respective authori The product shou courses or the so	ld not be allowed to enter drains, water	
			Prevent further lea	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ties.	
	Methods and materials for containment and cleaning up		Use mechanical handling equipment.		
			Pick up and transf	er to properly labeled containers.	
			Keep in suitable, o	closed containers for disposal.	
SECTION	7. HANDLING AND ST	OR/	AGE		
	e on protection against nd explosion	:	Normal measures for preventive fire protection.		
			Avoid dust format Provide appropria is formed.	ion. te exhaust ventilation at places where dust	
Advic	e on safe handling	:	dusts do not accu Avoid formation o Do not breathe va Avoid contact with For personal prot Smoking, eating a application area.	eping should be instituted to ensure that mulate on surfaces. f respirable particles. pors/dust.	



Version 2.1	Revision Date: 04/24/2024	SDS Number: 102000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018
Conditions for safe storage		the technolog Keep away fr Do not store r Keep containe To maintain p sunlight. Keep containe place. Containers wh kept upright to Electrical inst	allations / working materials must comply with ical safety standards. om sources of ignition - No smoking. hear combustible materials. ers tightly closed in a cool, well-ventilated place. roduct quality, do not store in heat or direct er tightly closed in a dry and well-ventilated hich are opened must be carefully resealed and o prevent leakage. allations / working materials must comply with ical safety standards.
Techr meas	nical ures/Precautions		numidity and water.
Mater	ials to avoid	strongly acid	om oxidizing agents, strongly alkaline and materials in order to avoid exothermic reactions. ogether with oxidizing and self-igniting products.
	er information on ge stability	: Keep in a dry	place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Copper	7440-50-8	TWA	1 mg/m3 (Copper)	ACGIH
		TWA (dust and mists)	1 mg/m3 (Copper)	NIOSH REL
		TWA	1 mg/m3 (Copper)	OSHA P0
		TWA	0.2 mg/m3 (Copper)	ACGIH
		TWA	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	ACGIH
		TWA (Fumes)	0.2 mg/m3 (Copper)	ACGIH
		TWA (Dust)	1 mg/m3	NIOSH REL



Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/24/2024	102000023147	Date of first issue: 03/21/2018

			(Copper)	
		TWA (Mist)	1 mg/m3 (Copper)	NIOSH REL
		TWA (dusts and mists)	1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	OSHA P0
Zinc	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
Silica	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL

Personal protective equipment

Respiratory protection	: Use suitable b requires. Respirator with P1 filter	reathing protection if workplace concentration	
Hand protection			
Material	: Leather		
Remarks	only depend o	s The choice of an appropriate glove does not n its material but also on other quality features nt from one producer to the other. The exact	
	6 /	16	Ĩ



Version 2.1	Revision Date: 04/24/2024	SDS Number: 102000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018	
		producer and thi preventive skin p The suitability fo	or a specific workplace should be discussed	
Eye protection		 with the producers of the protective gloves. Safety glasses Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. 		
Skin and body protection		: Long sleeved clo Safety shoes Dust impervious Choose body pr	-	
Hygie	ne measures	: General industri Do not smoke. Wash hands be Keep away from Keep away from When using do When using do	al hygiene practice. fore breaks and at the end of workday. n food and drink. n tobacco products. not eat or drink.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold pH Melting point/range	:	powder gold characteristic No data available substance/mixture is non-soluble (in water) > 900 °C
Initial boiling point and boiling range	:	No data available
Flash point	•	No data available
Evaporation rate	÷	No data available
Flammability (solid, gas)		Combustible Solids
		combustible dust
Burning number	:	1
		NI 1
Upper explosion limit / Upper	:	No data available
flammability limit Lower explosion limit / Lower		No data available
Lower explosion limit / Lower	·	INU Uala avaliante



	Revision Date: 04/24/2024	SDS Number: 102000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018		
flamm	ability limit				
	pressure	: No data availab	le		
Relative density		: No data availab			
Densit	y	: 8 - 9 g/cm3			
	lity(ies)				
	ter solubility		: insoluble		
	on coefficient: n- ol/water	: No data availab	le		
	inition temperature	: No data availab	le		
	nposition temperature	: No data availab			
Viscos		: No data availab			
CTION	10. STABILITY AND R	EACTIVITY			
Reacti	vity	: No decomposi	tion if stored and applied as directed.		
	cal stability		tion if stored and applied as directed.		
	oility of hazardous		commended storage conditions.		
reactic	ons		be specially mentioned. tion if stored and applied as directed.		
		Dust may rollin	explosive mixture in air.		
Condit	tions to avoid	: No data availab			
	tions to avoid	: No data availab			
CTION	11. TOXICOLOGICAL	: No data availab			
CTION		: No data availab			
CTION Acute Harmf	11. TOXICOLOGICAL	: No data availab			
CTION Acute Harmf	11. TOXICOLOGICAL toxicity ul if swallowed. onents:	: No data availab			
CTION C Acute Harmf Comp Coppe	11. TOXICOLOGICAL toxicity ul if swallowed. onents:	No data availab	e component/mixture is moderately toxic after		
CTION C Acute Harmf Comp Coppe	11. TOXICOLOGICAL toxicity ul if swallowed. onents: er:	: No data availab	e component/mixture is moderately toxic after		
CTION Acute Harmf Comp Coppe Acute Zinc:	11. TOXICOLOGICAL toxicity ul if swallowed. onents: er:	: No data availab	e component/mixture is moderately toxic after		
CTION Acute Harmf Comp Coppe Acute Zinc: Acute	11. TOXICOLOGICAL toxicity ul if swallowed. onents: er: oral toxicity	No data availab	e component/mixture is moderately toxic after		
CTION Acute Harmf Comp Coppe Acute Zinc: Acute	11. TOXICOLOGICAL toxicity ul if swallowed. onents: oral toxicity oral toxicity	 No data availab INFORMATION Assessment: Th single ingestion : (Rat): > 2,000 r 	e component/mixture is moderately toxic after ng/kg I mg/l 4 h		
CTION Acute Harmf Comp Coppe Acute Zinc: Acute	11. TOXICOLOGICAL toxicity ul if swallowed. onents: oral toxicity oral toxicity inhalation toxicity	 No data availab INFORMATION Assessment: Th single ingestion (Rat): > 2,000 r LC50 (Rat): 5.4 Exposure time: 	e component/mixture is moderately toxic after ng/kg I mg/l 4 h		



Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/24/2024	102000023147	Date of first issue: 03/21/2018

(Mouse):	15,000	mg/kg
----------	--------	-------

Acute inhalation toxicity	:	(Rat): 0.139 mg/l Exposure time: 4 h
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Copper:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Copper: Result: Eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.



Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/24/2024	102000023147	Date of first issue: 03/21/2018

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Components:

Copper: Remarks: No data available

Zinc:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Copper:		
M-Factor (Acute aquatic toxicity)	:	10
M-Factor (Chronic aquatic toxicity)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
Zinc:		
M-Factor (Acute aquatic	:	1





rsion	Revision Date: 04/24/2024		DS Number: 2000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018
toxici M-Fac toxici	ctor (Chronic aquatic	:	1	
	aquatic toxicity	:	Very toxic to aqu	atic life.
Chror	ic aquatic toxicity	:	Very toxic to aqu	atic life with long lasting effects.
Silica Toxic	I: ity to daphnia and other	:	(Daphnia): 7,600) mg/l
aquat	ic invertebrates ity to algae	:		bidosa): 440 mg/l
	stence and degradabili ata available	ity		
	cumulative potential ata available			
	adverse effects ata available			
<u>Comp</u>	oonents:			
	er: ional ecological nation	:	unprofessional ha	I hazard cannot be excluded in the event o andling or disposal. atic life with long lasting effects.
Zinc:				
Addit	ional ecological nation	:	unprofessional ha	I hazard cannot be excluded in the event or andling or disposal. atic life with long lasting effects.
Silica	:			
	ional ecological nation	:	No data available	9

Waste from residues : The product should not be allowed to enter drains, water





courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Contaminated packaging : Empty remaining contents. Dispose of as unused product.	Version 2.1	Revision Date: 04/24/2024	SDS Number: 102000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018
Do not re-use empty containers.	Conta	minated packaging	Do not contam chemical or us Send to a licer : Empty remaini Dispose of as	ninate ponds, waterways or ditches with eed container. Insed waste management company. Ing contents. unused product.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Copper metal powder)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous Dangerous Goods
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
IMDG-Code		
UN number		UN 3077
Proper shipping name	÷	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
Floper shipping hame	·	N.O.S.
		(Copper metal powder)
Class		9
Packing group	:	
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
Remarks	:	IMDG Code segregation group 7 - Heavy metals and their
Homano	•	salts
Remarks	:	For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.



Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/24/2024	102000023147	Date of first issue: 03/21/2018

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ
		(lbs)
Zinc	7440-66-6	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards :	Combustible dust Acute toxicity (any route o Serious eye damage or ey	• •	
SARA 313 :	The following components established by SARA Title	• •	orting levels
	Copper	7440-50-8	>= 50 - < 70 %
	Zinc	7440-66-6	>= 20 - < 30 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.



Version 2.1	Revision Date: 04/24/2024	SDS Number: 102000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018
This p	product contains the f Copper	ollowing toxic pollutants 7440-50-8	listed under the U.S. Clean Water Act Section 307 67.7667 %
	Zinc	7440-66-6	29.0429 %
This p	product contains the f Copper	ollowing priority pollutar 7440-50-8	nts related to the U.S. Clean Water Act: 67.7667 %
	Zinc	7440-66-6	29.0429 %
US S	tate Regulations		
	achusetts Right To	Know	
	Copper		7440-50-8
	Zinc		7440-66-6
	Silica		7631-86-9
Penn	sylvania Right To K	now	
	Copper		7440-50-8
	Zinc		7440-66-6
	Silica		7631-86-9
Califo	which is/are k	nown to the State of Ca	you to chemicals including lead and cadmium, lifornia to cause cancer and birth defects or other tion go to www.P65Warnings.ca.gov.
Califo	ornia List of Hazardo	ous Substances	
	Copper		7440-50-8
	Zinc		7440-66-6
	Silica		7631-86-9

California Permissible Exposure Limits for Chemical Contaminants

Copper	7440-50-8



Version 2.1	Revision Date: 04/24/2024	SDS Number: 102000023147	Date of last issue: 12/06/2019 Date of first issue: 03/21/2018
	Zinc		7440-66-6
	Silica		7631-86-9
DSL TSCA TSCA	-	: All component : On TSCA Inve	ts of this product are on the Canadian DSL entory
TSCA	-		
No su	ubstances are subject	to a Significant New L	Jse Rule.
The f Zinc	ollowing substance(s) is/are subject to TSC/	A 12(b) export notification requirements: 7440-66-6
	16. OTHER INFORM		
	ext of other abbrevia		
ACGI	Н	: USA. ACGIH T	Threshold Limit Values (TLV)

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA PO	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated
		values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1
		Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3
		Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek
OSHA P0/TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International



Version	Revision Date:
2.1	04/24/2024

SDS Number: 102000023147

Date of last issue: 12/06/2019 Date of first issue: 03/21/2018

Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 04/24/2024

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8