

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

## SECTION 1. IDENTIFICATION

Product name : METALSTAR SELECT 12-2003 PALE GOLD  
Product code : 046410MK0

**Manufacturer or supplier's details**

Company name of supplier : ECKART America Corporation  
Address : 830 East Erie Street  
Painesville OH 44077  
Telephone : 866-458-7837  
Telefax : (440) 354-6224  
Emergency telephone : **CHEMTREC:** 800-424-9300  
**CHEMTREC:** 1-703-527-3387 (International)

**NCEC:**

(contract no. ECKART29003-NCEC)  
US: +1 866 928 0789 (Toll free)  
Canada: +1 800 579 7421 (Toll Free)  
Mexico: +52 55 5004 8763

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with 29 CFR 1910.1200**

Acute toxicity (Oral) : Category 4  
Eye irritation : Category 2A  
Specific target organ toxicity : Category 2 (Liver, Gastrointestinal tract, Immune system)  
- repeated exposure

**GHS label elements**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.  
H319 Causes serious eye irritation.  
H373 May cause damage to organs (Liver, Gastrointestinal tract, Immune system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

Copper  
Amines, hydrogenated tallow alkyl

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Hazardous ingredients**

Chemical name	CAS-No.	Concentration (% w/w)
Copper	7440-50-8	$\geq 20$ - $< 30$
Zinc	7440-66-6	$\geq 10$ - $< 20$
Soybean oil, Me ester	67784-80-9	$\geq 1$ - $< 5$
Amines, hydrogenated tallow alkyl	61788-45-2 (90640-32-7)	$\geq 1$ - $< 3$

**SECTION 4. FIRST AID MEASURES**

General advice : Take the victim into fresh air.  
Move out of dangerous area.  
Show this material safety data sheet to the doctor in

**METALSTAR SELECT 12-2003 PALE GOLD**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

If inhaled	: attendance. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: If symptoms persist, call a physician. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	: Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	: Water High volume water jet
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions,	: Evacuate personnel to safe areas.
-----------------------	-------------------------------------

---

**METALSTAR SELECT 12-2003 PALE GOLD**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

protective equipment and  
emergency procedures

Ensure adequate ventilation.  
Use personal protective equipment.

Environmental precautions :

Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

Methods and materials for  
containment and cleaning up

: Use mechanical handling equipment.

Pick up and transfer to properly labeled containers.  
Do not flush with water.  
Contain spillage, and then collect with non-combustible  
absorbent material, (e.g. sand, earth, diatomaceous earth,  
vermiculite) and place in container for disposal according to  
local / national regulations (see section 13).

Soak up with inert absorbent material (e.g. sand, silica gel,  
acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against  
fire and explosion

: Keep away from heat and sources of ignition.  
No smoking.

Normal measures for preventive fire protection.

Advice on safe handling

: Do not breathe vapors/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the  
application area.  
Dispose of rinse water in accordance with local and national  
regulations.

Conditions for safe storage

: Keep away from sources of ignition - No smoking.  
Do not store near combustible materials.  
Keep containers tightly closed in a cool, well-ventilated place.  
To maintain product quality, do not store in heat or direct  
sunlight.  
Keep container tightly closed in a dry and well-ventilated  
place.  
Containers which are opened must be carefully resealed and

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

Technical measures/Precautions : kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Protect from humidity and water.

Further information on storage stability : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.  
Do not store together with oxidizing and self-igniting products.

Further information on storage stability : No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Copper	7440-50-8	TWA	1 mg/m3 (Copper)	ACGIH
		TWA (dust and mists)	1 mg/m3 (Copper)	NIOSH REL
		TWA	1 mg/m3 (Copper)	OSHA P0
		TWA	0.2 mg/m3 (Copper)	ACGIH
		TWA	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	ACGIH
		TWA (Fumes)	0.2 mg/m3 (Copper)	ACGIH
		TWA (Dust)	1 mg/m3 (Copper)	NIOSH REL
		TWA (Mist)	1 mg/m3 (Copper)	NIOSH REL
		TWA (dusts and mists)	1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	OSHA P0

## METALSTAR SELECT 12-2003 PALE GOLD

Version 2.0      Revision Date: 12/11/2019      SDS Number: 102000026850      Date of last issue: -  
 Date of first issue: 03/26/2018

Zinc	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-3
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3

**Hazardous components without workplace control parameters**

Components	CAS-No.
Soybean oil, Me ester	67784-80-9
Amines, hydrogenated tallow alkyl	61788-45-2

**Personal protective equipment**

Respiratory protection : Use suitable breathing protection if workplace concentration requires.  
 Equipment should conform to EN 14387

Hand protection  
 Material : Solvent-resistant gloves (butyl-rubber)

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Safety glasses  
 Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Choose body protection according to the amount and

**METALSTAR SELECT 12-2003 PALE GOLD**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

Hygiene measures : concentration of the dangerous substance at the work place.  
: General industrial hygiene practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Color	: gold
Odor	: characteristic
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: > 300 °C
Flash point	: > 150 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Density	: 1.4 - 1.6 g/cm3
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: > 22 mm2/s (40 °C)

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No decomposition if stored and applied as directed.
Conditions to avoid	: Do not allow evaporation to dryness. No data available

---

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

**Hazardous decomposition products**

Thermal decomposition : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Harmful if swallowed.

**Components:****Copper:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

**Zinc:**

Acute oral toxicity : (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.41 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

**Amines, hydrogenated tallow alkyl:**

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg  
Method: OECD Test Guideline 401

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Copper:**

Remarks: May cause skin irritation in susceptible persons.

**Amines, hydrogenated tallow alkyl:**

Result: Skin irritation

Remarks: May cause skin irritation in susceptible persons.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

---



## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

**Components:****Copper:**

Result: Eye irritation

**Amines, hydrogenated tallow alkyl:**

Result: Irreversible effects on the eye

Remarks: May cause irreversible eye damage.

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Liver, Gastrointestinal tract, Immune system) through prolonged or repeated exposure.

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

**Components:****Amines, hydrogenated tallow alkyl:**

Target Organs: Liver, Gastrointestinal tract, Immune system

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**Aspiration toxicity**

Not classified based on available information.

**Components:****Amines, hydrogenated tallow alkyl:**

May be fatal if swallowed and enters airways.

**Further information****Components:****Copper:**

Remarks: No data available

**Zinc:**

Remarks: No data available

**Amines, hydrogenated tallow alkyl:**

Remarks: Solvents may degrease the skin.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Copper:**

M-Factor (Acute aquatic toxicity) : 10

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

**Zinc:****Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Amines, hydrogenated tallow alkyl:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Other adverse effects**

No data available

**Components:****Copper:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

**Zinc:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

**Amines, hydrogenated tallow alkyl:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- |                        |   |  |
|------------------------|---|--|
| Waste from residues    | : | The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.<br>In accordance with local and national regulations. |
| Contaminated packaging | : | Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>In accordance with local and national regulations.  |
- 

**SECTION 14. TRANSPORT INFORMATION****Domestic regulation****49 CFR**

Not regulated as a dangerous good

**International Regulations****IATA-DGR**

- |  |   |  |
|--|---|--|
| UN/ID No.                                | : | UN 3082  |
| Proper shipping name                     | : | Environmentally hazardous substance, liquid, n.o.s.<br>(Copper metal powder) |
| Class                                    | : | 9  |
| Packing group                            | : | III  |
| Labels                                   | : | Class 9 - Miscellaneous dangerous substances and articles                    |
| Packing instruction (cargo aircraft)     | : | 964  |
| Packing instruction (passenger aircraft) | : | 964  |

**IMDG-Code**

- |                      |   |  |
|----------------------|---|--|
| UN number            | : | UN 3082  |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Copper metal powder)   |
| Class                | : | 9  |
| Packing group        | : | III  |
| Labels               | : | 9  |
| EmS Code             | : | F-A, S-F   |
| Marine pollutant     | : | yes  |
| Remarks              | : | For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 |
-

**METALSTAR SELECT 12-2003 PALE GOLD**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

IATA-DGR may be applied.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)
Zinc	7440-66-6	1000

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Serious eye damage or eye irritation  
Respiratory or skin sensitization  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Copper	7440-50-8	>= 20 - < 30 %
Zinc	7440-66-6	>= 10 - < 20 %

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Copper	7440-50-8	28.4 %
Zinc	7440-66-6	10.96 %

**US State Regulations****Massachusetts Right To Know**

Copper	7440-50-8
Soybean oil	8001-22-7
Zinc	7440-66-6
Amines, hydrogenated tallow alkyl	61788-45-2

**Pennsylvania Right To Know**

Copper	7440-50-8
Fatty acids, tall-oil, polymers with maleic anhydride, pentaerythritol and resin acid ester with pentaerythritol	99811-97-9
Soybean oil	8001-22-7
Zinc	7440-66-6
Benzene, ethenylmethyl-, polymer with (1-methylethenyl)benzene	9017-27-0
Linseed oil, polymer with isophthalic acid, pentaerythritol and tall oil	68139-23-1
Fatty acids, tall-oil, Bu esters	67762-63-4
Aluminum	7429-90-5

**California Prop. 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California List of Hazardous Substances**

Copper	7440-50-8
--------	-----------

**METALSTAR SELECT 12-2003 PALE GOLD**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

Zinc 7440-66-6

**California Permissible Exposure Limits for Chemical Contaminants**

Copper 7440-50-8

Zinc 7440-66-6

**The ingredients of this product are reported in the following inventories:**

DSL : This product contains one or several components listed in the Canadian NDSL.  
TSCA : On TSCA Inventory  
EINECS : On the inventory, or in compliance with the inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts  
ACGIH / TWA : 8-hour, time-weighted average  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
OSHA P0 / TWA : 8-hour time weighted average  
OSHA Z-1 / TWA : 8-hour time weighted average  
OSHA Z-3 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x%

## METALSTAR SELECT 12-2003 PALE GOLD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000026850	Date of first issue: 03/26/2018

---

growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/11/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8