SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXAN C261

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	LUXAN C261

Product code : 038031ML0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	Gi	CKART GmbH Jentersthal 4 235 Hartenstein
Telephone	: +4	99152770
Telefax	: +4	99152777008
E-mail address of person responsible for the SDS	: <u>m</u> e	sds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.	
--------	---	--

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

LUXAN C261



Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Remarks

: No hazardous ingredients

SECTION 4: First aid measures

4.1 Description of first aid meas	sures	;
General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.



LUXAN C261

4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014	

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions,	protective	equipment and emergency procedures
Personal precautions	:	Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : No sp	pecial environmental precautions required.
-----------------------------------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
-------------------------	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	General industrial hygiene practice.
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.
Further information on	:	Keep in a dry place.



LUXAN C261

Version	Revision Date: 13.02.2023	SDS Number:	Print Date: 02.12.2024
4.0		10200000646	Date of first issue: 10.01.2014

storage stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dus when samplir MDHS14/4 G respirable, th substance ha concentration inhalable dus any dust will I levels. Some must comply particles of a particular par response tha distinguishes and 'respirab material that available for to the fraction definitions an contain comp should be co	nation: For the purport t are those fractions or a sundertaken in a eneral methods for so oracic and inhalable zardous to health indo in air equal to or great t or 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. ticle after entry into t t it elicits, depend on two size fractions for le'., Inhalable dust appendent that penetrates to the deposition in the respondent that penetrates to the deposition in the respondent to the deposition in the respondent to the deposi	Ises of these limits, respirate of airborne dust which will be cordance with the method ampling and gravimetric and aerosols., The COSHH defined cludes dust of any kind whe eater than 10 mg.m-3 8-hour TWA of respirable dust. The fi people are exposed to con- signed specific WELs and en- limits., Most industrial dusts The behaviour, deposition the human respiratory system the nature and size of the per- r limit-setting purposes term oproximates to the fraction of mouth during breathing and inatory tract. Respirable dur- ting as exchange region of all are given in MDHS14/4., ir own assigned WEL, all the perposure limit should be used.	be collected s described in alysis or inition of a n present at a r TWA of his means that dust above these xposure to these s contain and fate of any m, and the body barticle. HSE ned 'inhalable' of airborne I is therefore st approximates the lung. Fuller Where dusts he relevant limits sure limit is listed,
		TWA (Inhalable) TWA (Respirable	10 mg/m3 4 mg/m3	GB EH40 GB EH40
	inhalable dus when samplir MDHS14/4 G respirable, th substance ha concentration inhalable dus any dust will I levels. Some must comply	dust) nation: For the purpo t are those fractions ng is undertaken in a eneral methods for s oracic and inhalable zardous to health inco in air equal to or gre t or 4 mg.m-3 8-hour be subject to COSHF dusts have been ass with the appropriate	ses of these limits, respirat of airborne dust which will b ccordance with the method ampling and gravimetric an aerosols., The COSHH def cludes dust of any kind whe eater than 10 mg.m-3 8-hou TWA of respirable dust. The f if people are exposed to c signed specific WELs and e limits., Most industrial dust.	be collected s described in alysis or inition of a n present at a r TWA of dust above these xposure to these s contain



LUXAN C261

Version 4.0	Revision Date: 13.02.2023	SDS Number: 10200000646	Print Date: 02.12.2 Date of first issue:	
	respo distir and ' mate avail to the defir conta shou	onse that it elicits, dependinguishes two size fractions that enters the nost able for deposition in the fraction that penetrate itions and explanatory ain components that hat all be complied with., We ure three times the long	end on the nature and so ons for limit-setting pu- dust approximates to the e and mouth during bread he respiratory tract. Respiratory tract. Respiratory tract. Respiratory tract. Respiratory tract and the set of the gas exchanges material are given in M we their own assigned where no specific short pterm exposure limit set.	eathing and is therefore spirable dust approximates e region of the lung. Fuller IDHS14/4., Where dusts WEL, all the relevant limits -term exposure limit is listed,
		TWA (Respin fraction)	able 4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection Skin and body protection Respiratory protection	:	Safety glasses Protective suit No personal respiratory protective equipment normally
		required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	powder
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	2,501 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LUXAN C261



Versi 4.0	on Revision Date: 13.02.2023	-	S Number: 2000000646	Print Date: 02.12.2024 Date of first issue: 10.01.2014
i	рΗ	:	substance/mixtu	re is non-soluble (in water)
	Viscosity, kinematic	:	No data available)
	Water solubility	:	No data available	2
	Solubility in other solvents	:	No data available)
-	Partition coefficient: n-	:	No data available	2
	/apour pressure	:	No data available	9
I	Relative density	:	No data available)
I	Density	:	2.50 - 2.7 g/cm3	
	Bulk density Relative vapour density	:	0.27 - 0.53 g/cm3 No data available	
	Particle Size Distribution	:		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.



LUXAN C261

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available





Version 4.0	Revision Date: 13.02.2023	SDS Number: 10200000646	Print Date: 02.12.2024 Date of first issue: 10.01.2014
	istence and degrada ata available	ability	
	ccumulative potenti ata available	al	
	ility in soil ata available		
12.5 Resu	Ilts of PBT and vPvB	B assessment	
<u>Prod</u>	uct:		
Asse	ssment	to be either pe	e/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or it and very bioaccumulative (vPvB) at levels of r.
	ocrine disrupting pro ata available	operties	
12.7 Othe	r adverse effects		
	uct: tional ecological mation	: No data availa	able

13.1 Waste treatment methods

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

14.2 UN proper shipping name

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		

LUXAN C261



Version 4.0	Revision Date: 13.02.2023		DS Number: 02000000646	Print Date: 02.12.2024 Date of first issue: 10.01.2014
ADR		:	Not regulated as	a dangerous good
IMDG		:	Not regulated as	a dangerous good
ΙΑΤΑ		:	Not regulated as	a dangerous good
14.4 Pack	ing group			
ADR		:	Not regulated as a dangerous good	
IMDG	ì	:	Not regulated as	a dangerous good
ΙΑΤΑ	(Cargo)	:	Not regulated as	a dangerous good
ΙΑΤΑ	(Passenger)	:	Not regulated as	a dangerous good
	ronmental hazards egulated as a dangero	us go	od	
14.6 Spec	ial precautions for u	ser		
Rema	arks	:	Not classified as regulations.	dangerous in the meaning of transport
14.7 Marit	time transport in bull	k acco	ording to IMO inst	ruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text	of other	abbreviations
-----------	----------	---------------

GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)



LUXAN C261

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN