according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
6.0	31.01.2023	102000025113	Date of first issue: 14.11.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	SYNCRYSTAL Silver
Product code	:	035490MJ0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Cosmetic products
Substance/Mixture		Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.	
--------	---	--

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
6.0	31.01.2023	102000025113	Date of first issue: 14.11.2016

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Substances with a workplace expo	sure limit:		
Fluorphlogopite	12003-38-2		>= 50 - <= 100
(Mg3K[AIF2O(SiO3)3])			
	234-426-5		
	01-2119971065-37		
WEL substance :			
tin dioxide	18282-10-5		< 10
	242-159-0		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
		Do not leave the victim unattended.
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
		If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
		Wash off with soap and water.

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

Version 6.0	Revision Date: 31.01.2023	SDS Number: 102000025113	Print Date: 02.12.2024 Date of first issue: 14.11.2016
In cas	e of eye contact	Remove conta	persists, consult a specialist.
lf swal	llowed	Never give any	ory tract clear. ilk or alcoholic beverages. ything by mouth to an unconscious person. ersist, call a physician.
		Never give any	ory tract clear. ilk or alcoholic beverages. /thing by mouth to an unconscious person. ersist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
		Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
		Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

according to Regulation (EC) No. 1907/2006

SYNCRYSTAL Silver



Version 6.0	Revision Date: 31.01.2023		DS Number: 2000025113	Print Date: 02.12.2024 Date of first issue: 14.11.2016
Perso	onal precautions	:	Avoid dust forma Avoid dust forma	
	onmental precautions	:	No special enviro	onmental precautions required.
6.3 Metho	ds and material for co	ontai	nment and clean	ing up
Metho	ods for cleaning up	:	Sweep up and sl	nge disposal without creating dust. hovel. , closed containers for disposal.
			Sweep up and sl	nge disposal without creating dust. hovel. , closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.
	Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures :	General industrial hygiene practice. General industrial hygiene practice.
7.2 Conditions for safe storage, inc	cluding any incompatibilities
Requirements for storage : areas and containers	Electrical installations / working materials must comply with the technological safety standards.
	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage :	No materials to be especially mentioned.
	No materials to be especially mentioned.
Further information on :	Keep in a dry place.

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

Version 6.0	Revision Date: 31.01.2023	SDS Number: 102000025113	Print Date: 02.12.2024 Date of first issue: 14.11.2016
stora	ge stability	Keep in a dry p	ition if stored and applied as directed. blace. ition if stored and applied as directed.
7.3 Speci	fic end use(s)		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Fluorphlogopite (Mg3K[AIF2O(SiO 3)3])	12003-38-2	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC
	Further inform	nation: Indicative		
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply of particles of a v particular part response that distinguishes and 'respirable material that e available for of to the fraction definitions and contain comp should be cor a figure three Further inform inhalable dust when samplin MDHS14/4 Ge	hation: For the purpo are those fractions g is undertaken in a eneral methods for s pracic and inhalable zardous to health inc in air equal to or gre or 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. icle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent that penetrates to the dexplanatory materia onents that have the nplied with., Where r times the long-term TWA (Inhalable) TWA (Respirable dust) nation: For the purpo are those fractions g is undertaken in ac	ses of these limits, respirable of airborne dust which will be ccordance with the methods ampling and gravimetric ana aerosols., The COSHH defir dudes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du- signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition a ne human respiratory system the nature and size of the pa- r limit-setting purposes termed proximates to the fraction of mouth during breathing and i iratory tract. Respirable dust and are given in MDHS14/4., V ir own assigned WEL, all the no specific short-term expose exposure limit should be use 10 mg/m3 4 mg/m3 ses of these limits, respirable ccordance with the methods ampling and gravimetric ana	e collected described in lysis or nition of a present at a TWA of a means that ast above these posure to these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne as therefore t approximates relevant limits ure limit is listed, ed. GB EH40 GB EH40 GB EH40 GB EH40 e dust and e collected described in

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

ersion 0	Revision Da 31.01.2023			rint Date: 02.12.2024 ate of first issue: 14.11.2016	
		inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions and contain comp	t or 4 mg.m-3 8-hou be subject to COSHI dusts have been as with the appropriate wide range of sizes. ticle after entry into the tit elicits, depend or two size fractions for e'., Inhalable dust a enters the nose and deposition in the resp in that penetrates to t d explanatory mater onents that have the	eater than 10 mg.m-3 8-hour r TWA of respirable dust. Thi H if people are exposed to dusting signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition a the human respiratory system the nature and size of the p or limit-setting purposes term pproximates to the fraction o mouth during breathing and biratory tract. Respirable dust he gas exchange region of the al are given in MDHS14/4., Ver	s means that ust above these posure to these contain and fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore t approximates ne lung. Fuller Where dusts e relevant limits
			times the long-term	no specific short-term expos exposure limit should be use	ed.
			TWA (Respirable fraction)	4 mg/m3	GB EH40
titaniu	um dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
		MDHS14/4 Go respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions and contain comp should be cor	eneral methods for pracic and inhalable zardous to health in- in air equal to or gre t or 4 mg.m-3 8-hou be subject to COSHI dusts have been as with the appropriate wide range of sizes. ticle after entry into the t telicits, depend or two size fractions for e'., Inhalable dust a enters the nose and deposition in the resp in that penetrates to t d explanatory mater onents that have the mplied with., Where	accordance with the methods sampling and gravimetric and aerosols., The COSHH defin cludes dust of any kind when eater than 10 mg.m-3 8-hour r TWA of respirable dust. Thi H if people are exposed to dustig signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition a the human respiratory system the nature and size of the p por limit-setting purposes term oproximates to the fraction o mouth during breathing and biratory tract. Respirable dus he gas exchange region of the ial are given in MDHS14/4., eir own assigned WEL, all the no specific short-term exposi- exposure limit should be used 10 mg/m3	alysis or nition of a present at a TWA of s means that ust above these posure to these contain and fate of any n, and the bod article. HSE ed 'inhalable' f airborne is therefore t approximates ne lung. Fuller Where dusts e relevant limits ure limit is liste
			TWA (Inhalable) TWA (Respirable dust)	10 mg/m3 4 mg/m3	GB EH40 GB EH40
		inhalable dust when samplin	nation: For the purpo t are those fractions ig is undertaken in a	oses of these limits, respirable of airborne dust which will b accordance with the methods sampling and gravimetric and	e collected described in

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

ersion)	Revision Date: 31.01.2023		Number: 00025113	Print Date: 02.12.2024 Date of first issue: 14.			
	su co inh an lev mu pa pa res dis an ma av to de co sh	bstance haz ncentration halable dust y dust will b rels. Some of sticles of a v rticular part sponse that stinguishes d 'respirable aterial that e ailable for c the fraction finitions and ntain comp ould be cor	zardous to healt in air equal to c t or 4 mg.m-3 8- be subject to CC dusts have beer with the appropri- wide range of si icle after entry in it elicits, depen two size fraction e'., Inhalable du enters the nose leposition in the that penetrates d explanatory m onents that have nplied with., Wh	erm exposure limit shoul	nd when present at a 3 8-hour TWA of dust. This means that sed to dust above these s and exposure to these al dusts contain osition and fate of any y system, and the body of the particle. HSE ses termed 'inhalable' action of airborne ing and is therefore able dust approximates yion of the lung. Fuller S14/4., Where dusts L, all the relevant limits m exposure limit is listed,		
tin dio	vxide 18	282-10-5	TWA	2 mg/m3 (Tin)	91/322/EEC		
		Further information: Indicative, Existing scientific data on health effects appear to be particularly limited					
		•	TWA	2 mg/m3 (Tin)	GB EH40		
			STEL	4 mg/m3 (Tin)	GB EH40		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	Consumers	Ingestion	Long-term systemic effects	62.5 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses Safety glasses
Skin and body protection Respiratory protection	:	Work uniform or laboratory coat. No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : powder

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

/ersion 6.0	Revision Date: 31.01.2023		S Number: 2000025113	Print Date: 02.12.2024 Date of first issue: 14.11.2016
Colo	ur	:	silver	
Odou	ır	:	odourless	
Odou	ur Threshold	:	No data available	9
Freez	zing point	:	No data available	9
Boilir	ng point/boiling range	:	No data available	9
Flam	mability	:	Will not burn	
	er explosion limit / Upper nability limit	:	No data available	2
	er explosion limit / Lower nability limit	:	No data available	
Flash	n point	:	No data available	2
Auto	-ignition temperature	:	Not relevant	
Deco	omposition temperature	:	No data available	9
рН		:	substance/mixtu	re is non-soluble (in water)
V	iscosity, kinematic	:	No data available)
W	oility(ies) /ater solubility olubility in other solvents	:	insoluble No data available	9
	tion coefficient: n-	:	No data available	9
	nol/water our pressure	:	No data available	
Relat	ive density	:	No data available	
Dens	ity	:	3.2 g/cm3	
	density ive vapour density	:	0.23 g/cm3 No data available	9
	cle characteristics article Size Distribution	:	D50 = 22.5 μm ±	2.5 μm

9.2 Other information

No data available

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
6.0	31.01.2023	102000025113	Date of first issue: 14.11.2016

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid

: No data available

No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

Version 6.0	Revision Date: 31.01.2023	SDS Number: 102000025113	Print Date: 02.12.2024 Date of first issue: 14.11.2016
	- single exposure lassified based on ava	ilable information.	
	- repeated exposure lassified based on ava		
-	ation toxicity lassified based on ava	ilable information.	
11.2 Infor	mation on other haza	ards	
Furth	er information		
<u>Prod</u> Rema		: No data availa	ble
SECTIO	N 12: Ecological inf	ormation	
12.1 Toxi o No da	city ata available		
	i stence and degrada ata available	bility	
	ccumulative potentia ata available	I	
	lity in soil ata available		
12.5 Resu	Its of PBT and vPvB	assessment	
Prod Asse	<u>uct:</u> ssment	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
	ocrine disrupting pro ata available	perties	
12.7 Othe	r adverse effects		
	<u>uct:</u> ional ecological nation	: No data availa	ble
<u>Com</u>	oonents:		
Fluor	phlogopite (Mg3K[Al	F2O(SiO3)3]):	
Addit	ional ecological nation	: No data availa	ble

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
6.0	31.01.2023	102000025113	Date of first issue: 14.11.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	In accordance with local and national regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. In accordance with local and national regulations.
		Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards Not regulated as a dangerous good					
14.6 Special precautions for user					
Remarks	:	Not classified as dangerous in the meaning of transport regulations.			

according to Regulation (EC) No. 1907/2006



SYNCRYSTAL Silver

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
6.0	31.01.2023	102000025113	Date of first issue: 14.11.2016

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on	:	Not applicable
the market and use of certain dangerous substances,		
mixtures and articles (Annex XVII)		
Regulation (EC) No 1005/2009 on substances that	:	Not applicable
deplete the ozone layer		
UK REACH List of substances subject to authorisation	:	Not applicable
(Annex XIV)		

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations						
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first				
91/322/EEC	:	list of indicative occupational exposure limit values Europe. Commission Directive 91/322/EEC on establishing				
		indicative limit values				
GB EH40		UK. EH40 WEL - Workplace Exposure Limits				
2000/39/EC / TWA	:	Limit Value - eight hours				
91/322/EEC / TWA	:	Limit Value - eight hours				
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)				
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -



SYNCRYSTAL Silver

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
6.0	31.01.2023	102000025113	Date of first issue: 14.11.2016

International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States): UN - United Nations: vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN