according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 17.01.2025
2.1	16.01.2025	102000035972	Date of first issue: 26.10.2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1 Product identifier** Trade name : STAPA DL REFLEXAL 211/80 Aluminium Paste Product code : 053062GD0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the Substance/Mixture
- : Colouring agents, pigments

#### 1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

#### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 17.01.2025
2.1	16.01.2025	102000035972	Date of first issue: 26.10.2022

#### 2.3 Other hazards

**Combustible Solids** 

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

componenta						
Chemical name	CAS-No.	ClassificationREGUL	Concentration			
	EC-No.	ATION (EC) No	(% w/w)			
	Index-No.	1272/2008				
	Registration number					
aluminium powder (stabilised)	7429-90-5	Flam. Sol. 1; H228	>= 50 - <= 100			
	231-072-3					
	013-002-00-1					
	01-2119529243-45					
For evaluation of all provisions and protion 40						

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice :		Move the victim to fresh air.	
		Do not leave the victim unattended.	
lf inhaled	:	Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of skin contact	:	Wash off immediately with soap and plenty of water.	
In case of eye contact	:	Immediately flush eye(s) with plenty of water.	
		Remove contact lenses. If eye irritation persists, consult a specialist.	
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.	



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 17.01.2025
2.1	16.01.2025	102000035972	Date of first issue: 26.10.2022

#### **4.2 Most important symptoms and effects, both acute and delayed** None known.

4.3 Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Dry sand Special powder against metal fire
Unsuitable extinguishing media	:	Water Foam ABC powder Carbon dioxide (CO2)

#### 5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters		
Special protective equipment for firefighters		Use personal protective equipment.
		Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Evacuate personnel to safe areas.
	Use personal protective equipment.
	Remove all sources of ignition.
	Avoid dust formation.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water
	courses or the soil.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 17.01.2025
2.1	16.01.2025	102000035972	Date of first issue: 26.10.2022

#### 6.3 Methods and material for containment and cleaning up

: Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling Advice on safe handling Keep away from heat and sources of ignition. Avoid dust formation. Ensure adequate ventilation. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Advice on protection against Keep away from open flames, hot surfaces and sources of : fire and explosion ignition. Earthing of containers and apparatuses is essential. Provide appropriate exhaust ventilation at places where dust is formed. Hygiene measures General industrial hygiene practice. • 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Store in original container. Keep containers tightly closed in a : cool, well-ventilated place. Keep container closed when not in areas and containers use. Keep away from sources of ignition - No smoking. Electrical installations / working materials must comply with the technological safety standards. Further information on Protect from humidity and water. Do not allow to dry. : storage conditions Do not store together with oxidizing and self-igniting products. Advice on common storage : Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. No materials to be especially mentioned.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **STAPA DL REFLEXAL 211/80 Aluminium** Paste

Version 2.1	Revision Date: 16.01.2025	SDS Number: 102000035972	Print Date: 17.01.2025 Date of first issue: 26.10.2022	
				-

storage stability

Further information on : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a w particular part response that distinguishes and 'respirable material that e available for c to the fraction definitions and contain comp should be cor a figure three	hation: For the purpo are those fractions g is undertaken in a eneral methods for s pracic and inhalable ardous to health ind in air equal to or greater or 4 mg.m-3 8-hour be subject to COSHH dusts have been assigned with the appropriater wide range of sizes. icle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appender that penetrates to the deposition in the resp that penetrates to the penetrates to the deposition in the resp that penetrates to the penetrates to the penetrates to the deposition in the resp that penetrates to the penetrates	ses of these limits, respirabl of airborne dust which will be coordance with the methods ampling and gravimetric and aerosols., The COSHH defin dudes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This lif people are exposed to du- signed specific WELs and ex- imits., Most industrial dusts The behaviour, deposition and he human respiratory system the nature and size of the p r limit-setting purposes term oproximates to the fraction of mouth during breathing and iratory tract. Respirable dus and are given in MDHS14/4., M ir own assigned WEL, all the to specific short-term expose exposure limit should be use 4 mg/m3 ses of these limits, respirable of airborne dust which will be coordance with the methods	e collected described in alysis or nition of a present at a TWA of s means that ust above these posure to these contain and fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore t approximates he lung. Fuller Where dusts e relevant limits ure limit is listed, ed. GB EH40 e dust and e collected
	MDHS14/4 Ge	eneral methods for s	ampling and gravimetric ana arrosols., The COSHH defin	lysis or

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 17.01.2025
2.1 16.01.2025		102000035972	Date of first issue: 26.10.2022
2.116.01.2025102000035972substance hazardous to hear concentration in air equal to inhalable dust or 4 mg.m-3.8 any dust will be subject to C levels. Some dusts have beer must comply with the appropriaticles of a wide range of a particular particle after entry response that it elicits, dependistinguishes two size fraction and 'respirable'., Inhalable distinguishes two size fraction and 'respirable'., Inhalable distinguishes the nose available for deposition in the to the fraction that penetrated definitions and explanatory in contain components that have should be complied with., W		entration in air equal to able dust or 4 mg.m-3 lust will be subject to 0 s. Some dusts have be comply with the appro- cles of a wide range of cular particle after entry onse that it elicits, dep guishes two size fract respirable'., Inhalable rial that enters the nos able for deposition in t e fraction that penetrate itions and explanatory in components that ha d be complied with., V	alth includes dust of any kind when present at a o or greater than 10 mg.m-3 8-hour TWA of 8-hour TWA of respirable dust. This means that COSHH if people are exposed to dust above these een assigned specific WELs and exposure to these opriate limits., Most industrial dusts contain sizes. The behaviour, deposition and fate of any y into the human respiratory system, and the body end on the nature and size of the particle. HSE ions for limit-setting purposes termed 'inhalable' dust approximates to the fraction of airborne are and mouth during breathing and is therefore he respiratory tract. Respirable dust approximates es to the gas exchange region of the lung. Fuller material are given in MDHS14/4., Where dusts ave their own assigned WEL, all the relevant limits Where no specific short-term exposure limit is listed, g-term exposure limit should be used.

Substance name	End Use	Exposure routes	Potential health effects	Value
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3
	Workers	Inhalation	Long-term local effects	3.72 mg/m3
	Consumers	Oral	Long-term systemic effects	3.95 mg/kg
Soybean oil, epoxidized	Workers	Dermal	Acute systemic effects	10 mg/kg
	Workers	Inhalation	Acute systemic effects	70 mg/m3
	Workers	Dermal	Long-term systemic effects	1.7 mg/kg
	Workers	Inhalation	Long-term systemic effects	11.9 mg/m3
	Consumers	Oral	Acute systemic effects	5 mg/kg
	Consumers	Dermal	Acute systemic effects	5 mg/kg
	Consumers	Inhalation	Acute systemic effects	17.5 mg/m3
	Consumers	Oral	Long-term systemic effects	0.8 mg/kg
	Consumers	Dermal	Long-term systemic effects	0.8 mg/kg
	Consumers	Inhalation	Long-term systemic effects	2.8 mg/m3



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 17.01.2025
2.1	16.01.2025	102000035972	Date of first issue: 26.10.2022

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
aluminium powder (stabilised)	Fresh water	0.0749 mg/l
	clarification plant	20 mg/l

#### 8.2 Exposure controls

Personal protective equipment	
Eye/face protection : Hand protection	Safety glasses
Material :	Solvent-resistant gloves
Remarks :	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection :	Long sleeved clothing Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place. Protective suit
Respiratory protection :	Use suitable breathing protection if workplace concentration requires.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form : F	Pasty solid
Colour :	silver
Odour :	characteristic
Odour Threshold :	No data available
Freezing point :	No data available
Boiling point/boiling range :	> 200 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Vers 2.1	sion	Revision Date: 16.01.2025		S Number: 0000035972	Print Date: 17.01.2025 Date of first issue: 26.10.2022		
	Flamm	ability	:	Combustible Sol	ds		
	Upper explosion limit / Upper flammability limit		:	No data available	)		
	Lower explosion limit / Lower flammability limit		:	No data available			
	Flash p	point	:	No data available	No data available		
	Auto-ig	nition temperature	:	No data available	9		
	Decom	position temperature	:	No data available			
	pН		:	substance/mixtu	e is non-soluble (in water)		
	Viscos	ity, kinematic	:	No data available	)		
		ity(ies) solubility ity in other solvents	:	insoluble No data available	3		
		n coefficient: n-	:	No data available	)		
	octano Vapou	l/water r pressure	:	No data available	9		
	Relativ	e density	:	No data available	9		
	Density	/	:	1.3 - 2.0 g/cm3			
	Relativ	e vapour density	:	No data available	)		
	Particle	e characteristics					
	Part	ticle Size Distribution	:	76 - 100 µm			
9.2	Other iı	nformation					
-	Explos	ives	:	Not explosive			
				Not explosive			
	Self-ig	nition	:	not auto-flammat	ble		
	Miscibi	lity with water	:	immiscible			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 17.01.2025
2.1	16.01.2025	102000035972	Date of first issue: 26.10.2022

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with alkalis, acids, halogenes and oxidizing agents. Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of hydrogen. Vapour/air-mixtures are explosive at intense warming. Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : Do not allow to dry.

No data available

#### 10.5 Incompatible materials

Materials to avoid

: Acids Bases Oxidizing agents Highly halogenated compounds

#### 10.6 Hazardous decomposition products

This information is not available.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Components:

aluminium powder (stabilised):				
	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version 2.1	Revision Date: 16.01.2025	SDS Number: 102000035972	Print Date: 17.01.2025 Date of first issue: 26.10.2022		
•	corrosion/irritation	vailable information.			
	bus eye damage/eye classified based on av				
Resp	piratory or skin sens	itisation			
•	sensitisation	vailable information.			
-	<b>Respiratory sensitisation</b> Not classified based on available information.				
	Germ cell mutagenicity Not classified based on available information.				
	<b>inogenicity</b> classified based on av	vailable information.			
-	oductive toxicity	vailable information.			
	<b>T - single exposure</b> classified based on av	vailable information.			
	<b>T - repeated exposu</b> classified based on av				
-	ration toxicity classified based on av	vailable information.			
11.2 Info	rmation on other ha	zards			
Furt	ner information				
Prod	luct:				
Rem	arks	: No data availa	ble		

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version 2.1	Revision Date: 16.01.2025		9S Number: 2000035972	Print Date: 17.01.2025 Date of first issue: 26.10.2022	
	i <b>lity in soil</b> ata available				
12.5 Resu	lts of PBT and vPvB a	sses	ssment		
Prod					
Asse	ssment	:	: This substance/mixture contains no components consid to be either persistent, bioaccumulative and toxic (PBT), very persistent and very bioaccumulative (vPvB) at level 0.1% or higher.		
	ocrine disrupting propo ata available	ertie	S		
12.7 Othe	r adverse effects				
	<u>uct:</u> ional ecological nation	:	: No data available		
	N 13: Disposal consi	dera	10 03 21* - Alu	minum thermal metallurgy wastes, other ust (including ball mill dust) containing	
			hazardous sub		
13.1 Wast	e treatment methods				
Conta	and the set of the set of the set of the set		: Empty containers should be taken to an approved waste handling site for recycling or disposal.		
	aminated packaging	:			
	N 14: Transport infor	: mat	handling site fo		
SECTIO		: mat	handling site fo		
SECTIO	N 14: Transport infor	:	handling site fo		
SECTIOI 14.1 UN n	N 14: Transport infor number or ID number	: 'ma' : :	handling site fo	or recycling or disposal.	
SECTIOI 14.1 UN n ADR	N 14: Transport infor number or ID number	: 'ma' : : :	handling site fo tion Not regulated a Not regulated a	or recycling or disposal.	
SECTIOI 14.1 UN n ADR IMDG IATA	N 14: Transport infor number or ID number	: 'ma' : :	handling site fo tion Not regulated a Not regulated a	or recycling or disposal. as a dangerous good as a dangerous good	
SECTIOI 14.1 UN n ADR IMDG IATA	N 14: Transport infor number or ID number	: 'ma' : :	handling site fo tion Not regulated a Not regulated a Not regulated a	or recycling or disposal. as a dangerous good as a dangerous good	

14.3 Transport hazard class(es)

ΙΑΤΑ

: Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Versio 2.1	n Revision Date: 16.01.2025		Date: 17.01.2025 of first issue: 26.10.2022	
Α	DR	: Not regulated as a dang	Jerous good	
IN	IDG	: Not regulated as a dang	Jerous good	
IA	TA	: Not regulated as a dang	Jerous good	
14.4 Packing group				
Α	DR	: Not regulated as a dang	Jerous good	
IN	1DG	: Not regulated as a dang	Jerous good	
IA	TA (Cargo)	: Not regulated as a dang	Jerous good	
IA	TA (Passenger)	: Not regulated as a dang	Jerous good	
14.5 Environmental hazards				
Not regulated as a dangerous good				
14.6 Special precautions for user				
R	emarks	: Not classified as danger regulations.	rous in the meaning of transport	

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: aluminium powder (stabilised) (Number on list 40)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving	Not	applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



7.01.2025

issue: 26.10.2022

## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 1
2.1	16.01.2025	102000035972	Date of first i

dangerous substances.

#### 15.2 Chemical safety assessment

No data available

#### **SECTION 16: Other information**

Full text of H-Statements

H228

Flammable solid.

Full text of other abbreviations

Flam. Sol.	:	Flammable solids
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States): UN - United Nations: vPvB - Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## STAPA DL REFLEXAL 211/80 Aluminium Paste

Version	Revision Date:	SDS Number:	Print Date: 17.01.2025
2.1	16.01.2025	102000035972	Date of first issue: 26.10.2022

#### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN