according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
2.1	19.12.2024	102000035820	Date of first issue: 01.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	: SYNCRYSTAL Soft lvory	
Product code	: 027374MJ0	

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	: Cosmetic products
Substance/Mixture	Colouring agents, pigments

1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a dangerous substance according to GHS.

Additional Labelling

EUH210 Safety data sheet available on request.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
2.1	19.12.2024	102000035820	Date of first issue: 01.09.2022

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components				
Chemical name	CAS-No.	ClassificationREGUL	Concentration	
	EC-No.	ATION (EC) No	(% w/w)	
	Index-No.	1272/2008		
	Registration number			
Substances with a workplace exposure limit :				
Fluorphlogopite	12003-38-2	12003-38-2 >= 50 - <= 10		
(Mg3K[AIF2O(SiO3)3])	234-426-5			
	01-2119971065-37			
		•	•	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Do not leave the victim unattended.	
If inhaled	If unconscious, place in recovery position advice. If symptoms persist, call a physician.	and seek medical
In case of skin contact	Wash off with soap and water.	
In case of eye contact	Remove contact lenses. If eye irritation persists, consult a specialis	st.
If swallowed	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncor If symptoms persist, call a physician.	nscious person.

4.2 Most important symptoms and effects, both acute and delayed

None known.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
2.1	19.12.2024	102000035820	Date of first issue: 01.09.2022

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

• • •		equipment and emergency procedures Avoid dust formation.			
6.2 Environmental precautions General advice	:	No special environmental precautions required.			
6.3 Methods and material for containment and cleaning up					
Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.			

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling					
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.			
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Versi 2.1	on Revision Date: 19.12.2024	SDS Number 0200003582	
Hygiene measures		: General i	ndustrial hygiene practice.
7.2 Conditions for safe storage, Requirements for storage areas and containers		: Electrica	r incompatibilities installations / working materials must comply with ological safety standards.
1	Advice on common storage		ials to be especially mentioned.
	Further information on storage stability	: Keep in a dry place. No decomposition if stored and applied as directed	
7.3 Specific end use(s)			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Fluorphlogopite (Mg3K[AIF2O(SiO 3)3])	12003-38-2	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC
	Further inform	nation: Indicative		
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dust when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions and contain comp should be cor	t are those fractions of is undertaken in a eneral methods for s pracic and inhalable zardous to health ind in air equal to or great tor 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. ticle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent two size fractions for e'., Inhalable dust appendent that penetrates to the dexplanatory material onents that have the mplied with., Where r	ses of these limits, respirable of airborne dust which will b coordance with the methods ampling and gravimetric and aerosols., The COSHH defi- ludes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. Thi I if people are exposed to d signed specific WELs and ex- imits., Most industrial dusts The behaviour, deposition a ne human respiratory syster the nature and size of the p r limit-setting purposes term oproximates to the fraction o mouth during breathing and iratory tract. Respirable dus- ne gas exchange region of the al are given in MDHS14/4., ir own assigned WEL, all the pospecific short-term exposi- exposure limit should be use 10 mg/m3	e collected a described in alysis or nition of a present at a TWA of s means that ust above these contain and fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore of approximates he lung. Fuller Where dusts e relevant limits sure limit is listed,

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version 2.1	Revision Date 19.12.2024			rint Date: 21.12.2024 ate of first issue: 01.09.2022		
			TWA (Respirable dust)	4 mg/m3	GB EH40	
		inhalable dust when samplin MDHS14/4 Ge respirable, tho substance haz concentration inhalable dust any dust will b evels. Some of must comply v particles of a v particular part response that distinguishes t and 'respirable material that e available for d to the fraction definitions and contain compo	are those fractions g is undertaken in a eneral methods for tracic and inhalable ardous to health in in air equal to or gr or 4 mg.m-3 8-hou e subject to COSHI dusts have been as with the appropriate vide range of sizes icle after entry into it elicits, depend or two size fractions for e., Inhalable dust a enters the nose and eposition in the resi that penetrates to to d explanatory mater onents that have the	burposes of these limits, respirable dust and tions of airborne dust which will be collected in accordance with the methods described in a for sampling and gravimetric analysis or able aerosols., The COSHH definition of a th includes dust of any kind when present at a or greater than 10 mg.m-3 8-hour TWA of -hour TWA of respirable dust. This means that DSHH if people are exposed to dust above these in assigned specific WELs and exposure to these oriate limits., Most industrial dusts contain sizes. The behaviour, deposition and fate of any into the human respiratory system, and the body and on the nature and size of the particle. HSE ons for limit-setting purposes termed 'inhalable' ust approximates to the fraction of airborne and mouth during breathing and is therefore e respiratory tract. Respirable dust approximates is to the gas exchange region of the lung. Fuller naterial are given in MDHS14/4., Where dusts re their own assigned WEL, all the relevant limits here no specific short-term exposure limit is listed		
		a figure three	times the long-term TWA (Respirable fraction)	exposure limit should be use 4 mg/m3	ed. GB EH40	
diiron	trioxide	1309-37-1	TWA (Inhalable)	10 mg/m3	GB EH40	
			TWA (Respirable fraction)	4 mg/m3	GB EH40	
			TWA (inhalable dust)	10 mg/m3	GB EH40	
		inhalable dust when samplin MDHS14/4 Ge respirable, tho substance haz concentration inhalable dust any dust will b levels. Some of must comply to particles of a v particles of a v particular part response that distinguishes t and 'respirable material that e	are those fractions g is undertaken in a eneral methods for tracic and inhalable cardous to health in in air equal to or gr or 4 mg.m-3 8-hou e subject to COSHI dusts have been as with the appropriate vide range of sizes icle after entry into it elicits, depend or two size fractions for e., Inhalable dust a enters the nose and	oses of these limits, respirable of airborne dust which will be accordance with the methods sampling and gravimetric ana aerosols., The COSHH defir cludes dust of any kind when eater than 10 mg.m-3 8-hour r TWA of respirable dust. This H if people are exposed to du signed specific WELs and ex limits., Most industrial dusts The behaviour, deposition a the human respiratory system of the nature and size of the pa or limit-setting purposes termo pproximates to the fraction of mouth during breathing and piratory tract. Respirable dus	e collected described in lysis or nition of a present at a TWA of s means that ust above these posure to these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne is therefore	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version 2.1	Revision Date: 19.12.2024	SDS Number: 102000035820	Print Date: 21.12.2024 Date of first issue: 01	
	def cor sho	initions and explanatory intain components that ha build be complied with., W	-term exposure limit shou	IS14/4., Where dusts EL, all the relevant limits rm exposure limit is listed,
	inh wha MD res sub cor inh any lev mu par par res dis and ma ava to t def cor	ther information: For the alable dust are those frace en sampling is undertake 0HS14/4 General method pirable, thoracic and inha- ostance hazardous to hea ncentration in air equal to alable dust or 4 mg.m-3 / dust will be subject to C els. Some dusts have be st comply with the appro- ticles of a wide range of ticular particle after entry ponse that it elicits, depe- tinguishes two size fracti d 'respirable'., Inhalable of terial that enters the nos- ailable for deposition in the the fraction that penetrate initions and explanatory in tain components that ha buld be complied with., W	purposes of these limits, ctions of airborne dust wh n in accordance with the s for sampling and gravin lable aerosols., The COS lith includes dust of any k or greater than 10 mg.m. B-hour TWA of respirable OSHH if people are expor- en assigned specific WEI priate limits., Most industr sizes. The behaviour, dep into the human respirato and on the nature and size ons for limit-setting purpo lust approximates to the f e and mouth during breath is to the gas exchange re material are given in MDH ve their own assigned WE /here no specific short-ten- term exposure limit shou	ich will be collected methods described in hetric analysis or SHH definition of a sind when present at a -3 8-hour TWA of dust. This means that be do dust above these is and exposure to these is and exposure to these is and exposure to these source of any ry system, and the body of the particle. HSE bess termed 'inhalable' raction of airborne hing and is therefore rable dust approximates gion of the lung. Fuller HS14/4., Where dusts EL, all the relevant limits rm exposure limit is listed,

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:
--

Substance name	End Use	Exposure routes	Potential health effects	Value
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	Workers	Inhalation	Long-term systemic effects	4 mg/m3
	Workers	Inhalation	Acute systemic effects	4 mg/m3
	Consumers	Oral	Long-term systemic effects	62.5 mg/kg
titanium dioxide	Workers	Inhalation	Long-term local effects	170 µg/m3
	Consumers	Inhalation	Long-term local effects	28 µg/m3
	Consumers	Oral	Long-term systemic effects	700 mg/kg
diiron trioxide	Workers	Inhalation	Long-term local effects	10 mg/m3
	Workers	Inhalation	Long-term systemic	10 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version 2.1	Revision Date: 19.12.2024	SDS Number: 102000035820	Print Date: 21.12.2024 Date of first issue: 01.09.2022	
			effects	
8.2 Expos	sure controls			
	onal protective equip			

Eye/face protection	:	Safety glasses
Skin and body protection	:	Protective suit
Respiratory protection	:	No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	powder
Colour	:	beige
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	> 700 °C
Boiling point/boiling range	:	No data available
Flammability	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Ve 2.1	rsion	Revision Date: 19.12.2024		S Number: 2000035820	Print Date: 21.12.2024 Date of first issue: 01.09.2022
	Vapour pressure		:	No data available	9
	Relative density		:	No data available	9
	Density		:	2.5 - 4.0 g/cm3	
	Relative vapour density		:	No data available	9
	Particle characteristics				
	Particle Size Distribution		:	1 - 15 µm	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions					
Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.			
10.4 Conditions to avoid					
Conditions to avoid	:	No data available			

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version 2.1	Revision Date: 19.12.2024	SDS Number: 102000035820	Print Date: 21.12.2024 Date of first issue: 01.09.2022				
Respiratory or skin sensitisation							
Skin sensitisation							

Not classified based on available information.

Respiratory sensitisation Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version	Revision Date:	SDS Number:	Print Date: 21.12.2024
2.1	19.12.2024	102000035820	Date of first issue: 01.09.2022

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological : No data available information

Components:

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]):

Additional ecological : No data available information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging	:	Empty containers should be taken to an approved waste
		handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version 2.1	Revision Date: 19.12.2024		DS Number: 2000035820	Print Date: 21.12.2024 Date of first issue: 01.09.2022	
ADR		:	Not regulated as	a dangerous good	
IMDG		:	Not regulated as	a dangerous good	
IATA (Cargo)	:	Not regulated as	a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards Not regulated as a dangerous good					
14.6 Specia	al precautions for use	ər			
Remar	ks	:	Not classified as or regulations.	dangerous in the meaning of transport	

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations	
2000/39/EC :	Europe. Commission Directive 2000/39/EC establishing a first
	list of indicative occupational exposure limit values
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits
	list of indicative occupational exposure limit values

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SYNCRYSTAL Soft Ivory

Version 2.1	Revision Date: 19.12.2024	SDS Number: 102000035820	Print Date: 21.12.2024 Date of first issue: 01.09.2022	
2000/	39/EC / TWA	: Limit Value - ei	ight hours	

GB EH40 / TWA:Linit value - eight hoursGB EH40 / TWA:Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN