



Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.6	04/23/2025	102000026837	Date of first issue: 03/26/2018

SECTION 1. IDENTIFICATION

Product name Product code	:	METALSTAR P874 SUPER GLOSS 07-4874 GOLD US 045600MK0
Manufacturer or supplier's d	leta	ails
Company name of supplier Address		ECKART America Corporation 830 East Erie Street Painesville OH 44077
Telephone	:	866-458-7837 (440) 954-7600
Telefax	:	(440) 354-6224
e-mail adresse	:	info.eckart.america.oh@altana.com
Emergency telephone	:	CHEMTREC: 800-424-9300
		CHEMTREC: 1-703-527-3387 (International)
		NCEC:
		(contract no. ECKART29003-NCEC)
		US: +1 866 928 0789 (Toll free)
		Canada: +1 800 579 7421 (Toll Free) Mexico: +52 55 5004 8763

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR
1910.1200)

Acute toxicity (Oral)	: Category 4
Eye irritation	: Category 2A
Skin sensitization	: Category 1
Reproductive toxicity	: Category 2
GHS label elements Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H302 Harmful if swallowed.







Version 2.6	Revision Date: 04/23/2025	SDS Number: 102000026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018
		H319 Causes s	se an allergic skin reaction. serious eye irritation. ted of damaging the unborn child.
Preca	autionary Statements	Prevention:	
		P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
		P261 P264	Avoid breathing mist or vapors.
		P264 P270	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this
			product.
		P272	Contaminated work clothing must not be
		P280	allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P301 + P312 +	P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
		P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
		P305 + P351 +	
		P308 + P313	IF exposed or concerned: Get medical advice/ attention.
		P333 + P313	If skin irritation or rash occurs: Get medical
		P337 + P313	advice/ attention. If eye irritation persists: Get medical advice/
		P363	attention. Wash contaminated clothing before reuse.
		Storage:	
		P405	Store locked up.
		Disposal:	
		P501	Dispose of contents/ container to an approved
		1001	waste disposal plant.

Hazardous ingredients which must be listed on the label:

Copper

Rosin, maleated, polymer with pentaerythritol



Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.6	04/23/2025	102000026837	Date of first issue: 03/26/2018

rst issue: 03/26/2018

9-Octadecenoic acid (9Z)-, cobalt salt (1:?) Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Copper	7440-50-8	>= 30 - < 50
White mineral oil (petroleum)	8042-47-5	>= 10 - < 20
Rosin, maleated, polymer with pentaerythritol	68333-69-7	>= 5 - < 10
Zinc	7440-66-6	>= 5 - < 10
9-Octadecenoic acid (9Z)-, cobalt salt (1:?)	14666-94-5	>= 0.1 - < 1
Propanoic acid, 2-methyl-, 1,1'-[2,2- dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester	6846-50-0	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	Take the victim into fresh air. Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.
If inhaled	:	If unconscious, place in recovery position and seek medical advice.
In some of all in contract		If symptoms persist, call a physician.
In case of skin contact		Wash off immediately with soap and plenty of water.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.
		Remove contact lenses.
		Keep eye wide open while rinsing.
		If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear.
		Do NOT induce vomiting.
		Do not give milk or alcoholic beverages.
		Never give anything by mouth to an unconscious person.
		If symptoms persist, call a physician.
		Take victim immediately to hospital.
Most important symptoms	:	Harmful if swallowed.





Version 2.6	Revision Date: 04/23/2025	SDS N 102000	umber: 0026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018	
and delay	effects, both acute and /ed	Cai	uses serious	allergic skin reaction. s eye irritation. amaging the unborn child.	
SECTION	15. FIRE-FIGHTING ME	ASURES	;		
Suita	ble extinguishing media	Dry	ecial powder sand C powder	r against metal fire	
Unsuitable extinguishing media		: Wa Hig	Water High volume water jet Carbon dioxide (CO2)		
•	Specific hazards during fire : fighting		Do not allow run-off from fire fighting to enter drains or water courses.		
Furth	Further information :		Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		
•	ial protective equipment re-fighters	: We		ained breathing apparatus for firefighting if	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Evacuate personnel to safe areas. Ensure adequate ventilation. Jse personal protective equipment. Ensure adequate ventilation.	
General advice	The product should not be allowed to enter drains, v courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. f the product contaminates rivers and lakes or drain espective authorities.	
Environmental precautions	The product should not be allowed to enter drains, v courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.	water
	f the product contaminates rivers and lakes or drain espective authorities.	ns inform
Methods and materials for	Jse mechanical handling equipment.	





Version 2.6	Revision Date: 04/23/2025	SDS Number: 102000026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018		
conta	inment and cleaning up				
		Do not flush w Contain spilla absorbent ma vermiculite) au local / nationa	Pick up and transfer to properly labeled containers. Do not flush with water. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Soak up with inert absorbent material (e.g. sand, silica gel,		
		acid binder, u	niversal binder, sawdust). Ile, closed containers for disposal.		
SECTION	7. HANDLING AND ST	ORAGE			
	e on protection against nd explosion	: Keep away fro No smoking.	om heat and sources of ignition.		
		Normal measure	ures for preventive fire protection.		
Advic	e on safe handling	Avoid contact For personal p Smoking, eati application are	e vapors/dust. with skin and eyes. protection see section 8. ng and drinking should be prohibited in the ea. se water in accordance with local and national		
	itions for safe storage	: Keep away fro Do not store r Keep containe To maintain p sunlight. Keep containe place. Containers wh kept upright to Electrical insta the technolog	om sources of ignition - No smoking. hear combustible materials. ers tightly closed in a cool, well-ventilated place. roduct quality, do not store in heat or direct er tightly closed in a dry and well-ventilated hich are opened must be carefully resealed and o prevent leakage. allations / working materials must comply with ical safety standards.		
	nical sures/Precautions rials to avoid	: Keep away fro strongly acid r	numidity and water. om oxidizing agents, strongly alkaline and materials in order to avoid exothermic reactions. ogether with oxidizing and self-igniting products.		







Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.6	04/23/2025	102000026837	Date of first issue: 03/26/2018

Further information on storage stability

: No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Copper	7440-50-8	TWA	1 mg/m3 (Copper)	ACGIH
		TWA (dust and mists)	1 mg/m3 (Copper)	NIOSH REL
		TWA	1 mg/m3 (Copper)	OSHA P0
		TWA	0.2 mg/m3 (Copper)	ACGIH
		TWA	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	ACGIH
		TWA (Fumes)	0.2 mg/m3 (Copper)	ACGIH
		TWA (Dust)	1 mg/m3 (Copper)	NIOSH REL
		TWA (Mist)	1 mg/m3 (Copper)	NIOSH REL
		TWA (dusts and mists)	1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	OSHA P0
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist) TWA (Mist)	5 mg/m3 5 mg/m3	OSHA P0 NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
White mineral oil (petroleum)	8042-47-5	TWA	5 mg/m3	OSHA P0
		TWA	5 mg/m3	ACGIH

A member of **C ALTANA**



Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025	
2.6	04/23/2025	102000026837	Date of first issue: 03/26/2018	

		(Inhalable particulate matter)		
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Zinc	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWÁ (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3

Personal protective equipment

i el el al piere el al piere el al più		
Respiratory protection	:	Use suitable breathing protection if workplace concentration requires. Equipment should conform to EN 14387
Hand protection		
Material	:	Solvent-resistant gloves (butyl-rubber)
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses Wear face-shield and protective suit for abnormal processing
		7/10

SAFETY DATA SHEET



METALSTAR P874 SUPER GLOSS 07-4874 GOLD US

Version 2.6	Revision Date: 04/23/2025	SDS Number: 102000026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018		
	and body protection ene measures	 problems. Choose body protection according to the amount and concentration of the dangerous substance at the work place. General industrial hygiene practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 			
SECTION	9. PHYSICAL AND CH	EMICAL PROPERT	IES		
Color Odor pH Meltir Boilin Flash	Threshold ng point/freezing point g point/boiling range point	: No data availa : > 100 °C : > 100 °C	xture is non-soluble (in water) able		
Flami Uppe flamn Lowe flamn Vapo	oration rate mability (solid, gas) r explosion limit / Upper nability limit r explosion limit / Lower nability limit r pressure ive density	 No data availa 	able able able		
Dens Solub W Partit octan Autoig Deco Visco	ity bility(ies) ater solubility ion coefficient: n- iol/water gnition temperature mposition temperature	 1.4 g/cm3 insoluble No data availa No data availa No data availa > 21 mm2/s (4) 	able able able		
	Volatile organic ounds (VOC) content	: 10.00 - 20.00	%		

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No decomposition if stored and applied as directed.







Revision Date: 04/23/2025	SDS Number: 102000026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018			
nical stability bility of hazardous ons	 No decomposition if stored and applied as directed. Stable under recommended storage conditions. No decomposition if stored and applied as directed. 				
itions to avoid		evaporation to dryness. able			
rdous decompositio	n products				
nal decomposition	: Carbon mono hydrocarbons	xide, carbon dioxide and unburned (smoke).			
	04/23/2025 hical stability bility of hazardous ons itions to avoid rdous decomposition	04/23/2025102000026837nical stability:No decomposbility of hazardous:Stable under r No decomposons:Do not allow e No data availardous decomposition products nal decomposition:Carbon mono			

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if swallowed.		
Components:		
Copper: Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
Zinc: Acute oral toxicity	:	(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified due to lack of data.

Components:

Copper:

Remarks: May cause skin irritation in susceptible persons.

Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester:

Species: Rabbit Exposure time: 4 h Method: OECD Test Guideline 404 Result: No skin irritation





Version 2.6 04/23/2025

Revision Date:

SDS Number: 102000026837 Date of last issue: 04/03/2025 Date of first issue: 03/26/2018

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Copper:

Result: Eye irritation

Rosin, maleated, polymer with pentaerythritol:

Result: Eye irritation

Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester:

Species: Rabbit Result: No eye irritation Exposure time: 72 h Method: OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Components:

Rosin, maleated, polymer with pentaerythritol: Result: May cause sensitization by skin contact.

9-Octadecenoic acid (9Z)-, cobalt salt (1:?):

Result: May cause sensitization by skin contact.

Germ cell mutagenicity Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



Versio 2.6	on	Revision Date: 04/23/2025	SDS Number: 102000026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018			
	OSHA			s product present at levels greater than or OSHA's list of regulated carcinogens.			
				No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
	Reproductive toxicity Suspected of damaging the unborn child.						
<u>(</u>	Compo	onents:					
F	-	uctive toxicity -		-methylethyl)-1,3-propanediyl] ester: f adverse effects on development, based on its.			
		single exposure ssified due to lack of d	ata.				
		repeated exposure ssified due to lack of da	ata.				
	-	tion toxicity ssified due to lack of d	ata.				
		onents:					
_	-	nineral oil (petroleun	n):				
Ν	May be	fatal if swallowed and	enters airways.				
F	Furthe	r information					
<u>(</u>	Compo	onents:					
	C oppe Remarl	r: <s: available<="" data="" no="" td=""><td></td><td></td></s:>					
	Zinc: Remarl	ks: No data available					



Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025		
2.6	04/23/2025	102000026837	Date of first issue: 03/26/2018		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Components:		
Copper:		
M-Factor (Acute aquatic	:	10
toxicity) M-Factor (Chronic aquatic toxicity)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
Rosin, maleated, polymer wi	ith	pentaerythritol:
Ecotoxicology Assessment		
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.
Zinc:		
M-Factor (Acute aquatic	:	1
toxicity) M-Factor (Chronic aquatic toxicity)	:	1
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
Propanoic acid, 2-methyl-, 1	,1'-	[2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester:
Toxicity to daphnia and other aquatic invertebrates		
Ecotoxicology Assessment		
Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects.
Persistence and degradabili	ty	
No data available		





Version 2.6	Revision Date: 04/23/2025	SDS Number: 102000026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018
Bioad	cumulative potentia	al	
No da	ta available		

No data available		
Other adverse effects		
Components:		
Copper:		
Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
Zinc:		
Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
		Send to a licensed waste management company.
		In accordance with local and national regulations.
Contaminated packaging	:	Empty remaining contents.
		Dispose of as unused product.
		Do not re-use empty containers.
		In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR Not regulated as a dangerous good

International Regulations

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
	(Copper metal powder)



Version 2.6	Revision Date: 04/23/2025		DS Number: 2000026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018
Class		:	9	
Packin	g group	:		
Labels		:	Miscellaneous Da	angerous Goods
Packin aircraft	g instruction (cargo)	:	964	
Packin	g instruction nger aircraft)	:	964	
IMDG-	Code			
UN nur	mber	:	UN 3082	
Proper	shipping name	:	ENVIRONMENTA N.O.S. (Copper metal po	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Class		:	9	
Packin	g group	:		
Labels		:	9	
EmS C	ode	:	F-A, S-F	
Marine	pollutant	:	yes	
Remar	ks	:	packagings conta	gings <=5L / 5 kg, or combination ining inner packagings <= 5L / 5 kg net per SV375 ADR, 2.10.2.7 IMDG-Code, A197 pe applied.
Transp	oort in bulk accordin	g to	Annex II of MARP	OL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)
Copper	7440-50-8	5000
Zinc	7440-66-6	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure) Respiratory or skin sensitization



Version 2.6	Revision Date: 04/23/2025		DS Number:)2000026837		last issue: 04/03 first issue: 03/26	
SARA 313		:	Reproductive toxicity Serious eye damage or eye irritation The following components are subject to reporting levels			
			established by SA Copper Zinc	ARA Title	III, Section 313: 7440-50-8 7440-66-6	>= 30 - < 50 % >= 5 - < 10 %
01	A : A (

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

White mineral oil (petroleum)	8042-47-5	>= 10 - < 20 %
White mineral oil (petroleum)	8042-47-5	>= 5 - < 10 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307Copper7440-50-832.9888 %

Zinc	7440-66-6	5.9376 %
-		

This product contains the following priority pollutants related to the U.S. Clean Water Act:Copper7440-50-832.9888 %

Zinc 7440-66-6 5.9376 %

US State Regulations

Massachusetts Right To Know	
Copper	7440-50-8
White mineral oil (petroleum)	8042-47-5

A member of **C ALTANA**





Version 2.6	Revision Date: 04/23/2025	SDS Number: 102000026837	Date of last issue: (Date of first issue:)			
	White mineral oil (petroleum)		8042-47-5		
	Zinc		7440-66-6			
Penns	sylvania Right To Kno	w				
	Copper			7440-50-8		
	8042-47-5					
	Rosin, maleated, p	68333-69-7				
Rosin, maleated, polymer with p-tert-butylphenol,				68082-96-2		
	formaldehyde and pentaerythritol White mineral oil (petroleum)			8042-47-5		
	Zinc		7440-66-6			
	Distillates (petrole	um), steam-cracked,	oolymd.	68131-77-1		
	Linseed oil, polym	d and pentaerythritol	67989-61-1			
	polyethylene wax		Not Assigned			
	Tung oil					
	Aluminum		7429-90-5			

California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances	
Copper	7440-50-8
White mineral oil (petroleum)	8042-47-5
Zinc	7440-66-6

California Permissible Exposure Limits for Chemical Contaminants

Copper	-		7440-50-8





Version 2.6	Revision Date: 04/23/2025	SDS Number: 102000026837	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018
	White mineral oil	(petroleum)	8042-47-5
	White mineral oil	(petroleum)	8042-47-5
	Zinc		7440-66-6

The ingredients of this product are reported in the following inventories:

DSL	: This product contains the following components listed on the
	Canadian NDSL. All other components are on the Canadian
	DSL.
TSCA	: On the inventory, or in compliance with the inventory
NDSL	: This product contains one or several components listed in the
	Canadian NDSL.

TSCA list

No substances are subject to TSCA 12(b) export notification requirements.

No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: Zinc 7440-66-6

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH NIOSH REL OSHA P0	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average



Version	
2.6	

Revision Date: 04/23/2025

SDS Number: 102000026837

Date of last issue: 04/03/2025 Date of first issue: 03/26/2018

OSHA Z-3 / TWA

: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very **Bioaccumulative**

Revision Date

: 04/23/2025

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8

