

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## PLATINSTAR UV/LED 168 004 Shrink Silver

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : PLATINSTAR UV/LED 168 004 Shrink Silver  
Material number : 028980U20

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH  
Guntersthal 4  
91235 Hartenstein  
Telephone : +499152770  
Telefax : +499152777008  
E-mail address : [msds.eckart@altana.com](mailto:msds.eckart@altana.com)  
Responsible/issuing person

#### 1.4 Emergency telephone number

**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

### SECTION 2: Hazards identification

#### GHS Classification

: Skin Corr./Irrit., Category 2, H315  
Eye Dam./Irrit., Category 1, H318  
Skin sensitisation, Category 1, H317

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

Long-term (chronic) aquatic hazard, Category 2, H411

**GHS-Labeling**

Symbol(s)



Signal word

: Danger

Hazard statements

 : H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H318: Causes serious eye damage.  
 H411: Toxic to aquatic life with long lasting effects.

Precautionary statements

 : **Prevention:**  
 P261 Avoid breathing mist or vapours.  
 P264 Wash hands thoroughly after handling.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
 P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.  
 P333 + P317 If skin irritation or rash occurs: Get medical help.  
 P391 Collect spillage.  
**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Hazardous components which must be listed on the label**

Identification

CAS-No.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## PLATINSTAR UV/LED 168 004 Shrink Silver

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

(5-ethyl-1,3-dioxan-5-yl)methyl acrylate	66492-51-1
2-hydroxy-3-phenoxypropyl acrylate	16969-10-1
ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	84434-11-7
Glycerol, propoxylated, esters with acrylic acid	52408-84-1

### SECTION 3: Composition/information on ingredients

Substance No. :

#### Hazardous components

Chemical name	CAS-No. EINECS-No.	Classification and labelling	Concentration[%]
(5-ethyl-1,3-dioxan-5-yl)methyl acrylate	66492-51-1 266-380-7	Skin Corr./Irrit.;2;H315 Skin Sens.;1B;H317 Aquatic Chronic;2;H411	30 - 50
2-hydroxy-3-phenoxypropyl acrylate	16969-10-1 241-045-8	Eye Dam./Irrit.;1;H318 Skin Sens.;1B;H317 Aquatic Chronic;2;H411	25 - 30
ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	84434-11-7 282-810-6	Skin Sens.;1;H317 Aquatic Chronic;2;H411	10 - 20
aluminium	7429-90-5 231-072-3	Flam. Sol.;1;H228	1 - 10
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-	51728-26-8	Skin Corr./Irrit.;2;H315 Eye	2,5 - 10

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## PLATINSTAR UV/LED 168 004 Shrink Silver

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

1-yl)oxy]-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1)		Dam./Irrit.;2A;H319 Aquatic Chronic;2;H411	
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(1-oxo-2-propenyl)oxy]-	64401-02-1	Aquatic Chronic;2;H411	2,5 - 10
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Eye Dam./Irrit.;2A;H319 Skin Sens.;1;H317	1 - 10
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	Eye Dam./Irrit.;2A;H319 Skin Sens.;1;H317 Aquatic Chronic;3;H412	0,1 - 0,25
acrylic acid	79-10-7 201-177-9	Flam. Liq.;3;H226 Acute Tox.;4;H302 Acute Tox.;4;H332 Acute Tox.;4;H312 Skin Corr./Irrit.;1A;H314 Eye Dam./Irrit.;1;H318 STOT SE;3;H335 Aquatic Acute;1;H400 Aquatic Chronic;2;H411	0,1 - 0,25

For the full text of the H-Statements mentioned in this Section, see Section 16.

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

**SECTION 4: First aid measures**
**4.1 Description of first aid measures**

- |                         |   |  |
|-------------------------|---|--|
| General advice          | : | Move the victim to fresh air.<br>Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| If inhaled              | : | Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.  |
| In case of skin contact | : | Wash off immediately with soap and plenty of water.<br>If skin irritation persists, call a physician.<br>If on clothes, remove clothes.  |
| In case of eye contact  | : | Immediately flush eye(s) with plenty of water.<br>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed            | : | Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.   |

**4.2 Most important symptoms and effects, both acute and delayed**

This information is not available.

**4.3 Indication of any immediate medical attention and special treatment needed**

This information is not available.

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Dry sand, ABC powder, Foam

Unsuitable extinguishing media : High volume water jet, Carbon dioxide (CO<sub>2</sub>)**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.**6.2 Environmental precautions**

General advice : The product should not be allowed to enter drains, water courses or the soil.

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

This information is not available.

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Use mechanical handling equipment.  
Soak up with inert absorbent material (e.g. sand, silica gel,  
acid binder, universal binder, sawdust).  
Soak up with inert absorbent material (e.g. sand, silica gel,  
acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

For personal protection see section 8.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : Do not breathe vapours/dust. Avoid exposure - obtain special  
instructions before use. Avoid contact with skin and eyes. For  
personal protection see section 8. Smoking, eating and  
drinking should be prohibited in the application area. To avoid  
spills during handling keep bottle on a metal tray. Dispose of  
rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma,  
allergies, chronic or recurrent respiratory disease should not  
be employed in any process in which this mixture is being  
used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

Requirements for storage areas and containers : Earthing of containers and apparatuses is essential. Reaction with water liberates extremely flammable gas (hydrogen) Take measures to prevent the build up of electrostatic charge. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition - No smoking. Keep container closed when not in use.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect from humidity and water.

Advice on common storage : Do not store near acids. Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Other data : No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

This information is not available.

**SECTION 8: Exposure controls/personal protection**
**8.1 Control parameters**
**Germany:**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium	7429-90-5	AGW (Inhalable)	10 mg/m <sup>3</sup>	2021-07-02	DE TRGS 900

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

		fraction)			
Peak-limit: excursion factor (category)		2;(II)			
Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
aluminium	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2021-07-02	DE TRGS 900
Peak-limit: excursion factor (category)		2;(II)			
Further information		When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
acrylic acid	79-10-7	AGW	10 ppm 30 mg/m <sup>3</sup>	2007-03-30	DE TRGS 900
Peak-limit: excursion factor (category)		1;(I)			
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
acrylic acid	79-10-7	STEL	20 ppm 59 mg/m <sup>3</sup>	2017-02-01	2017/164/EU
Further information		Indicative			
acrylic acid	79-10-7	TWA	10 ppm 29 mg/m <sup>3</sup>	2017-02-01	2017/164/EU
Further information		Indicative			

## 8.2 Exposure controls

### Personal protective equipment

Eye protection : Goggles  
 : Tightly fitting safety goggles  
 Wear face-shield and protective suit for abnormal processing problems.

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025


**Hand protection**

- Material** : Solvent-resistant gloves (butyl-rubber)
- Remarks** : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).  
 The exact break through time can be obtained from the protective glove producer and this has to be observed.  
 Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
**Recommended preventive skin protection**  
 Skin should be washed after contact.  
 The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection** : Impervious clothing  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection** : Use suitable breathing protection if workplace concentration requires.

**Environmental exposure controls**

- General advice** : The product should not be allowed to enter drains, water courses or the soil.  
 : Prevent product from entering drains.  
 Prevent further leakage or spillage if safe to do so.  
 If the product contaminates rivers and lakes or drains inform respective authorities.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Page 10 / 21	102000038899	A member of 
--------------	--------------	---

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

Appearance	: liquid
Colour	: silver
Odour	: characteristic
pH	: substance/mixture is non-soluble (in water)
Freezing point	: No data available
Boiling point/boiling range	: > 100 °C
Flash point	: > 100 °C
Bulk density	: No data available
Flammability (solid, gas)	: No data available
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: 1,1 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: insoluble
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available

**9.2 Other information**

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

## PLATINSTAR UV/LED 168 004 Shrink Silver

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

No data available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with acids and alkalis may release hydrogen.

No decomposition if stored and applied as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : Do not allow evaporation to dryness.  
No data available

#### 10.5 Incompatible materials

Materials to avoid : Acids  
Bases  
Oxidizing agents

#### 10.6 Hazardous decomposition products


Other information : No data available

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

##### Components:

Page 12 / 21	102000038899	A member of 
--------------	--------------	---

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

**ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate :**

Acute oral toxicity : Rat: &gt; 5 000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : Rat: &gt; 2 000 mg/kg

Method: OECD Test Guideline 402

**acrylic acid :**Acute oral toxicity : The component/mixture is moderately toxic after single  
ingestion.

LD50 Rat, male: 1,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 Rat: &gt; 5,1 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: OECD Test Guideline 403

The component/mixture is moderately toxic after short term  
inhalation.

Acute dermal toxicity : The component/mixture is moderately toxic after single

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

contact with skin.

**Skin corrosion/irritation****Product**

Extremely corrosive and destructive to tissue.

**Serious eye damage/eye irritation****Product**

May cause irreversible eye damage.

**Respiratory or skin sensitisation****Product**

Causes sensitisation.

**Carcinogenicity**

No data available

**Toxicity to reproduction/fertility**

No data available

**Reprod.Tox./Development/Teratogenicity**

No data available

**STOT - single exposure**

No data available

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information****Product**

No data available

---

**SECTION 12: Ecological information****12.1 Toxicity****Components:****(5-ethyl-1,3-dioxan-5-yl)methyl acrylate (66492-51-1) :****Ecotoxicology Assessment**

Long-term (chronic) aquatic hazard : Toxic to aquatic life with long lasting effects.

**2-hydroxy-3-phenoxypropyl acrylate (16969-10-1) :****Ecotoxicology Assessment**

Long-term (chronic) aquatic hazard : Toxic to aquatic life with long lasting effects.

**ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate (84434-11-7) :****Ecotoxicology Assessment**

Long-term (chronic) aquatic hazard : Toxic to aquatic life with long lasting effects.

**Poly(oxy-1,2-ethanediyl), .alpha.-hydro.-omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1) (51728-26-8) :**

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

**Ecotoxicology Assessment**

Long-term (chronic) aquatic hazard : Toxic to aquatic life with long lasting effects.

**Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(1-oxo-2-propenyl)oxy]- (64401-02-1) :**

**Ecotoxicology Assessment**

Long-term (chronic) aquatic hazard : Toxic to aquatic life with long lasting effects.

**Propylidynetrिमethanol, ethoxylated, esters with acrylic acid (28961-43-5) :**

**Ecotoxicology Assessment**

Long-term (chronic) aquatic hazard : Harmful to aquatic life with long lasting effects.

**acrylic acid (79-10-7) :**

M-Factor : 1

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard : Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

**12.6 Other adverse effects**
**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations**
**13.1 Waste treatment methods**

Product : The product should not be allowed to enter drains, water courses or the soil.  
 Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
 Dispose of as unused product.  
 Do not re-use empty containers.

**SECTION 14: Transport information**
**14.1 UN number**

**ADR** : 3082

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG** : 3082

**IATA** : 3082

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

**14.2 Proper shipping name**

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 ((5-ethyl-1,3-dioxan-5-yl)methyl acrylate )

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG**

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 (,(5-ethyl-1,3-dioxan-5-yl)methyl acrylate )

**IATA**

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 ((5-ethyl-1,3-dioxan-5-yl)methyl acrylate)

**14.3 Transport hazard class****ADR** : 9**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG** : 9**IATA** : 9**14.4 Packing group****ADR**

Packaging group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

Tunnel restriction code : (-)

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG**

Packaging group : III

Labels : 9

EmS Code : F-A, S-F

**IATA**Packing instruction (cargo  
aircraft) : 964Packing instruction  
(passenger aircraft) : 964

Packing instruction (LQ) : Y964

Packaging group : III

Labels : 9

**14.5 Environmental hazards****ADR** : Environmentally hazardous**IMDG** : Marine pollutant**14.6 Special precautions for user**

For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## PLATINSTAR UV/LED 168 004 Shrink Silver

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025


No data available

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Banned and/or restricted (5-ethyl-1,3-dioxan-5-yl)methyl acrylate (ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate) (Glycerol, propoxylated, esters with acrylic acid) (Propylidynetrimethanol, ethoxylated, esters with acrylic acid) (acrylic acid)
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Banned and/or restricted (aluminium powder (stabilised)) (acrylic acid)
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: (mequinol) (triphenyl phosphite) (octamethylcyclotetrasiloxane [D4])
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable

#### 15.2 Chemical safety assessment

Page 20 / 21	102000038899	A member of 
--------------	--------------	---

**PLATINSTAR UV/LED 168 004 Shrink Silver**

Version 1.0

Revision Date 02.09.2025

Print Date 03.09.2025

No data available

**SECTION 16: Other information****Full text of H-Statements**

H226	: Flammable liquid and vapour.
H228	: Flammable solid.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.