

Date of impression 09.12.2024/18:33:38 1/2

page/of

edition 18.10.2023

AlSi10Mg EN-AC 43000 Powder 20-75 µm material denomination

031394UL1 material-no.

material description spherical powder, atomized with inert gas

material specification

insp. characteristic	specification	unit
TI00000 AI	0,0 - 100,0	%
TI00000 Cu	<= 0,05	%
TI00000 Fe	<= 0,55	%
TI00000 Mg	0,20 - 0,45	%
TI00000 Mn	<= 0,45	%
TI00000 Ni	<= 0,05	%
TI00000 Pb	<= 0,05	%
TI00000 Si	9,0 - 11,0	%
TI00000 Sn	<= 0,05	%
TI00000 Ti	<= 0,15	%
TI00000 Zn	<= 0,10	%
TI00000 Other elements, each	<= 0,05	%
TI00000 Other elements, total	<= 0,15	%
TI00525 bulk density, ASTM B417	>= 1,30	g/cm3
TI00529 fluidity, ASTM B964	<= 25,0	s/50g
TI00009 D10	22 - 30	μm
TI00009 D50	44 - 54	μm
TI00009 D90	70 - 78	μm

total shelf life in month: 120

EC-safety data sheet-no. 031394UL1

The Data on this technical information sheet correspond with the current status of our knowledge and experience.

The liability for the application and processing of our products lies with the buyer, and he is also responsible for observing any third party

We reserve the right to alter any product data as a result of technical progress or further developments in the manufacturing process.

Draft Approval Release Technical services Production Quality control 18.10.2023 18.10.2023 18.10.2023

ECKART GMBH Güntersthal 4, 91235 Hartenstein Tel +49 9152 77-0, Fax +49 9152 77-0 info.eckart@altana.com, www.eckart.net



technical data sheet

This document has been printed automatically and will not be signed.