

VISIONAIRE Bright Honey

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000025794	Date of first issue: 03/21/2018

SECTION 1. IDENTIFICATION

Product name	:	VISIONAIRE Bright Honey
Product code	:	060244QP0
Manufacturer or supplier's d	eta	ils
Company name of supplier	:	ECKART America Corporation
Address	:	830 East Erie Street
		Painesville OH 44077
Telephone	:	866-458-7837
Telefax	:	(440) 354-6224
Emergency telephone	:	CHEMTREC: 800-424-9300
		CHEMTREC: 1-703-527-3387 (International)
		NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free) Mexico: +52 55 5004 8763

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200					
Acute toxicity (Oral)	:	Category 4			
GHS label elements Hazard pictograms	:				
Signal Word	:	Warning			
Hazard Statements	:	H302 Harmful if s	wallowed.		
Precautionary Statements	:	P270	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.		
		Response:			
			330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.		



VISIONAIRE Bright Honey

Disposal: P501

Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

Copper

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Copper	7440-50-8	>= 70 - < 90
Zinc	7440-66-6	>= 5 - < 10
Silica	7631-86-9	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	Take the victim into fresh air. Do not leave the victim unattended. Move out of dangerous area. Show this material safety data sheet to the doctor in attendance.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses.
		Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
•• •• • • •		If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Special powder against metal fire



VISIONAIRE Bright Honey

Vers 2.0	ion	Revision Date: 12/11/2019		9S Number: 2000025794	Date of last issue: - Date of first issue: 03/21/2018
	media	ble extinguishing c hazards during fire	:	Dry sand ABC powder Water High volume wate Do not allow run-o courses.	r jet ff from fire fighting to enter drains or water
	Further information Special protective equipment for fire-fighters		:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. must not be discharged into drains. Fire residues and contaminated fire extinguishing water m be disposed of in accordance with local regulations. Wear self-contained breathing apparatus for firefighting if necessary.	
SEC	TION 6.	ACCIDENTAL RELE	ASE	E MEASURES	
	protecti	al precautions, ive equipment and ncy procedures	:	Use personal prot Evacuate personn Avoid dust format Avoid breathing de	el to safe areas. ion.
	Environ	mental precautions	:		
				Prevent further lea	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ties.
		s and materials for ment and cleaning up	:	Use mechanical h	andling equipment.
				Pick up and transf	er to properly labeled containers.
				Keep in suitable, o	closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against	:	Normal measures for preventive fire protection.
fire and explosion		

Normal measures for preventive fire protection.





VISIONAIRE Bright Honey

Version 2.0	Revision Date: 12/11/2019	SDS Number: 102000025794	Date of last issue: - Date of first issue: 03/21/2018		
Adv	vice on safe handling	 Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid formation of respirable particles. Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. 			
Cor	nditions for safe storage	: Electrical inst the technolog Keep away fi Do not store Keep contain To maintain p sunlight. Keep contain place. Electrical inst	allations / working materials must comply with yical safety standards. om sources of ignition - No smoking. near combustible materials. ers tightly closed in a cool, well-ventilated place. oroduct quality, do not store in heat or direct er tightly closed in a dry and well-ventilated allations / working materials must comply with yical safety standards.		
mea	hnical asures/Precautions terials to avoid	 Protect from Keep away from strongly acid 	humidity and water. for oxidizing agents, strongly alkaline and materials in order to avoid exothermic reactions. together with oxidizing and self-igniting products.		
	ther information on rage stability	: Keep in a dry	place.		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Copper	7440-50-8	TWA	1 mg/m3 (Copper)	ACGIH
		TWA (dust and mists)	1 mg/m3 (Copper)	NIOSH REL
		TWA	1 mg/m3 (Copper)	OSHA P0
		TWA	0.2 mg/m3 (Copper)	ACGIH

A member of **C ALTANA**





/ersion 2.0	Revision Date: 12/11/2019	SDS Number: 102000025794	Date of last issue: - Date of first issue: 03/21/2018			
I		I		0.4		
			TWA	0.1 mg/m3 (Copper)	OSHA P0	
			TWA (Dust and mist)	1 mg/m3 (Copper)	ACGIH	
			TWA (Fumes)	0.2 mg/m3 (Copper)	ACGIH	
			TWA (Dust)	1 mg/m3 (Copper)	NIOSH REL	
			TWA (Mist)	1 mg/m3 (Copper)	NIOSH REL	
			TWA (dusts and mists)	1 mg/m3 (Copper)	OSHA Z-1	
			TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA Z-1	
			TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA P0	
			TWA (Dust and mist)	1 mg/m3 (Copper)	OSHA P0	
Zinc		7440-66-6	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3	
			TWA (total dust)	15 mg/m3	OSHA Z-3	
			TWA (respirable fraction)	5 mg/m3	OSHA Z-3	
			TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3	
Silica		7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3	
			TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3	
			TWA	6 mg/m3 (Silica)	NIOSH REL	

Personal	protective	equipment
----------	------------	-----------

Respiratory protection	:	Use suitable breathing protection if workplace concentration requires. Respirator with a dust filter P1 filter
Hand protection Material	:	Leather



VISIONAIRE Bright Honey

Version 2.0	Revision Date: 12/11/2019	SDS Number: 102000025794	Date of last issue: - Date of first issue: 03/21/2018
Ren	narks	only depend of and is different break through producer and preventive sk The suitability	es The choice of an appropriate glove does not on its material but also on other quality features not from one producer to the other. The exact of time can be obtained from the protective glove this has to be observed. Recommended in protection of for a specific workplace should be discussed ucers of the protective gloves.
Eye pro	otection	: Safety glasse	S
Skin ar	nd body protection	Choose body	clothing ous protective suit protection according to the amount and of the dangerous substance at the work place.
Hygien	e measures	: General indus Do not smoke Wash hands Keep away fr Keep away fr When using o When using o	strial hygiene practice. before breaks and at the end of workday. om food and drink. om tobacco products. lo not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas)	 powder gold odorless No data available Combustible Solids
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative density	: No data available





VISIONAIRE Bright Honey

Version 2.0	Revision Date: 12/11/2019	-	9S Number: 2000025794	Date of last issue: - Date of first issue: 03/21/2018
Part octa Auto Dec	ubility(ies) ition coefficient: n- anol/water oignition temperature omposition temperature cosity		No data availabl No data availabl No data availabl No data availabl No data availabl	e e e
SECTIO	N 10. STABILITY AND R	EAC	ΤΙVITY	
Che Pos	ctivity mical stability sibility of hazardous tions	:	No decompositi No decompositi Stable under rec No hazards to b No decompositi	on if stored and applied as directed. on if stored and applied as directed. on if stored and applied as directed. commended storage conditions. e specially mentioned. on if stored and applied as directed. explosive mixture in air.
Con	ditions to avoid	:	No data availabl No data availabl	
SECTIO	N 11. TOXICOLOGICAL	INFO	ORMATION	
	te toxicity nful if swallowed.			
Con	nponents:			
-	per:			
Acu	te oral toxicity	:	Assessment: The single ingestion.	component/mixture is moderately toxic after
Zind	:			
Acu	te oral toxicity	:	(Rat): > 2,000 m	g/kg
Acu	te inhalation toxicity	:	LC50 (Rat): 5.41 Exposure time: 4 Test atmosphere	h
Sili	ca:			
Acu	te oral toxicity	:	LD50 (Rat): 5,000) mg/kg
			(Mouse): 15,000	mg/kg
Acu	te inhalation toxicity	:	(Rat): 0.139 mg/ Exposure time: 4	

A member of **C ALTANA**



VISIONAIRE Bright Honey

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000025794	Date of first issue: 03/21/2018

Acute dermal toxicity

: LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Copper: Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Copper: Result: Eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.



VISIONAIRE Bright Honey

Version	Revision Date:	SDS Number:	Da
2.0	12/11/2019	102000025794	Da

Date of last issue: -Date of first issue: 03/21/2018

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Components:

Copper: Remarks: No data available

Silica:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Components:		
Copper: M-Factor (Acute aquatic toxicity)	:	10
Ecotoxicology Assessment Acute aquatic toxicity Chronic aquatic toxicity		Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Zinc: Ecotoxicology Assessment Acute aquatic toxicity Chronic aquatic toxicity		Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Silica: Toxicity to daphnia and other aquatic invertebrates Toxicity to algae	:	(Daphnia): 7,600 mg/l (Chlorella pyrenoidosa): 440 mg/l





ersion 0	Revision Date: 12/11/2019	-	DS Number: 2000025794	Date of last issue: - Date of first issue: 03/21/2018
	stence and degradab ata available	ility		
	cumulative potential ata available			
	adverse effects ata available			
<u>Comp</u>	oonents:			
Сорр	er:			
	ional ecological nation	:	unprofessional	al hazard cannot be excluded in the event of handling or disposal. uatic life with long lasting effects.
Silica	1:			
	ional ecological nation	:	No data availab	le
CTION	13. DISPOSAL CONS	SIDEF	ATIONS	
Dispo	osal methods			
-	e from residues	:	courses or the s Do not contami chemical or use Send to a licens	nate ponds, waterways or ditches with
Conta	aminated packaging	:	Empty remainin Dispose of as u Do not re-use e	g contents.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR	
----------	--

Class : 9	UN/ID No. Proper shipping name	:	UN 3077 Environmentally hazardous substance, solid, n.o.s. (Copper metal powder)
	Class	:	9

In accordance with local and national regulations.





Version 2.0	Revision Date: 12/11/2019	SDS Number: 102000025794	Date of last issue: - Date of first issue: 03/21/2018
Label Packi aircrat Packi	ng instruction (cargo	: III : Class 9 - Miso : 956 : 956	cellaneous dangerous substances and articles
UN nu Prope	- Code umber er shipping name	N.O.S. (Copper meta	NTALLY HAZARDOUS SUBSTANCE, SOLID, I powder)
Label: EmS	ng group s Code e pollutant	: 9 : III : 9 : F-A, S-F : yes : IMDG Code s salts	egregation group 7 - Heavy metals and their
Rema	ırks	: For single pac packagings c inner packagi	ckagings <=5L / 5 kg, or combination ontaining inner packagings <= 5L / 5 kg net per ng, SV375 ADR, 2.10.2.7 IMDG-Code, A197 ay be applied.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ
		(lbs)
Copper	7440-50-8	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:





Version 2.0	Revision Date: 12/11/2019	SDS Number: 102000025794	Date of last issue: - Date of first issue: 03/2	21/2018
		Copper	7440-50-8	>= 70 - < 90 %
		Zinc	7440-66-6	>= 5 - < 10 %
Clear	n Air Act			
This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by tU.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).				

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307
CopperCopper7440-50-886.912 %

Zinc	7440-66-6	9.312 %

US State Regulations

Massachusetts Right To Know				
Copper	7440-50-8			
Zinc	7440-66-6			
Silica	7631-86-9			
Pennsylvania Right To Know				
Copper	7440-50-8			
Zinc	7440-66-6			
Silica	7631-86-9			
Aluminum	7429-90-5			

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.



A member of **C** ALTANA

VISIONAIRE Bright Honey

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000025794	Date of first issue: 03/21/2018



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances Copper	7440-50-8
Zinc	7440-66-6
Silica	7631-86-9
California Permissible Exposure Limits for Chemical Contaminants	
California Permissible Exposure Limits for Chemical Contaminants Copper	7440-50-8
-	7440-50-8 7440-66-6
Copper	

The ingredients of this product are reported in the following inventories:			
DSL	:	All components of this product are on the Canadian DSL	
TSCA	:	On TSCA Inventory	

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviatio	ns	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA PO	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000025794	Date of first issue: 03/21/2018

NIOSH REL / TWA

Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average

OSHA Z-1 / TWA : 8-hour time weighted average

OSHA Z-3 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/11/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.





Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/11/2019	102000025794	Date of first issue: 03/21/2018

US / Z8