

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm  
Material number : 028033UL1

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

This information is not available.

**1.3 Details of the supplier of the safety data sheet**

Company : ECKART TLS GmbH  
PC-Straße 5  
06749 Bitterfeld-Wolfen  
Germany  
Telephone : +493493929590  
Telefax : +4934939295999  
E-mail address : [info.eckart.tls@altana.com](mailto:info.eckart.tls@altana.com)  
Responsible/issuing person

**1.4 Emergency telephone number****NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

**SECTION 2: Hazards identification****GHS Classification**

Not a hazardous substance or mixture.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

**GHS-Labeling**

Not a hazardous substance or mixture.

**Hazardous components which must be listed on the label****Other hazards which do not result in classification**

Combustible Solids

---

**SECTION 3: Composition/information on ingredients**

Substance No. :

No hazardous ingredients For the full text of the H-Statements mentioned in this Section, see Section 16.

---

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- |                         |   |                                                                                                                                                                               |
|-------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : | Move the victim to fresh air.<br>Do not leave the victim unattended.                                                                                                          |
| If inhaled              | : | Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                         |
| In case of skin contact | : | Wash off immediately with soap and plenty of water.                                                                                                                           |
| In case of eye contact  | : | Remove contact lenses.<br>If eye irritation persists, consult a specialist.                                                                                                   |
| If swallowed            | : | Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |

**4.2 Most important symptoms and effects, both acute and delayed**

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

This information is not available.

**4.3 Indication of any immediate medical attention and special treatment needed**

This information is not available.

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media : Dry sand, Special powder against metal fire

Unsuitable extinguishing media : ABC powder, Carbon dioxide (CO<sub>2</sub>), Foam, Water

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Contact with water liberates extremely flammable gas (hydrogen).

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Evacuate personnel to safe areas.  
Avoid dust formation.

**6.2 Environmental precautions**

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

General advice : The product should not be allowed to enter drains, water courses or the soil.  
No special environmental precautions required.

This information is not available.

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Use mechanical handling equipment.  
Do not use a vacuum cleaner.  
Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

For personal protection see section 8.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.  
Store away from heat.

For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Use explosion-proof equipment. During processing, dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. When transferring from one container to another apply earthing measures and use conductive hose material.

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : General industrial hygiene practice.

**7.2 Conditions for safe storage, including any incompatibilities**

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

- Requirements for storage areas and containers : Earthing of containers and apparatuses is essential. Reaction with water liberates extremely flammable gas (hydrogen) Use explosion-proof equipment. Store in original container. Keep away from sources of ignition - No smoking. Keep container closed when not in use.
- Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Protect from humidity and water.
- Advice on common storage : Do not store together with oxidizing and self-igniting products. Never allow product to get in contact with water during storage. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
- No materials to be especially mentioned.
- Other data : No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

This information is not available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Germany:**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
aluminium	7429-90-5	AGW (Inhalable fraction)	10 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion		2;(II)			

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

## AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

factor (category)					
aluminium	7429-90-5	AGW (Alveolate fraction)	1,25 mg/m <sup>3</sup>	2014-04-02	DE TRGS 900
Peak-limit: excursion factor (category)	2;(II)				

### 8.2 Exposure controls

#### Personal protective equipment

- Eye protection : Face-shield  
: Safety glasses
- Hand protection
- Material : Leather
- Glove length : Long sleeve gloves
- Remarks : Leather gloves  
The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.
- Skin and body protection : Anti-static and fire resistant protective clothing. DIN EN 11612; EN 533; EN 1149-1. Anti-static safety shoes.  
: Protective suit
- Respiratory protection : Use suitable breathing protection if workplace concentration requires.  
Breathing apparatus with filter.  
P1 filter  
: No personal respiratory protective equipment normally required.

#### Environmental exposure controls

- General advice : The product should not be allowed to enter drains, water courses or the soil.  
: No special environmental precautions required.

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance	: granular
Colour	: No data available
Odour	: characteristic
pH	: substance/mixture is non-soluble (in water)
Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Bulk density	: No data available
Flammability (solid, gas)	: Combustible Solids
Auto-flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: insoluble
Miscibility with water	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available  
Flow time : No data available

**9.2 Other information**

No data available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No decomposition if stored and applied as directed.

**10.2 Chemical stability**

No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Contact with acids and alkalis may release hydrogen.

Stable under recommended storage conditions.

Dust may form explosive mixture in air.

**10.4 Conditions to avoid**

Conditions to avoid : No data available

**10.5 Incompatible materials**

Materials to avoid : Acids  
Bases  
Oxidizing agents  
Water

**10.6 Hazardous decomposition products**

Other information : No data available



Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

No data available

**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitisation**

No data available

**Carcinogenicity**

No data available

**Toxicity to reproduction/fertility**

No data available

**Reprod.Tox./Development/Teratogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

No data available

**Aspiration toxicity**

No data available

**Further information****Product**

No data available

---

**SECTION 12: Ecological information****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

**12.6 Other adverse effects****Product:**Additional ecological : No data available  
information**SECTION 13: Disposal considerations****13.1 Waste treatment methods**Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.**SECTION 14: Transport information****14.1 UN number****ADR**

Not dangerous goods

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods


**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.2 Proper shipping name**

Page 11 / 14	102000036896	A member of  <b>ALTANA</b>
--------------	--------------	-----------------------------------------------------------------------------------------------------------------

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

**ADR**

Not dangerous goods

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.3 Transport hazard class****ADR**

Not dangerous goods

**TDG**

Not dangerous goods

**CFR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.4 Packing group****ADR**

Not dangerous goods

**TDG**

Not dangerous goods

**CFR**

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**14.5 Environmental hazards****14.6 Special precautions for user**

Not classified as dangerous in the meaning of transport regulations.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No data available

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Banned and/or restricted (magnesium, powder or turnings) (titanium)

Globally Harmonized System of Classification and Labelling of  
Chemicals (GHS)

**AlSi7Mg0,6 EN-AC 42200 powder 20-75 µm**

Version 1.0

Revision Date 25.10.2023

Print Date 15.04.2024

**15.2 Chemical safety assessment**

No data available

---

**SECTION 16: Other information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.