

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/11/2024	102000029142	Date of first issue: 03/26/2018

SECTION 1. IDENTIFICATION

Product name	:	RP 7600 - EAP			
Product code	:	046489SA0			
Manufacturer or supplier's	deta	ils			
Company name of supplier	:	ECKART America Corporation			
Address	:	830 East Erie Street			
		Painesville OH 44077			
Telephone	:	866-458-7837			
		(440) 954-7600			
Telefax	:	(440) 354-6224			
e-mail adresse	:	info.eckart.america.oh@altana.com			
Emergency telephone	:	CHEMTREC: 800-424-9300			
		CHEMTREC: 1-703-527-3387 (International)			
		NCEC:			
		(contract no. ECKART29003-NCEC)			
		US: +1 866 928 0789 (Toll free)			
		Canada: +1 800 579 7421 (Toll Free)			
		Mexico: +52 55 5004 8763			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accorda 1910.1200)	anc	e with the OSHA Hazard Communicat	tion Standard (29 CFR
Flammable solids	:	Category 1	
Combustible dust			
Acute toxicity (Oral)	:	Category 4	
Eye irritation	:	Category 2A	
GHS label elements Hazard pictograms	:		
Signal Word	:	Danger	
Hazard Statements	:	H228 Flammable solid. May form combustible dust concentration H302 Harmful if swallowed.	ons in air.
		1 / 15	



RP 7600 - EAP

Version 2.1	Revision Date: 04/11/2024	SDS Number: 102000029142	Date of last issue: 12/06/2019 Date of first issue: 03/26/2018
		H319 Causes s	erious eye irritation.
Preca	utionary Statements	[:] Prevention:	
		P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
		P240	Ground/bond container and receiving
		P241	equipment. Use explosion-proof electrical/ventilating/ lighting/ equipment.
		P264	Wash skin thoroughly after handling.
		P270	Do not eat, drink or smoke when using this
		P280	product. Wear protective gloves/ eye protection/ face protection.
		Response:	
		P301 + P312 +	P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
		P305 + P351 +	
		P337 + P313	If eye irritation persists: Get medical advice/ attention.
		P370 + P378	In case of fire: Use for extinction: Special powder for metal fires.
		P370 + P378	In case of fire: Use for extinction: Dry sand.
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label: Copper

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Copper	7440-50-8	>= 70 - < 90
Zinc	7440-66-6	>= 10 - < 20



RP 7600 - EAP

/ersion 2.1	Revision Date: 04/11/2024	SDS Number: 102000029142	Date of last issue: 12/06/2019 Date of first issue: 03/26/2018	
	decanoic acid	57-1		5
Actua	al concentration is withhe	ld as a trade secret		
ECTION	4. FIRST AID MEASUR	ES		
Gene	ral advice	: Take the victin Move out of da Show this mate attendance.		
lf inha	aled	: If unconscious advice.	, place in recovery position and seek medic ersist, call a physician.	al
In cas	se of skin contact	: Wash off imme If on skin, rinse	ediately with soap and plenty of water. well with water. emove clothes.	
In cas	se of eye contact	Remove conta Keep eye wide	ush eye(s) with plenty of water. ct lenses. e open while rinsing. persists, consult a specialist.	
lf swa	allowed	: Keep respirato Do not give mil Never give any		
	important symptoms offects, both acute and red	: Harmful if swal Causes serious	lowed.	
ECTION	5. FIRE-FIGHTING ME	ASURES		
Suita	ble extinguishing media	: Special powde	r against metal fire	

Suitable extinguishing media	•	Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.





RP 7600 - EAP

Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/11/2024	102000029142	Date of first issue: 03/26/2018

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Evacuate personnel to safe areas. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Remove all sources of ignition.
General advice	:	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Environmental precautions	:	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains.
		Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Use mechanical handling equipment.
		Pick up and transfer to properly labeled containers.
		Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
		Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	:	Avoid creating dust. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid formation of respirable particles. Do not breathe vapors/dust. Avoid contact with skin and eyes.



RP 7600 - EAP

Version 2.1	Revision Date: 04/11/2024	SDS Number: 102000029142	Date of last issue: 12/06/2019 Date of first issue: 03/26/2018
Conc	litions for safe storage	 Smoking, eating application are Dispose of ringregulations. Electrical instant the technologic Keep away from Do not store ng Keep containe To maintain prosunlight. No smoking. 	protection see section 8. Ing and drinking should be prohibited in the ea. se water in accordance with local and national allations / working materials must comply with cal safety standards. om sources of ignition - No smoking. ear combustible materials. ers tightly closed in a cool, well-ventilated place. roduct quality, do not store in heat or direct
	nical sures/Precautions rials to avoid	Electrical insta the technologi Protect from h Keep away fro strongly acid r	allations / working materials must comply with cal safety standards. umidity and water. om oxidizing agents, strongly alkaline and naterials in order to avoid exothermic reactions. ogether with oxidizing and self-igniting products.
	ner information on nge stability	: Keep in a dry	place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Copper	7440-50-8	TWA	1 mg/m3 (Copper)	ACGIH
		TWA (dust and mists)	1 mg/m3 (Copper)	NIOSH REL
		TWA	1 mg/m3 (Copper)	OSHA P0
		TWA	0.2 mg/m3 (Copper)	ACGIH
		TWA	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	ACGIH
		TWA	0.2 mg/m3	ACGIH

A member of **C ALTANA**



ersion 1	Revision Date: 04/11/2024	SDS Number: 102000029142		st issue: 12/06/2019 st issue: 03/26/2018	
			(Fumes)	(Copper)	
			TWA (Dust)	1 mg/m3	NIOSH REL
			· · · · ·	(Copper)	
-			TWA (Mist)	1 mg/m3	NIOSH REL
			, , , , , , , , , , , , , , , , , , ,	(Copper)	
			TWA (dusts	1 mg/m3	OSHA Z-1
			and mists)	(Copper)	
			TWA	0.1 mg/m3	OSHA Z-1
			(Fumes)	(Copper)	
			TWA	0.1 mg/m3	OSHA P0
			(Fumes)	(Copper)	
			TWA (Dust	1 mg/m3	OSHA P0
			and mist)	(Copper)	
Zinc		7440-66-6	TWA (total	50 Million	OSHA Z-3
			dust)	particles per cubic foot	
			TWA (total	15 mg/m3	OSHA Z-3
			dust)		
			TWA	5 mg/m3	OSHA Z-3
			(respirable		
			fraction)		
			TWA	15 Million	OSHA Z-3
			(respirable	particles per cubic	
			fraction)	foot	
Octac	decanoic acid	57-11-4	TWA	10 mg/m3	ACGIH
			TWA	10 mg/m3	ACGIH
			(Inhalable		
			particulate		

(Inhalable particulat matter)	
TWA (Respirat particulat matter)	ACGIH

Personal protective equipment

Respiratory protection	 Use suitable breathing protection if workplace concentration requires. Respirator with a dust filter P1 filter 	
Hand protection Material	: Leather	
Remarks	: Leather gloves The choice of an appropriate glove does not	



RP 7600 - EAP

Version 2.1	Revision Date: 04/11/2024	SDS Number: 102000029142	Date of last issue: 12/06/2019 Date of first issue: 03/26/2018
		and is different break through producer and t preventive skir	•
			for a specific workplace should be discussed cers of the protective gloves.
Eye p	protection	: Safety glasses	
Skin and body protection		: Long sleeved of Safety shoes Dust imperviou Choose body p	clothing is protective suit protection according to the amount and of the dangerous substance at the work place.
Hygiene measures		: General indust Do not smoke. Wash hands b Keep away fro Keep away fro When using do When using do	rial hygiene practice. efore breaks and at the end of workday. m food and drink. m tobacco products. o not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold pH Melting point/range	: : : : : : : : : : : : : : : : : : : :	powder gold characteristic No data available substance/mixture is non-soluble (in water) > 900 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	The substance or mixture is a flammable solid with the category 1.
		combustible dust
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available



Version 2.1	Revision Date: 04/11/2024	SDS Number: 102000029142	Date of last issue: 12/06/2019 Date of first issue: 03/26/2018
•	pressure e density y	: No data availa : No data availa : 8 - 9 g/cm3	
Solubility(ies) Water solubility Partition coefficient: n- octanol/water Autoignition temperature Decomposition temperature Viscosity		: insoluble : No data availa : No data availa : No data availa : No data availa	ble

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Stable under recommended storage conditions. No hazards to be specially mentioned. No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Heat, flames and sparks.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if swallowed.		
<u>Components:</u>		
Copper:		
Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
Zinc:		
Acute oral toxicity	:	(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Components:

Copper:



RP 7600 - EAP

Version	Revision Date:	SDS Number:
2.1	04/11/2024	102000029142

Date of last issue: 12/06/2019 Date of first issue: 03/26/2018

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Copper: Result: Eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/11/2024	102000029142	Date of first issue: 03/26/2018

Further information

Components:

Copper: Remarks: No data available

Zinc:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Components:		
Copper:		
M-Factor (Acute aquatic toxicity)	:	10
M-Factor (Chronic aquatic toxicity)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
Zinc:		
M-Factor (Acute aquatic toxicity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
Persistence and degradabilit	ty	
Bioaccumulative potential No data available		
Other adverse effects No data available		



Version 2.1	Revision Date: 04/11/2024	SDS Number: 102000029142	Date of last issue: 12/06/2019 Date of first issue: 03/26/2018
<u>Com</u>	ponents:		
Сорр	er:		
	ional ecological nation	unprofessiona	ntal hazard cannot be excluded in the event of I handling or disposal. quatic life with long lasting effects.
Zinc:			
	ional ecological nation	unprofessiona	ntal hazard cannot be excluded in the event of I handling or disposal. quatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	: The product should not be allowed to enter drains, water courses or the soil.
	Do not contaminate ponds, waterways or ditches with chemical or used container.
	Send to a licensed waste management company.
	In accordance with local and national regulations.
Contaminated packaging	: Empty remaining contents.
	Dispose of as unused product.
	Do not re-use empty containers.
	Do not burn, or use a cutting torch on, the empty drum. In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR UN/ID/NA number	:	UN 3089
Proper shipping name Class Packing group Labels ERG Code Marine pollutant	:	Metal powders, flammable, n.o.s. 4.1 II FLAMMABLE SOLID 170 no
International Regulations		
IATA-DGR UN/ID No. Proper shipping name Class	:	UN 3089 Metal powder, flammable, n.o.s. 4.1



Version 2.1	Revision Date: 04/11/2024	SDS Number: 102000029142	Date of last issue: 12/06/2019 Date of first issue: 03/26/2018
Labels Packir aircraf Packir	ng instruction (cargo	: II : Flammable Solic : 448 : 445	Ι
Class Packir Labels EmS (mber r shipping name ng group Code e pollutant	(Copper metal po : 4.1 : II : 4.1 : F-G, S-G : yes : IMDG Code segu	R, FLAMMABLE, N.O.S. owder) regation group 7 - Heavy metals and their e segregation group 15 - Powdered metals

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)
Copper	7440-50-8	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Combustible dust Acute toxicity (any route of exposure) Serious eye damage or eye irritation
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:



rsion	Revision Date: 04/11/2024	SDS Number: 102000029142	Date of last issue: 12/0 Date of first issue: 03/2	
		Copper	7440-50-8	>= 70 - < 90 %
		Zinc	7440-66-6	>= 10 - < 20 %
Clear	Air Act			
U.S. (This p Act S This p Accid This p	Clean Air Act Section product does not conf ection 112 (40 CFR 6 product does not conf ental Release Preven	602 (40 CFR 82, Subp tain any hazardous air 1). tain any chemicals listent tion (40 CFR 68.130, stain any chemicals listent	oollutants (HAP), as defined d under the U.S. Clean Air /	l by the U.S. Clean A Act Section 112(r) for
	Water Act			
Section	on 311, Table 117.3.	·	emicals listed under the U.S ts listed under the U.S. Clear 84 % 14.25 %	
inis p	Copper	7440-50-8	ants related to the U.S. Clear 84 %	i water Act:
	Zinc	7440-66-6	14.25 %	
US St	tate Regulations			
Mass	achusetts Right To	Know		
	Copper		74	40-50-8
	Zinc		74	40-66-6
Penn	sylvania Right To K	now		
	Copper		74	40-50-8
	Zinc		74	40-66-6
	Aluminum		74	29-90-5



Version	Revision Date:	SDS Number:	Date of last issue: 12/06/2019
2.1	04/11/2024	102000029142	Date of first issue: 03/26/2018



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances Copper	7440-50-8
Zinc	7440-66-6
California Permissible Exposure Limits for Chemical Contaminants Copper	7440-50-8
Zinc	7440-66-6

The ingredients of this product are reported in the following inventories:	The ingredients	of this p	roduct are	reported	in the	following	inventories:
--	-----------------	-----------	------------	----------	--------	-----------	--------------

DSL	:	All components of this product are on the Canadian DSL
TSCA	:	On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations					
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)			
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits			
OSHA PO	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)			
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts			
ACGIH / TWA	:	8-hour, time-weighted average			
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek			
OSHA P0/TWA	:	8-hour time weighted average			
OSHA Z-1 / TWA		8-hour time weighted average			
OSHA Z-3 / TWA	:	8-hour time weighted average			



Version	Revision Date:	SDS Number:	Date
2.1	04/11/2024	102000029142	Date

Date of last issue: 12/06/2019 Date of first issue: 03/26/2018

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 04/11/2024

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8