

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

## SECTION 1. IDENTIFICATION

Product name : ROTOSTAR UV LV 801-872 GOLD  
Product code : 046565AB0

**Manufacturer or supplier's details**

Company name of supplier : ECKART America Corporation  
Address : 830 East Erie Street  
Painesville OH 44077  
Telephone : 866-458-7837  
(440) 954-7600  
Telefax : (440) 354-6224  
e-mail adresse : info.eckart.america.oh@altana.com  
Emergency telephone : **CHEMTREC:** 800-424-9300  
**CHEMTREC:** 1-703-527-3387 (International)

**NCEC:**

(contract no. ECKART29003-NCEC)  
US: +1 866 928 0789 (Toll free)  
Canada: +1 800 579 7421 (Toll Free)  
Mexico: +52 55 5004 8763

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitization : Category 1  
Carcinogenicity : Category 2  
Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H360D May damage the unborn child.

## Precautionary Statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

Acrylic Oligomer

Polyester acrylate

2-Propenoic acid, 1,1'-[2-ethyl-2-[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester

1-Butanone, 2-(dimethylamino)-1-[4-(4-morpholinyl)phenyl]-2-(phenylmethyl)-

1,4-Benzenediol, 2,5-bis(1,1-dimethylethyl)-

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Hazardous ingredients**

| Chemical name   | CAS-No.      | Concentration (% w/w) |
|---|--------------|-----------------------|
| Copper  | 7440-50-8    | >= 15 - < 25          |
| 2-Propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] ester   | 42978-66-5   | >= 20 - < 30          |
| Polyester acrylate  | Not Assigned | >= 10 - < 20          |
| 2-Propenoic acid, 1,1'-[2-ethyl-2-[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl ester | 15625-89-5   | >= 10 - < 20          |
| Ethanone, 2,2-dimethoxy-1,2-diphenyl-   | 24650-42-8   | >= 5 - < 10           |
| Zinc  | 7440-66-6    | >= 1 - < 10           |
| 1-Butanone, 2-(dimethylamino)-1-[4-(4-morpholinyl)phenyl]-2-(phenylmethyl)-               | 119313-12-1  | >= 1 - < 5            |
| Copper  | 7440-50-8    | >= 20 - < 30          |
| 2-Propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] ester   | 42978-66-5   | >= 20 - < 30          |
| Acrylic Oligomer  | Not Assigned | >= 10 - < 20          |
| Polyester acrylate  | Not Assigned | >= 10 - < 20          |
| 2-Propenoic acid, 1,1'-[2-ethyl-2-[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl ester | 15625-89-5   | >= 10 - < 20          |
| Ethanone, 2,2-dimethoxy-1,2-diphenyl-   | 24650-42-8   | >= 5 - < 10           |
| Zinc  | 7440-66-6    | >= 1 - < 5            |
| 1-Butanone, 2-(dimethylamino)-1-[4-(4-morpholinyl)phenyl]-2-(phenylmethyl)-               | 119313-12-1  | >= 1 - < 5            |
| 1,4-Benzenediol, 2,5-bis(1,1-dimethylethyl)-  | 88-58-4      | >= 0.1 - < 1          |

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

|                |   |
|----------------|---|
| General advice | : Take the victim into fresh air.<br>Move out of dangerous area.<br>Show this material safety data sheet to the doctor in attendance. |
| If inhaled     | : If unconscious, place in recovery position and seek medical advice.   |

**ROTOSTAR UV LV 801-872 GOLD**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

|   |   |   |
|---|---|---|
| In case of skin contact                                     | : | If symptoms persist, call a physician.<br>Wash off immediately with soap and plenty of water.<br>If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes. |
| In case of eye contact                                      | : | Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.  |
| If swallowed  | : | Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.   |
| Most important symptoms and effects, both acute and delayed | : | Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye irritation.<br>Suspected of causing cancer.<br>May damage the unborn child.   |

---

**SECTION 5. FIRE-FIGHTING MEASURES**

|  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Special powder against metal fire<br>Dry sand<br>ABC powder   |
| Unsuitable extinguishing media                 | : | Water<br>High volume water jet<br>Carbon dioxide (CO <sub>2</sub> )   |
| Specific hazards during fire fighting          | : | Do not allow run-off from fire fighting to enter drains or water courses.   |
| Further information                            | : | Standard procedure for chemical fires.<br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary.  |

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

|   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Evacuate personnel to safe areas.<br>Ensure adequate ventilation.<br>Use personal protective equipment. |
| Environmental precautions   | : | The product should not be allowed to enter drains, water courses or the soil.                           |

---

**ROTOSTAR UV LV 801-872 GOLD**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for : Use mechanical handling equipment.  
containment and cleaning up

Pick up and transfer to properly labeled containers.  
Do not flush with water.  
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against : Keep away from heat and sources of ignition.  
fire and explosion No smoking.

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep away from sources of ignition - No smoking.  
Do not store near combustible materials.  
Keep containers tightly closed in a cool, well-ventilated place.  
To maintain product quality, do not store in heat or direct sunlight.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

Technical measures/Precautions : kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Protect from humidity and water.

Further information on storage stability : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.  
Do not store together with oxidizing and self-igniting products.

Further information on storage stability : No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

| Components | CAS-No.   | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|------------|-----------|----------------------------------|---|-----------|
| Copper     | 7440-50-8 | TWA                              | 1 mg/m <sup>3</sup><br>(Copper)                   | ACGIH     |
|            |           | TWA (dust and mists)             | 1 mg/m <sup>3</sup><br>(Copper)                   | NIOSH REL |
|            |           | TWA                              | 1 mg/m <sup>3</sup><br>(Copper)                   | OSHA P0   |
|            |           | TWA                              | 0.2 mg/m <sup>3</sup><br>(Copper)                 | ACGIH     |
|            |           | TWA                              | 0.1 mg/m <sup>3</sup><br>(Copper)                 | OSHA P0   |
|            |           | TWA (Dust and mist)              | 1 mg/m <sup>3</sup><br>(Copper)                   | ACGIH     |
|            |           | TWA (Fumes)                      | 0.2 mg/m <sup>3</sup><br>(Copper)                 | ACGIH     |
|            |           | TWA (Dust)                       | 1 mg/m <sup>3</sup><br>(Copper)                   | NIOSH REL |
|            |           | TWA (Mist)                       | 1 mg/m <sup>3</sup><br>(Copper)                   | NIOSH REL |
|            |           | TWA (dusts and mists)            | 1 mg/m <sup>3</sup><br>(Copper)                   | OSHA Z-1  |
|            |           | TWA (Fumes)                      | 0.1 mg/m <sup>3</sup><br>(Copper)                 | OSHA Z-1  |
|            |           | TWA (Fumes)                      | 0.1 mg/m <sup>3</sup><br>(Copper)                 | OSHA P0   |
|            |           | TWA (Dust and mist)              | 1 mg/m <sup>3</sup><br>(Copper)                   | OSHA P0   |

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

|  |            |                           |                                     |          |
|--|------------|---------------------------|-------------------------------------|----------|
| 2-Propenoic acid, 1,1'-[2-ethyl-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester | 15625-89-5 | TWA                       | 1 mg/m3                             | US WEEL  |
| Zinc   | 7440-66-6  | TWA (total dust)          | 50 Million particles per cubic foot | OSHA Z-3 |
|  |            | TWA (total dust)          | 15 mg/m3                            | OSHA Z-3 |
|  |            | TWA (respirable fraction) | 5 mg/m3                             | OSHA Z-3 |
|  |            | TWA (respirable fraction) | 15 Million particles per cubic foot | OSHA Z-3 |

**Personal protective equipment**

Respiratory protection : Use suitable breathing protection if workplace concentration requires.  
Equipment should conform to EN 14387

Hand protection  
Material : Solvent-resistant gloves (butyl-rubber)

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Safety glasses  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : General industrial hygiene practice.  
When using do not eat or drink.

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|  |   |   |
|--|---|---|
| Appearance                                       | : | liquid                                      |
| Color  | : | gold  |
| Odor   | : | characteristic                              |
| Odor Threshold                                   | : | No data available                           |
| pH   | : | substance/mixture is non-soluble (in water) |
| Melting point/freezing point                     | : | No data available                           |
| Initial boiling point and boiling range          | : | No data available                           |
| Flash point                                      | : | > 100 °C                                    |
| Evaporation rate                                 | : | No data available                           |
| Flammability (solid, gas)                        | : | No data available                           |
| Upper explosion limit / Upper flammability limit | : | No data available                           |
| Lower explosion limit / Lower flammability limit | : | No data available                           |
| Vapor pressure                                   | : | No data available                           |
| Relative density                                 | : | No data available                           |
| Density  | : | 1.15 - 1.3 g/cm <sup>3</sup>                |
| Solubility(ies)                                  | : |   |
| Water solubility                                 | : | insoluble                                   |
| Partition coefficient: n-octanol/water           | : | No data available                           |
| Autoignition temperature                         | : | No data available                           |
| Decomposition temperature                        | : | No data available                           |
| Viscosity  | : | No data available                           |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | No decomposition if stored and applied as directed.   |
| Chemical stability                 | : | No decomposition if stored and applied as directed.   |
| Possibility of hazardous reactions | : | Stable under recommended storage conditions.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : | Do not allow evaporation to dryness.<br>No data available   |

**Hazardous decomposition products**

|                       |   |  |
|-----------------------|---|--|
| Thermal decomposition | : | Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |
|-----------------------|---|--|

---



## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Components:****Copper:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

**Zinc:**

Acute oral toxicity : (Rat): &gt; 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.41 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist**Copper:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

**2-Propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] ester:**

Acute oral toxicity : (Rat): 2,000 mg/kg

Acute inhalation toxicity : (Rat): 0.000545 mg/l  
Exposure time: 7 h  
Test atmosphere: vaporAcute dermal toxicity : (Rabbit): 2,000 mg/kg  
Method: OECD Test Guideline 402**Zinc:**

Acute oral toxicity : (Rat): &gt; 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.41 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist**1,4-Benzenediol, 2,5-bis(1,1-dimethylethyl)-:**

Acute oral toxicity : Assessment: The component/mixture is toxic after single ingestion.

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Copper:**

Remarks: May cause skin irritation in susceptible persons.

**2-Propenoic acid, 1,1'-[2-ethyl-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:**

Result: Skin irritation

**Copper:**

Remarks: May cause skin irritation in susceptible persons.

**2-Propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] ester:**

Result: Skin irritation

**Acrylic Oligomer:**

Result: Skin irritation

**2-Propenoic acid, 1,1'-[2-ethyl-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:**

Result: Skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Copper:**

Result: Eye irritation

**Copper:**

Result: Eye irritation

**2-Propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] ester:**

Result: Eye irritation

**Acrylic Oligomer:**

Result: Eye irritation

**ROTOSTAR UV LV 801-872 GOLD**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

**2-Propenoic acid, 1,1'-[2-ethyl-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:**

Result: Eye irritation

**Respiratory or skin sensitization**

**Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Components:**

**Acrylic Oligomer:**

Result: May cause sensitization by skin contact.

**2-Propenoic acid, 1,1'-[2-ethyl-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:**

Result: May cause sensitization by skin contact.

**1,4-Benzenediol, 2,5-bis(1,1-dimethylethyl)-:**

Assessment: The product is a skin sensitizer, sub-category 1B.

Result: May cause sensitization by skin contact.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Suspected of causing cancer.

**Components:**

**2-Propenoic acid, 1,1'-[2-ethyl-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:**

Carcinogenicity - : Limited evidence of carcinogenicity in animal studies

Assessment

**IARC**

Group 2B: Possibly carcinogenic to humans

2-Propenoic acid, 1,1'-[2-ethyl-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester 15625-89-5

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**ROTOSTAR UV LV 801-872 GOLD**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

May damage the unborn child.

**Components:****1-Butanone, 2-(dimethylamino)-1-[4-(4-morpholinyl)phenyl]-2-(phenylmethyl)-:**

Reproductive toxicity - : Clear evidence of adverse effects on development, based on  
Assessment animal experiments.

**STOT-single exposure**

Not classified based on available information.

**Components:****1,4-Benzenediol, 2,5-bis(1,1-dimethylethyl)-:**

Assessment: May cause respiratory irritation.

**STOT-repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Components:****Copper:**

Remarks: No data available

**Zinc:**

Remarks: No data available

**Copper:**

Remarks: No data available

**Zinc:**

Remarks: No data available

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Copper:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Ethanone, 2,2-dimethoxy-1,2-diphenyl-:**

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Zinc:****Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Copper:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

**Ethanone, 2,2-dimethoxy-1,2-diphenyl-:**

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Zinc:****Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**1-Butanone, 2-(dimethylamino)-1-[4-(4-morpholinyl)phenyl]-2-(phenylmethyl)-:**

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**1,4-Benzenediol, 2,5-bis(1,1-dimethylethyl)-:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

**Other adverse effects**

No data available

**Components:****Copper:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

**2-Propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] ester:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

**Zinc:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

**1-Butanone, 2-(dimethylamino)-1-[4-(4-morpholinyl)phenyl]-2-(phenylmethyl)-:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

**Copper:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

**Zinc:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

|                        |   |  |
|------------------------|---|--|
| Waste from residues    | : | The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.<br>In accordance with local and national regulations. |
| Contaminated packaging | : | Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>In accordance with local and national regulations.  |

---

**SECTION 14. TRANSPORT INFORMATION****Domestic regulation****49 CFR**

Not regulated as a dangerous good

**International Regulations****IATA-DGR**

|  |   |  |
|--|---|--|
| UN/ID No.                                | : | UN 3082  |
| Proper shipping name                     | : | Environmentally hazardous substance, liquid, n.o.s.<br>(Copper metal powder) |
| Class                                    | : | 9  |
| Packing group                            | : | III  |
| Labels                                   | : | Miscellaneous  |
| Packing instruction (cargo aircraft)     | : | 964  |
| Packing instruction (passenger aircraft) | : | 964  |

**IMDG-Code**

|                      |   |  |
|----------------------|---|--|
| UN number            | : | UN 3082  |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Copper metal powder) |
| Class                | : | 9  |
| Packing group        | : | III  |
| Labels               | : | 9  |
| Marine pollutant     | : | yes  |

|         |   |  |
|---------|---|--|
| Remarks | : | For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 |
|---------|---|--|

---



## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

IATA-DGR may be applied.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

| Components       | CAS-No.   | Component RQ (lbs) |
|------------------|-----------|--------------------|
| Copper           | 7440-50-8 | 5000               |
| Zinc             | 7440-66-6 | 1000               |
| 2-Propenoic acid | 79-10-7   | 5000               |

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Respiratory or skin sensitization  
Reproductive toxicity  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Carcinogenicity

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

|        |           |                |
|--------|-----------|----------------|
| Copper | 7440-50-8 | >= 20 - < 30 % |
| Zinc   | 7440-66-6 | >= 1 - < 5 %   |

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

# ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

|        |           |           |
|--------|-----------|-----------|
| Copper | 7440-50-8 | 21.6338 % |
| Zinc   | 7440-66-6 | 4.914 %   |

This product contains the following priority pollutants related to the U.S. Clean Water Act:

|        |           |           |
|--------|-----------|-----------|
| Copper | 7440-50-8 | 21.6338 % |
| Zinc   | 7440-66-6 | 4.914 %   |

## US State Regulations

### Massachusetts Right To Know

|        |           |
|--------|-----------|
| Copper | 7440-50-8 |
| Zinc   | 7440-66-6 |

### Pennsylvania Right To Know

|   |              |
|---|--------------|
| Copper  | 7440-50-8    |
| 2-Propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] ester   | 42978-66-5   |
| Acrylic Oligomer  | Not Assigned |
| Polyester acrylate  | Not Assigned |
| 2-Propenoic acid, 1,1'-[2-ethyl-2-[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl ester | 15625-89-5   |
| Ethanone, 2,2-dimethoxy-1,2-diphenyl-   | 24650-42-8   |
| Zinc  | 7440-66-6    |
| Aluminum  | 7429-90-5    |
| 2-Propenoic acid  | 79-10-7      |

### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---



WARNING: This product can expose you to chemicals including 2-Propenoic acid, 1,1'-[2-ethyl-2-[[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester, Ethanol, which is/are known to the State of California to cause cancer, and Ethanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California List of Hazardous Substances**

|        |           |
|--------|-----------|
| Copper | 7440-50-8 |
|--------|-----------|

|      |           |
|------|-----------|
| Zinc | 7440-66-6 |
|------|-----------|

**California Permissible Exposure Limits for Chemical Contaminants**

|        |           |
|--------|-----------|
| Copper | 7440-50-8 |
|--------|-----------|

|      |           |
|------|-----------|
| Zinc | 7440-66-6 |
|------|-----------|

**The ingredients of this product are reported in the following inventories:**

|      |   |
|------|---|
| DSL  | : On the inventory, or in compliance with the inventory |
| TSCA | : All substances listed as active on the TSCA inventory |

**TSCA list**

No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

|      |           |
|------|-----------|
| Zinc | 7440-66-6 |
|------|-----------|

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

|             |  |
|-------------|--|
| ACGIH       | : USA. ACGIH Threshold Limit Values (TLV)  |
| NIOSH REL   | : USA. NIOSH Recommended Exposure Limits   |
| OSHA P0     | : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)               |
| OSHA Z-1    | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| OSHA Z-3    | : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts               |
| US WEEL     | : USA. Workplace Environmental Exposure Levels (WEEL)                              |
| ACGIH / TWA | : 8-hour, time-weighted average  |

---

## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour  
workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average

OSHA Z-1 / TWA : 8-hour time weighted average

OSHA Z-3 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/24/2023

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

# SAFETY DATA SHEET



## ROTOSTAR UV LV 801-872 GOLD

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 03/02/2023  |
| 4.0     | 04/24/2023     | 102000027005 | Date of first issue: 03/26/2018 |

---

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8