

## SYMIC C271

| Version | Revision Date: | SDS Number:  | Date of last issue : -          |
|---------|----------------|--------------|---------------------------------|
| 1.0     | 08/02/2022     | 102000035740 | Date of first issue: 08/02/2022 |

#### **SECTION 1. IDENTIFICATION**

| Product name               | :    | SYMIC C271                               |
|----------------------------|------|--|
| Product code               | :    | 037227MJ0                                |
| Manufacturer or supplier's | deta | ils                                      |
| Company name of supplier   | :    | ECKART America Corporation               |
| Address                    | :    | 830 East Erie Street                     |
|                            |      | Painesville OH 44077                     |
| Telephone                  | :    | 866-458-7837                             |
|                            |      | (440) 954-7600                           |
| Telefax                    | :    | (440) 354-6224                           |
| e-mail adresse             | :    | info.eckart.america.oh@altana.com        |
| Emergency telephone        | :    | CHEMTREC: 800-424-9300                   |
|                            |      | CHEMTREC: 1-703-527-3387 (International) |
|                            |      | NCEC:                                    |
|                            |      | (contract no. ECKART29003-NCEC)          |
|                            |      | US: +1 866 928 0789 (Toll free)          |
|                            |      | Canada: +1 800 579 7421 (Toll Free)      |
|                            |      | Maulaan (0.000 000 000 000)              |

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Mexico: +52 55 5004 8763

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous ingredients

| Chemical name                        | CAS-No.    | Concentration (% w/w) |
|--------------------------------------|------------|-----------------------|
| Titanium oxide (TiO2)                | 13463-67-7 | >= 50 - < 70          |
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 | >= 30 - < 50          |
| Fluorphiogopite (Mg3K[AIF2O(SIO3)3]) |            | >= 30 - < 50          |

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice

: Do not leave the victim unattended.



## SYMIC C271

| Version<br>1.0 | Revision Date:<br>08/02/2022                         | SDS Number:<br>102000035740            | Date of last issue.  |
|----------------|--|--|--|
| lf inha        | aled   | : If unconso<br>advice.                | ious, place in recovery position and seek medical  |
|                | se of skin contact<br>se of eye contact              | If sympton<br>: Wash off<br>: Remove c | ns persist, call a physician.<br>with soap and water.<br>ontact lenses.<br>tion persists, consult a specialist.                          |
| lf swa         | allowed  | : Keep resp<br>Do not giv<br>Never giv | iratory tract clear.<br>e milk or alcoholic beverages.<br>e anything by mouth to an unconscious person.<br>ns persist, call a physician. |
|                | important symptoms<br>effects, both acute and<br>/ed | : None kno                             |  |

#### SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media                   | : | Foam  |
|--|---|---|
|  |   | Carbon dioxide (CO2)  |
|  |   | ABC powder  |
| Further information                            | : | Standard procedure for chemical fires.  |
|  |   | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary.                                  |

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions,<br>protective equipment and<br>emergency procedures | : | Avoid dust formation.  |
|---|---|--|
| Environmental precautions   | : | No special environmental precautions required.   |
| Methods and materials for containment and cleaning up                     | : | Pick up and arrange disposal without creating dust.<br>Sweep up and shovel.<br>Keep in suitable, closed containers for disposal. |

#### SECTION 7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : | Provide appropriate exhaust ventilation at places where dust is formed.  |
|---|---|--|
| Advice on safe handling                         | : | For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area. |
| Conditions for safe storage                     | : | Electrical installations / working materials must comply with  |



## SYMIC C271

storage stability

| Version | Revision Date: |   | 0S Number: | Date of last issue : -                           |
|---------|----------------|---|------------|--|
| 1.0     | 08/02/2022     |   | 2000035740 | Date of first issue : 08/02/2022                 |
| Mater   | ials to avoid  | : |            | al safety standards.<br>be especially mentioned. |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Further information on : Keep in a dry place.

| Components            | CAS-No.     | Value type  | Control             | Basis     |
|-----------------------|-------------|-------------|---------------------|-----------|
| Components            | 040-110.    | (Form of    | parameters /        | 00315     |
|                       |             | exposure)   | Permissible         |           |
|                       |             | exposure)   | concentration       |           |
| Eterriver evide (EQ2) | 40,400,07,7 |             |                     |           |
| Titanium oxide (TiO2) | 13463-67-7  | TWA (total  | 50 Million          | OSHA Z-3  |
|                       |             | dust)       | particles per cubic |           |
|                       |             | <b></b>     | foot                | 00110 7.0 |
|                       |             | TWA (total  | 15 mg/m3            | OSHA Z-3  |
|                       |             | dust)       |                     |           |
|                       |             | TWA         | 5 mg/m3             | OSHA Z-3  |
|                       |             | (respirable |                     |           |
|                       |             | fraction)   |                     |           |
|                       |             | TWA         | 15 Million          | OSHA Z-3  |
|                       |             | (respirable | particles per cubic |           |
|                       |             | fraction)   | foot                |           |
|                       |             | TWA (total  | 15 mg/m3            | OSHA Z-1  |
|                       |             | dust)       |                     |           |
|                       |             | TWA (Total  | 10 mg/m3            | OSHA P0   |
|                       |             | dust)       |                     |           |
|                       |             | TWA         | 10 mg/m3            | ACGIH     |
|                       |             |             | (Titanium dioxide)  |           |
| Fluorphlogopite       | 12003-38-2  | TWA         | 2.5 mg/m3           | OSHA Z-1  |
| (Mg3K[AIF2O(SiO3)3])  |             |             | (Fluorine)          |           |
| ·····                 |             | TWA         | 2.5 mg/m3           | ACGIH     |
|                       |             |             | (Fluorine)          |           |
|                       |             | TWA         | 1 mg/m3             | ACGIH     |
|                       |             | (Respirable | (Aluminum)          |           |
|                       |             | particulate |                     |           |
|                       |             | matter)     |                     |           |
|                       |             | TWA         | 2.5 mg/m3           | OSHA P0   |
|                       |             |             | (Fluorine)          |           |

#### Ingredients with workplace control parameters

#### **Biological occupational exposure limits**

| Components      |           | Control<br>parameters | Biological specimen | Samplin<br>g time | Permissible<br>concentratio<br>n | Basis |
|-----------------|-----------|-----------------------|---------------------|-------------------|----------------------------------|-------|
| Fluorphlogopite | 12003-38- | Fluoride              | Urine               | Prior to          | 2 mg/l                           | ACGIH |

A member of **C ALTANA** 



# SYMIC C271

|  | Revision Date:<br>08/02/2022  |  |   | umber:<br>035740  |  | ast issue: -<br>ïrst issue: 08/  | 02/2022       |              |
|--|---|--|---|---|--|--|---------------|--------------|
| (Mg3l  | K[AIF2O(SiO3)3])  | 2                                      |   | (Fluorine)  |  | shift (16<br>hours<br>after<br>exposure<br>ceases)                         |               | BEI          |
|  |   |  |   | Fluoride<br>(Fluorine)  | Urine  | End of<br>shift (As<br>soon as<br>possible<br>after<br>exposure<br>ceases) | 3 mg/l        | ACGIH<br>BEI |
| Perso  | onal protective equ   | uipment                                |   |   |  |  |               |              |
|  | iratory protection  | :                                      | No  | personal resp<br>uired.   | oiratory pro   | tective equipr   | nent normally |              |
| Skin a   | protection<br>and body protectior<br>ene measures   | :<br>1 :<br>:                          | Pro   | ety glasses<br>tective suit<br>neral industria  | ıl hygiene p   | practice.  |               |              |
| CTION  | 9. PHYSICAL AND   | CHEMI                                  | CAL   | PROPERTIE   | S  |  |               |              |
| Appe   | arance  | :                                      | no  | wder  |  |  |               |              |
| pH<br>Meltir<br>Initial<br>range<br>Flash<br>Evap  | Threshold<br>ng point/freezing po<br>boiling point and bo   |  | gre<br>od<br>Nc<br>su<br>Nc<br>Nc<br>Nc                         | een<br>lorless<br>b data availab<br>bstance/mixtu<br>o data availab<br>o data availab<br>o data availab<br>o data availab<br>o data availab                   | ure is non-s<br>le<br>le                                 | oluble (in wat   | er)           |              |
| Odor<br>Odor<br>pH<br>Meltir<br>Initial<br>range<br>Flash<br>Evapo   | Threshold<br>ng point/freezing po<br>boiling point and bo<br>point<br>oration rate  |  | gre<br>od<br>No<br>Su<br>No<br>No<br>No<br>Wi                   | een<br>lorless<br>o data availab<br>bstance/mixtu<br>o data availab<br>o data availab<br>o data availab<br>o data availab                                     | ure is non-s<br>le<br>le<br>le<br>le                     |  | er)           |              |
| Odor<br>Odor<br>pH<br>Meltir<br>Initial<br>range<br>Flash<br>Evapo<br>Flamr                                    | Threshold<br>ng point/freezing po<br>boiling point and bo<br>point<br>oration rate  | piling :<br>:<br>:                     | gre<br>od<br>No<br>Su<br>No<br>No<br>Wi<br>No                   | een<br>lorless<br>o data availab<br>bstance/mixtu<br>o data availab<br>o data availab<br>o data availab<br>o data availab<br>o data availab                   | ure is non-s<br>e<br>e<br>e<br>e<br>s a flamma           |  | er)           |              |
| Odor<br>Odor<br>pH<br>Meltir<br>Initial<br>range<br>Flash<br>Evapo<br>Flamn<br>Uppe<br>flamn<br>Lower<br>flamn | Threshold<br>ng point/freezing po<br>boiling point and bo<br>point<br>oration rate<br>mability (solid, gas)<br>r explosion limit / Up | oiling :<br>:<br>:<br>:<br>:<br>:<br>: | gra<br>od<br>No<br>su<br>No<br>No<br>No<br>No<br>No<br>No<br>No | een<br>lorless<br>o data availab<br>bstance/mixtu<br>o data availab<br>o data availab<br>o data availab<br>o data availab<br>ill not burn<br>ot classified as | ure is non-s<br>e<br>e<br>e<br>e<br>s a flamma<br>e<br>e |  | er)           |              |



# SYMIC C271

| ersion<br>0            | Revision Date:<br>08/02/2022   | SDS Number:<br>102000035740                                 | Date of last issue: -<br>Date of first issue: 08/02/2022   |
|------------------------|--|---|--|
|                        | gnition temperature<br>mposition temperature<br>sity                       | : No data availab<br>: No data availab<br>: No data availab | le   |
| ECTION                 | 10. STABILITY AND R  | EACTIVITY   |  |
|                        | ical stability<br>ibility of hazardous                                     | : No decomposit<br>: Stable under re                        | ion if stored and applied as directed.<br>ion if stored and applied as directed.<br>commended storage conditions.<br>be specially mentioned. |
| Cond                   | itions to avoid  | : No data availab   | le   |
| ECTION                 | 11. TOXICOLOGICAL  | INFORMATION   |  |
|                        | e <b>toxicity</b><br>lassified based on avail                              | able information.   |  |
| <u>Com</u>             | oonents:   |   |  |
|                        | ium oxide (TiO2):<br>e oral toxicity                                       | : LD50 (Rat): > 5,  | 000 mg/kg  |
| Acute                  | inhalation toxicity  | : LC50 (Rat): 6.8<br>Exposure time: 4<br>Test atmosphere    | 4 h  |
| Acute                  | e dermal toxicity  | : LD50 (Rabbit): >  | • 5,000 mg/kg  |
|                        | corrosion/irritation<br>lassified based on avail                           | able information.   |  |
|                        | us eye damage/eye in<br>lassified based on avail                           |   |  |
| Respi                  | iratory or skin sensitiz   | ation   |  |
|                        | <b>sensitization</b><br>lassified based on avail                           | able information.   |  |
| -                      | iratory sensitization<br>lassified based on avail                          | able information.   |  |
|                        | cell mutagenicity  | able information  |  |
|                        | lassified based on avail   | able information.   |  |
| Not cl<br><b>Carci</b> | lassified based on avail<br><b>nogenicity</b><br>lassified based on avail: |   |  |



# SYMIC C271

| rsion  | Revision Date:<br>08/02/2022                         | SDS Number:<br>102000035740 | Date of last issue: -<br>Date of first issue: 08/02/2022   |  |  |  |  |
|--|--|-----------------------------|--|--|--|--|--|
|  |  |                             |  |  |  |  |  |
| IARC   | ;  | Group 2B: Possib            | ly carcinogenic to humans  |  |  |  |  |
|  |  | Titanium oxide (Ti          | O2) 13463-67-7   |  |  |  |  |
| OSH  | A  |                             | this product present at levels greater than or n OSHA's list of regulated carcinogens.   |  |  |  |  |
| NTP  |  |                             | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |  |  |  |  |
| <b>Reproductive toxicity</b><br>Not classified based on available information. |  |                             |  |  |  |  |  |
| STOT-single exposure<br>Not classified based on available information.         |  |                             |  |  |  |  |  |
|  | <b>F-repeated</b> exposure<br>lassified based on ava | ailable information.        |  |  |  |  |  |
| -  | ration toxicity<br>lassified based on ava            | ailable information.        |  |  |  |  |  |
| Further information  |  |                             |  |  |  |  |  |
|  | 12. ECOLOGICAL IN                                    | NFORMATION                  |  |  |  |  |  |
|  | ata available  |                             |  |  |  |  |  |
| Persistence and degradability<br>No data available                             |  |                             |  |  |  |  |  |
| Bioaccumulative potential<br>No data available                                 |  |                             |  |  |  |  |  |
|  | r <b>adverse effects</b><br>ata available            |                             |  |  |  |  |  |
|  | ponents:   |                             |  |  |  |  |  |
| <u>Com</u>   |  |                             |  |  |  |  |  |

### A member of **C ALTANA**

Revision Date:



Date of last issue: -

## SYMIC C271

Version

| 1.0 | 08/02/2022                                   | 10    | 2000035740 | Date of first issue: 08/02/2022                                    |
|-----|--|-------|------------|--|
|     |  |       |            |  |
| SEC | TION 13. DISPOSAL CONS                       | DER   | ATIONS     |  |
|     | Disposal methods                             |       |            |  |
|     | Contaminated packaging                       | :     |            | ers should be taken to an approved waste or recycling or disposal. |
| SEC | TION 14. TRANSPORT INF                       | ORM   | ATION      |  |
|     | Domestic regulation                          |       |            |  |
|     | <b>49 CFR</b><br>Not regulated as a dangerou | us go | od         |  |

SDS Number:

**49 CFR** : Not classified as dangerous in the meaning of transport regulations.

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

| Remarks   | : Not classified as dangerous in the meaning of transport regulations. |
|-----------|--|
| ADR       | : Not classified as dangerous in the meaning of transport regulations. |
| IATA-DGR  | : Not classified as dangerous in the meaning of transport regulations. |
| IMDG-Code | : Not classified as dangerous in the meaning of transport regulations. |

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.



### SYMIC C271

| Version | Revision Date: | SDS Number:  | Date |
|---------|----------------|--------------|------|
| 1.0     | 08/02/2022     | 102000035740 | Date |

Date of last issue: -Date of first issue: 08/02/2022

#### SECTION 15. REGULATORY INFORMATION

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312 Hazards | : No SARA Hazards |
|----------------------|-------------------|
|----------------------|-------------------|

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### **US State Regulations**

| Massachusetts Right To Know<br>Titanium oxide (TiO2) | 13463-67-7 |
|--|------------|
| Pennsylvania Right To Know<br>Titanium oxide (TiO2)  | 13463-67-7 |
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3])                 | 12003-38-2 |

A member of **C** ALTANA



### SYMIC C271

| Version | Revision Date: | SDS Number:  | Dat |
|---------|----------------|--------------|-----|
| 1.0     | 08/02/2022     | 102000035740 | Dat |

Date of last issue: -Date of first issue: 08/02/2022

#### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including Titanium oxide (TiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California List of Hazardous Substances

| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |
|--------------------------------------|------------|
|                                      |            |

#### California Permissible Exposure Limits for Chemical Contaminants

| Titanium oxide (TiO2)                | 13463-67-7 |
|--------------------------------------|------------|
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |

#### The ingredients of this product are reported in the following inventories:

| DSL  | : | All components of this product are on the Canadian DSL |
|------|---|--|
| TSCA | : | All substances listed as active on the TSCA inventory  |

#### **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

| ACGIH          | : USA. ACGIH Threshold Limit Values (TLV)   |
|----------------|---|
| ACGIH BEI      | : ACGIH - Biological Exposure Indices (BEI)   |
| OSHA PO        | : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -<br>1910.1000                    |
| OSHA Z-1       | : USA. Occupational Exposure Limits (OSHA) - Table Z-1<br>Limits for Air Contaminants |
| OSHA Z-3       | : USA. Occupational Exposure Limits (OSHA) - Table Z-3<br>Mineral Dusts               |
| ACGIH / TWA    | : 8-hour, time-weighted average   |
| OSHA P0/TWA    | : 8-hour time weighted average  |
| OSHA Z-1 / TWA | : 8-hour time weighted average  |
| OSHA Z-3 / TWA | : 8-hour time weighted average  |





### SYMIC C271

| Version | Revision Date: | SDS Number:  | Date o  |
|---------|----------------|--------------|---------|
| 1.0     | 08/02/2022     | 102000035740 | Date of |

Date of last issue: -Date of first issue: 08/02/2022

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 08/02/2022

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8