according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version	Revision Date:	SDS Number:	Print Date: 19.12.2024
5.0	18.12.2024	102000021561	Date of first issue: 16.06.2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Rotovario UV 900 114 Silver
Product code	:	053498G60
1.2 Relevant identified uses of the	ne s	substance or mixture and uses advised against
Use of the Substance/Mixture	:	Colouring agents, pigments
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	ECKART GmbH
		Guentersthal 4

Company	Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

#### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Long-term (chronic) aquatic hazard, Category 3 H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version 5.0	Revision Date: 18.12.2024	-	DS Number: 02000021561	Print Date: 19.12.2024 Date of first issue: 16.06.2014
Hazaro	d pictograms	:	(!)	
Signal	l word	:	Warning	
Hazaro	d statements	:	H317 H412	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Preca	utionary statements	:	<b>Prevention:</b> P261 P273 P280 <b>Response:</b> P333 + P313 P362 + P364 <b>Disposal:</b>	Avoid breathing dust. Avoid release to the environment. Wear protective gloves. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.
			P501	Dispose of contents/ container to an approved waste disposal plant.

## Hazardous components which must be listed on the label:

Propylidynetrimethanol, ethoxylated, esters with acrylic acid Glycerol, propoxylated, esters with acrylic acid

### 2.3 Other hazards

**Combustible Solids** 

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

oomponenta			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
aluminium powder (stabilised)	7429-90-5	Flam. Sol. 1; H228	>= 25 - < 50
	231-072-3		
	013-002-00-1		
	01-2119529243-45		
Propylidynetrimethanol,	28961-43-5	Eye Irrit. 2; H319	>= 25 - < 50

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version 5.0	Revision Date: 18.12.2024	SDS Number: 102000021561	Print Date: 19.12.2024 Date of first issue: 16.06.2014	L
ethox acid	ylated, esters with acr	ylic 500-066-5	Skin Sens. 1; H317 Aquatic Chronic 3; H412	
	erol, propoxylated, est acrylic acid	ers 52408-84-1 500-114-5	Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 1 - < 10
dode	cylphosphonic acid	5137-70-2 225-897-8	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT RE 2; H373 (Kidney)	>= 5 - < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move the victim to fresh air.
		Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	Remove to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.
		Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks
- : May cause an allergic skin reaction.

### **4.3 Indication of any immediate medical attention and special treatment needed** This information is not available.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

VersionRevision Date:SDS Number:Print Date:5.018.12.2024102000021561Date of first	19.12.2024 t issue: 16.06.2014
---	-----------------------------------

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Dry sand Special powder against metal fire
Unsuitable extinguishing media	:	Water Foam ABC powder Carbon dioxide (CO2)
5.2 Special hazards arising from	the	substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Use personal protective equipment.
		Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

• •	e equipment and emergency procedures Evacuate personnel to safe areas. Use personal protective equipment. Remove all sources of ignition. Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
6.2 Environmental precautions	
General advice :	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version	Revision Date:	SDS Number:	Print Date: 19.12.2024	
5.0	18.12.2024	102000021561	Date of first issue: 16.06.2014	

respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	Keep away from heat and sources of ignition. Avoid dust formation. Ensure adequate ventilation. Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being
Advice on protection against fire and explosion	:	used. Keep away from open flames, hot surfaces and sources of ignition. Earthing of containers and apparatuses is essential.
		Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Keep away from sources of ignition - No smoking.
		Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Versior 5.0		sion Date: 2.2024		S Number: 2000021561	Print Date: 19.12.2024 Date of first issue: 16.06.2014
	urther inforn orage cond		:	Protect from hum	dity and water. Do not allow to dry.
Ad	dvice on co	mmon storage	:	Never allow products storage. Keep away from the storage of the st	ther with oxidizing and self-igniting products. Let to get in contact with water during oxidizing agents, strongly alkaline and erials in order to avoid exothermic reactions.
	urther inform orage stabil		:	No decomposition	n if stored and applied as directed.
7 2 Sn	ocific and				

### 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
aluminium powder (stabilised)	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
		TWA (Respirable fraction)	4 mg/m3	GB EH40
		TWA (inhalable dust)	10 mg/m3	GB EH40
	when samplin MDHS14/4 G respirable, the substance ha concentration inhalable dus any dust will b levels. Some must comply particles of a particular par response that distinguishes and 'respirabl material that of available for of to the fraction definitions an contain comp	ng is undertaken in a eneral methods for s pracic and inhalable zardous to health inc in air equal to or gre t or 4 mg.m-3 8-hour be subject to COSHF dusts have been ass with the appropriate wide range of sizes. ticle after entry into t t it elicits, depend on two size fractions for enters the nose and deposition in the resp in that penetrates to the d explanatory materi- ionents that have the	of airborne dust which will ccordance with the methor ampling and gravimetric a aerosols., The COSHH de cludes dust of any kind wh eater than 10 mg.m-3 8-ho TWA of respirable dust. The fif people are exposed to signed specific WELs and limits., Most industrial dus The behaviour, deposition the nature and size of the r limit-setting purposes ter oproximates to the fraction mouth during breathing ar irratory tract. Respirable d and are given in MDHS14/4 ir own assigned WEL, all the specific short-term exp	ds described in analysis or efinition of a en present at a ur TWA of This means that dust above these exposure to the body exposure to the body exposu

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version	Revision Date:	SDS Number:	Print Date: 19.12.2024
5.0	18.12.2024	102000021561	Date of first issue: 16.06.2014

	a figure three times the long-term	exposure limit should be use	d.					
	TWA (Respirable	4 mg/m3	GB EH40					
	dust)							
	Further information: For the purpo	ses of these limits, respirable	e dust and					
	inhalable dust are those fractions							
	when sampling is undertaken in a							
	MDHS14/4 General methods for s		•					
	respirable, thoracic and inhalable							
	substance hazardous to health inc							
	concentration in air equal to or gre	-						
	inhalable dust or 4 mg.m-3 8-hour any dust will be subject to COSHH							
	levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain							
	particles of a wide range of sizes. The behaviour, deposition and fate of any							
	particular particle after entry into the							
	response that it elicits, depend on	response that it elicits, depend on the nature and size of the particle. HSE						
	distinguishes two size fractions fo							
	and 'respirable'., Inhalable dust ap							
	material that enters the nose and							
	available for deposition in the resp							
	to the fraction that penetrates to the							
	definitions and explanatory materia							
	contain components that have the							
	should be complied with., Where r a figure three times the long-term							
1	a nyule thee times the long-tellin	exposure minicationin be use	ч.					

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3
	Workers	Inhalation	Long-term local effects	3.72 mg/m3
	Consumers	Oral	Long-term systemic effects	3.95 mg/kg
Glycerol, propoxylated, esters with acrylic acid	Workers	Inhalation	Long-term systemic effects	16.22 mg/m3
	Workers	Dermal	Long-term systemic effects	1.92 mg/kg
	Consumers	Inhalation	Long-term systemic effects	4.87 mg/m3
	Consumers	Dermal	Long-term systemic effects	1.15 mg/kg
	Consumers	Oral	Long-term systemic effects	1.39 mg/kg
Rosin, hydrogenated	Workers	Dermal	Long-term systemic effects	17 mg/kg
	Workers	Inhalation	Long-term systemic	117 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Consumers



35 mg/m3

# Rotovario UV 900 114 Silver

Ver 5.0	sion	Revision Date: 18.12.2024	SDS Numb 102000021		–	ate: 19.12.2024 f first issue: 16.06.2014	
						effects	
			Consumers	Oral		Long-term systemic effects	10 mg/kg
			Consumers	Dermal		Long-term systemic	10 mg/kg

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Inhalation

effects

effects

Long-term systemic

Substance name	Environmental Compartment	Value
aluminium powder (stabilised)	Fresh water	0.0749 mg/l
	clarification plant	20 mg/l
Glycerol, propoxylated, esters with acrylic acid	Fresh water	0.0057 mg/l
	Marine water	0.00057 mg/l
	Fresh water sediment	0.0168 mg/kg
	Marine sediment	0.00168 mg/kg
	STP	10 mg/l
	Soil	0.0011 mg/kg
Rosin, hydrogenated	Soil	0.00045 mg/kg
	Fresh water	0.0016 mg/l
	Fresh water sediment	0.007 mg/kg
	Intermittent Release	0.016 mg/l
	Marine water	0.00016 mg/l
	Marine sediment	0.0007 mg/kg
	STP	1000 mg/l

#### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection Hand protection Material	:	Tightly fitting safety goggles Solvent-resistant gloves
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Long sleeved clothing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version	Revision Date:	SDS Number:	Print Date: 19.12.2024
5.0	18.12.2024	102000021561	Date of first issue: 16.06.2014
Respi	ratory protection	concentration o Choose body p concentration o	rotection according to the amount and f the dangerous substance at the work place. rotection according to the amount and f the dangerous substance at the work place. eathing protection if workplace concentration

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Form	:	Pasty solid
Colour	:	silver
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	> 600 °C
Boiling point/boiling range	:	No data available
Flammability	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Versic 5.0	on	Revision Date: 18.12.2024	-	S Number: 2000021561	Print Date: 19.12.2024 Date of first issue: 16.06.2014
R	Relativ	e density	:	No data available	9
C	Density	/	:	1.3 - 2.0 g/cm3 (	20 °C)
R	Relativ	e vapour density	:	No data available	e
P	Particle	e characteristics			
	Part	ticle Size Distribution	:	1 - 15 µm	
	<b>ther ir</b> Explos	nformation ives	:	Not explosive	
S	Self-igı	nition	:	not auto-flamma	ble
Ν	Miscibi	lity with water	:	immiscible	

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

ns
)

Hazardous reactions :	Reacts with alkalis, acids, halogenes and oxidizing agents. Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of hydrogen. Vapour/air-mixtures are explosive at intense warming. No decomposition if stored and applied as directed.
10.4 Conditions to avoid	
Conditions to avoid :	Do not allow to dry.
	No data available
10.5 Incompatible materials	
Materials to avoid :	Acids
	Bases Oxidizing agents
	Highly halogenated compounds

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version	Revision Date:	SDS Number:	Print Date: 19.12.2024
5.0	18.12.2024	102000021561	Date of first issue: 16.06.2014

## 10.6 Hazardous decomposition products

This information is not available.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.

### **Components:**

aluminium powder (stabilised	i):
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l
	Exposure time: 4 h
	Test atmosphere: dust/mist
Skin corrosion/irritation	
Not classified based on availab	le information.
Product:	
Result	: No skin irritation
Remarks	: Based on data from similar materials
Remarks	: May cause skin irritation and/or dermatitis.
•	
<u>Components:</u>	
dodecylphosphonic acid:	
Result	: Corrosive after 3 minutes to 1 hour of exposure
Serious eye damage/eye irrita	ation
Not classified based on availab	
Product:	
Result	· No avairritation
Remarks	<ul> <li>No eye irritation</li> <li>Based on data from similar materials</li> </ul>
Remarks	: Product dust may be irritating to eyes, skin and respiratory
	system.
Components:	
Propylidynetrimethanol, etho	xylated, esters with acrylic acid:

Propylidynetrimethanol,	ethoxylated,	esters with acrylic aci	id:
Result	: Irritat	ting to eyes.	

## Glycerol, propoxylated, esters with acrylic acid:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

rsion )	Revision Date: 18.12.2024	-	DS Number: 2000021561	Print Date: 19.12.2024 Date of first issue: 16.06.2014
Resul	t	:	Eye irritation	
Respi	iratory or skin sensi	itisatio	n	
-	<b>sensitisation</b> cause an allergic skin	reaction	on.	
-	iratory sensitisation lassified based on av		information.	
<u>Prodı</u> Rema		:	Causes sensit	isation.
<u>Comp</u>	oonents:			
<b>Propy</b> Resul	<b>ylidynetrimethanol,</b> t	ethoxy :		<b>rith acrylic acid:</b> nsitisation by skin contact.
<b>Glyce</b> Resul	e <b>rol, propoxylated, e</b> t	esters :	•	<b>d:</b> nsitisation by skin contact.
	cell mutagenicity lassified based on av	ailable	information.	
	<b>nogenicity</b> lassified based on av	ailable	information.	
-	oductive toxicity lassified based on av	ailable	information.	
	<b>- single exposure</b> lassified based on av	ailable	information.	
	- repeated exposur assified based on av		information.	
<u>Comp</u>	oonents:			
Targe	<b>cylphosphonic acid</b> t Organs ssment	:		e or mixture is classified as specific target org ated exposure, category 2.
•	ation toxicity lassified based on av	ailable	information.	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version	Revision Date:	SDS Number:	Print Date: 19.12.2024
5.0	18.12.2024	102000021561	Date of first issue: 16.06.2014

#### 11.2 Information on other hazards

### **Further information**

#### Product:

Remarks

: No data available

#### Components:

dodecylphosphonic acid:

Remarks : No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

#### Propylidynetrimethanol, ethoxylated, esters with acrylic acid:

### Ecotoxicology Assessment

Chilothic aquatic toxicity . I faithful to aquatic file with forg fasting effects.	Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.
--	--------------------------	--

#### dodecylphosphonic acid:

### Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

### Components:

Glycerol, propoxylated,	esters	with acrylic acid:
Partition coefficient: n-	:	log Pow: 2.52 (23 °C)
octanol/water		Method: OECD Test Guideline 107

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### Product:

<u></u>	
Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version 5.0	Revision Date: 18.12.2024	SDS Number: 102000021561	Print Date: 19.12.2024 Date of first issue: 16.06.2014
		0.1% or high	er.
	ocrine disrupting pro	operties	
12.7 Othe	r adverse effects		
	<u>uct:</u> tional ecological nation	unprofessior	ental hazard cannot be excluded in the event of al handling or disposal. quatic life with long lasting effects.
Com	ponents:		
Glyce	erol, propoxylated, e	sters with acrylic a	cid:
	tional ecological mation	: No data avai	able
dode	cylphosphonic acid	:	
	tional ecological nation	unprofessior	ental hazard cannot be excluded in the event of al handling or disposal. quatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

European Waste Catalogue	:	08 03 12* - waste ink containing dangerous substances
13.1 Waste treatment methods		
Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version 5.0	Revision Date: 18.12.2024		2000021561	Print Date: 19.12.2024 Date of first issue: 16.06.2014	
14.2 UN	l proper shipping name				
AD	R	:	Not regulated as	a dangerous good	
IM	DG	:	Not regulated as	a dangerous good	
IA	A	:	Not regulated as a dangerous good		
14.3 Tra	ansport hazard class(es)				
AD	R	:	Not regulated as	a dangerous good	
IM	DG	:	Not regulated as	a dangerous good	
IA	A	:	Not regulated as	a dangerous good	
14.4 Pa	cking group				
AD	R	:	Not regulated as	a dangerous good	
IM	DG	:	Not regulated as	a dangerous good	
IA	۲A (Cargo)	:	Not regulated as	a dangerous good	
IAT	TA (Passenger)	:	Not regulated as	a dangerous good	
-	<b>14.5 Environmental hazards</b> Not regulated as a dangerous good				
14.6 Sp	ecial precautions for use	er			
Re	marks	:	Not classified as or regulations.	dangerous in the meaning of transport	
<b>14.7 Maritime transport in bulk according to IMO instruments</b> Not applicable for product as supplied.					
SECTION 15: Regulatory information					
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: aluminium powder (stabilised) (Number on list 40) Propylidynetrimethanol, ethoxylated, esters with acrylic acid (Number on list 3) Glycerol, propoxylated, esters with acrylic acid (Number on list 3)
UK REACH Candidate list of substances of very high	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Rotovario UV 900 114 Silver

Version 5.0	Revision Date: 18.12.2024	SDS Number: 102000021561	 	ate: 19.12.2024 first issue: 16.06.2014
The F	lation (EU) 2019/1021	isation lutants Regulations (re as amended for Grea	:	Not applicable
Regul deple	ation (EC) No 1005/20 te the ozone layer	009 on substances that ces subject to authoris	:	Not applicable Not applicable
(Anne	ex XIV)			

#### 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

Full text of H-Statements					
H228 :	Flammable solid.				
H314 :	Causes severe skin burns and eye damage.				
H317 :	May cause an allergic skin reaction.				
H318 :	Causes serious eye damage.				
H319 :	Causes serious eye irritation.				
H373 :	May cause damage to organs through prolonged or repeated exposure.				
H412 :	Harmful to aquatic life with long lasting effects.				
Full text of other abbreviations					
Aquatic Chronic :	Long-term (chronic) aquatic hazard				
Eye Dam. :	Serious eye damage				
Eye Irrit. :	Eye irritation				
Flam. Sol. :	Flammable solids				
Skin Corr. :	Skin corrosion				
Skin Sens. :	Skin sensitisation				
STOT RE :	Specific target organ toxicity - repeated exposure				
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits				
GB EH40 / TWA :	Long-term exposure limit (8-hour TWA reference period)				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing



# Rotovario UV 900 114 Silver

Version	Revision Date:	SDS Number:	Print Date: 19.12.2024
5.0	18.12.2024	102000021561	Date of first issue: 16.06.2014

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN