**1.1 Product identifier** 

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Version	Revision Date:	SDS Number:	Print Date: 29.11.2024
5.0	31.01.2023	102000024745	Date of first issue: 24.06.2016

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade name	: SYNCRYSTAL Sparkling Red
Product code	: 022466MJ0
1.2 Relevant identified uses of	the substance or mixture and uses advised against
Use of the	: Cosmetic products
Substance/Mixture	Colouring agents, pigments
1.3 Details of the supplier of th	e safety data sheet
Company	: ECKART GmbH
	Guentersthal 4
	91235 Hartenstein
Telephone	: +499152770

Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

#### 1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

#### Additional Labelling

EUH210	Safety data sheet available on request.	
--------	---	--

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Version	Revision Date:	SDS Number:	Print Date: 29.11.2024
5.0	31.01.2023	102000024745	Date of first issue: 24.06.2016

dust.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Componente			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
Substances with a workplace exposure limit :			
Fluorphlogopite	12003-38-2		>= 50 - <= 100
(Mg3K[AIF2O(SiO3)3])			
	234-426-5		
	01-2119971065-37		
For explanation of appreviations see section 16			

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed** None known.

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Version	Revision Date:	SDS Number:	Print Date: 29.11.2024
5.0	31.01.2023	102000024745	Date of first issue: 24.06.2016

#### 4.3 Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

#### 5.2 Special hazards arising from the substance or mixture

This information is not available.

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

•	e equipment and emergency procedures Avoid dust formation.
<b>6.2 Environmental precautions</b> Environmental precautions :	No special environmental precautions required.
6.3 Methods and material for contain Methods for cleaning up :	nment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling			
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.	
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.	

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Vers 5.0	sion	Revision Date: 31.01.2023		9S Number: 2000024745	Print Date: 29.11.2024 Date of first issue: 24.06.2016
	Hygiene	e measures	:	General industrial	hygiene practice.
7.2 (	Conditio	ns for safe storage,	incl	uding any incom	patibilities
	Require	ments for storage nd containers	:	Electrical installat	ions / working materials must comply with safety standards.
	Advice	on common storage	:	No materials to b	e especially mentioned.
		information on stability	:	Keep in a dry plac No decompositio	ce. n if stored and applied as directed.
730	Spacific	and usa(s)			

7.3 Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Fluorphlogopite (Mg3X[AIF2O(SiO 3)3]) 12003-38-2 TWA 2.5 mg/m3 (Fluorine) 2000/39/EC   ittanium dioxide Further information: Indicative Image: State Stat	Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide13463-67-7TWA (inhalable dust)10 mg/m3GB EH40Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any 	(Mg3K[AIF2O(SiO	12003-38-2	TWA	-	2000/39/EC
dust) Image: Construct of the second sec		Further inform	nation: Indicative		
inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used. TWA (Inhalable) 10 mg/m3 GB EH40	titanium dioxide	13463-67-7	•	10 mg/m3	GB EH40
TWA (Respirable 4 mg/m3 GB EH40		inhalable dust when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions and contain comp should be cor	t are those fractions og is undertaken in are eneral methods for so pracic and inhalable zardous to health ind in air equal to or great tor 4 mg.m-3 8-hour be subject to COSHH dusts have been asses with the appropriate wide range of sizes. ticle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent two size fractions for e'., Inhalable dust appendent that penetrates to the dexplanatory material onents that have the mplied with., Where re times the long-term	of airborne dust which will be ccordance with the methods ampling and gravimetric ana aerosols., The COSHH defir cludes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition a he human respiratory system the nature and size of the pa- or limit-setting purposes terme oproximates to the fraction of mouth during breathing and initatory tract. Respirable dus- ine gas exchange region of the al are given in MDHS14/4., Wi in own assigned WEL, all the no specific short-term exposi- exposure limit should be use	e collected described in lysis or ition of a present at a TWA of a means that ast above these posure to these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne as therefore t approximates ie lung. Fuller Where dusts relevant limits ure limit is listed, ed.
			TWA (Respirable	4 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

.0	Revision Date: 31.01.2023	SDS Number: 102000024745		Date: 29.11.2024 of first issue: 24.06.2016	
	Fu inli Wh M re su cc inli ar lev m pa pa re dii ar m v to de cc sh	dust) urther information: For the halable dust are those fra- hen sampling is undertake DHS14/4 General method spirable, thoracic and inh- ubstance hazardous to he oncentration in air equal to halable dust or 4 mg.m-3 my dust will be subject to 0 vels. Some dusts have be ust comply with the appro- articles of a wide range of articular particle after entry sponse that it elicits, dep stinguishes two size fract nd 'respirable'., Inhalable aterial that enters the nos- vailable for deposition in the the fraction that penetrate efinitions and explanatory ontain components that has nould be complied with., V	e purpose ctions of en in acco ds for san alable ae alth inclue or great 8-hour TV COSHH if een assig priate lim sizes. Th y into the end on th ions for li dust appr e and mo he respira es to the material ave their o Vhere no g-term ex	es of these limits, respirabl airborne dust which will be ordance with the methods npling and gravimetric ana rosols., The COSHH defin des dust of any kind when er than 10 mg.m-3 8-hour WA of respirable dust. This people are exposed to du ned specific WELs and ex hits., Most industrial dusts be behaviour, deposition a human respiratory system e nature and size of the p mit-setting purposes term roximates to the fraction of both during breathing and atory tract. Respirable dus gas exchange region of th are given in MDHS14/4., Nown assigned WEL, all the specific short-term expos posure limit should be use a mg/m3	e collected described in lysis or nition of a present at a TWA of s means that ust above these posure to these contain and fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore t approximates ne lung. Fuller Where dusts e relevant limits ure limit is listed,

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	( )	0 0	<b>\</b>	
Substance name	End Use	Exposure routes	Potential health effects	Value
Fluorphlogopite (Mg3K[AIF2O(SiO3)3] )	Consumers	Ingestion	Long-term systemic effects	62.5 mg/kg

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection	:	Safety glasses
Skin and body protection	:	Work uniform or laboratory coat.
Respiratory protection	:	No personal respiratory protective equipment normally required.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	: powder
Colour	: red
Odour	: odourless

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Ver 5.0	sion	Revision Date: 31.01.2023		S Number: 2000024745	Print Date: 29.11.2024 Date of first issue: 24.06.2016
	Odour Threshold		:	No data available	
	Freezin	g point	:	No data available	9
	Boiling	point/boiling range	:	No data available	)
	Flamma	ability	:	Will not burn	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Flash point Auto-ignition temperature Decomposition temperature pH		:	No data available	9
			:	Not relevant	
			:	No data available	)
			:	substance/mixtu	re is non-soluble (in water)
	Viso	cosity, kinematic	:	No data available	)
		ity(ies) er solubility ubility in other solvents	:	insoluble No data available	9
		n coefficient: n-	:	No data available	
	octanol/water Vapour pressure		:	No data available	
	Relative	e density	:	No data available	)
	Density	/	:	3.15 g/cm3	
	Bulk de Relative	ensity e vapour density	:	0.44 g/cm3 No data available	9

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Version 5.0	Revision Date: 31.01.2023	SDS Number: 102000024745	Print Date: 29.11.2024 Date of first issue: 24.06.2016
Hazaı	rdous reactions	: Stable under	recommended storage conditions.
	litions to avoid itions to avoid	: No data availa	able
10.5 Inco	mpatible materials		
	rdous decomposition mation is not available.		
SECTIO	N 11: Toxicological	information	
11 1 Infor	motion on borord of	acces as defined in r	Pagulatian (EC) No. 4070/2009
		asses as defined in r	Regulation (EC) No 1272/2008
	e toxicity lassified based on ava	ailable information.	
	corrosion/irritation lassified based on ava	ailable information.	
	us eye damage/eye i lassified based on ava		
Resp	iratory or skin sensit	tisation	
-	<b>sensitisation</b> lassified based on ava	ailable information.	
-	iratory sensitisation lassified based on ava	ailable information.	
	<b>cell mutagenicity</b> lassified based on ava	ailable information.	
	nogenicity lassified based on ava	ailable information.	
-	oductive toxicity lassified based on ava	ailable information.	
	<b>F - single exposure</b> lassified based on ava	ailable information.	
	<b>- repeated exposure</b> lassified based on ava		
-	ration toxicity lassified based on ava	ailable information.	

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Version 5.0	Revision Date: 31.01.2023	SDS Number: 102000024745	Print Date: 29.11.2024 Date of first issue: 24.06.2016
11.2 Info	rmation on other haz	ards	
Furt	her information		
	<mark>duct:</mark> narks	: No data avai	lable
SECTIC	)N 12: Ecological in	formation	
<b>12.1 Tox</b> No c	<b>icity</b> Jata available		
	sistence and degrada	bility	
	accumulative potentia data available	al	
	<b>bility in soil</b> data available		
12.5 Res	ults of PBT and vPvB	assessment	
Proc	duct:		
Asso	essment	to be either p	ce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or nt and very bioaccumulative (vPvB) at levels of er.
	locrine disrupting pro	operties	
12.7 Oth	er adverse effects		
Add	<u>duct:</u> itional ecological rmation	: No data avai	lable
Com	<u>iponents:</u>		
Add	orphlogopite (Mg3K[A itional ecological rmation	IF2O(SiO3)3]): : No data avai	lable

#### 13.1 Waste treatment methods

Contaminated packaging	: Empty containers should be taken to an approved waste	
	handling site for recycling or disposal.	

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Version	Revision Date:	SDS Number:	Print Date: 29.11.2024
5.0	31.01.2023	102000024745	Date of first issue: 24.06.2016

#### **SECTION 14: Transport information**

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

#### **14.7 Maritime transport in bulk according to IMO instruments** Not applicable for product as supplied.

:

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances,

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Version 5.0	Revision Date: 31.01.2023	SDS Number: 102000024745		Date: 29.11.2024 of first issue: 24.06.2016				
mixtures and articles (Annex XVII) Regulation (EC) No 1005/2009 on substances that : Not applicable deplete the ozone layer UK REACH List of substances subject to authorisation : Not applicable (Annex XIV)								
15.2 Chemical safety assessment								
No data av	ailable							

#### **SECTION 16: Other information**

#### Full text of H-Statements

Full text of other abbreviations						
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values				
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits				
2000/39/EC / TWA		Limit Value - eight hours				
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals

according to Regulation (EC) No. 1907/2006



## SYNCRYSTAL Sparkling Red

Version	Revision Date:	SDS Number:	Print Date: 29.11.2024
5.0	31.01.2023	102000024745	Date of first issue: 24.06.2016

Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN