

ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version Revision Date: SDS Number: 4.1 02/20/2025 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

SECTION 1. IDENTIFICATION

Product name : ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Product code : 046585AB0

Manufacturer or supplier's details

Company name of supplier : ECKART America Corporation

Address : 830 East Erie Street

Painesville OH 44077

Telephone : 866-458-7837

(440) 954-7600

Telefax : (440) 354-6224

e-mail adresse : info.eckart.america.oh@altana.com

Emergency telephone : **CHEMTREC**: 800-424-9300

CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free)

Mexico: +52 55 5004 8763

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

Skin sensitization : Category 1

Carcinogenicity : Category 2

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be

allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous ingredients which must be listed on the label:

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propen-1-yl)oxy]-

1-Butanone, 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(4-morpholinyl)phenyl]-

2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethylene)-

2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/07/2024

 4.1
 02/20/2025
 102000027045
 Date of first issue: 03/26/2018

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Poly(oxy-1,2-ethanediyl), .alphahydroomega[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)	28961-43-5	>= 30 - < 50
Copper	7440-50-8	>= 20 - < 30
2-Propenoic acid, 1,1'-[2-[[2,2-bis[[(1-oxo-2-propen-1-yl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl] ester	94108-97-1	>= 5 - < 10
Zinc	7440-66-6	>= 5 - < 10
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega[(1-oxo-2-propen-1-yl)oxy]-	52408-84-1	>= 1 - < 5
1-Butanone, 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(4-morpholinyl)phenyl]-	119344-86-4	>= 1 - < 5
2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethylene)-	7078-98-0	>= 0.1 - < 1
2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester	15625-89-5	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Take the victim into fresh air.

Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

If skin irritation persists, call a physician.

If on skin, rinse well with water.



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version Revision Date: SDS Number: Date of last issue: 06/07/2024 4.1 02/20/2025 102000027045 Date of first issue: 03/26/2018

If on clothes, remove clothes.

In case of eye contact Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction. Causes serious eve irritation.

Suspected of causing cancer.

Suspected of damaging the unborn child. May cause an allergic skin reaction. Causes serious eve irritation. Suspected of causing cancer.

Suspected of damaging the unborn child.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Special powder against metal fire

> Dry sand ABC powder

Unsuitable extinguishing

media

Water

High volume water jet

Specific hazards during fire

fighting

Carbon dioxide (CO2)

Do not allow run-off from fire fighting to enter drains or water

courses.

Further information Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Evacuate personnel to safe areas. Ensure adequate ventilation.

Use personal protective equipment.

The product should not be allowed to enter drains, water General advice

courses or the soil.



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Environmental precautions

The product should not be allowed to enter drains, water

courses or the soil.

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Use mechanical handling equipment.

Pick up and transfer to properly labeled containers.

Do not flush with water.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Keep away from heat and sources of ignition.

No smoking.

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/07/2024

 4.1
 02/20/2025
 102000027045
 Date of first issue: 03/26/2018

used.

Conditions for safe storage : Keep away from sources of ignition - No smoking.

Do not store near combustible materials.

Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct

sunlight.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards. Protect from humidity and water.

Technical

measures/Precautions

Materials to avoid

Keep away from oxidizing agents, strongly alkaline and

strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.

Further information on

storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Copper	7440-50-8	TWA	1 mg/m3 (Copper)	ACGIH
		TWA (dust and mists)	1 mg/m3 (Copper)	NIOSH REL
		TWA	1 mg/m3 (Copper)	OSHA P0
		TWA	0.2 mg/m3 (Copper)	ACGIH
		TWA	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	ACGIH
		TWA (Fumes)	0.2 mg/m3 (Copper)	ACGIH
		TWA (Dust)	1 mg/m3 (Copper)	NIOSH REL



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/07/2024

 4.1
 02/20/2025
 102000027045
 Date of first issue: 03/26/2018

		TWA (Mist)	1 mg/m3 (Copper)	NIOSH REL
		TWA (dusts and mists)	1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	OSHA P0
Zinc	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester	15625-89-5	TWA	1 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

Equipment should conform to EN 14387

Hand protection

Material : Solvent-resistant gloves (butyl-rubber)

Remarks : Take note of the information given by the producer

concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/07/2024

 4.1
 02/20/2025
 102000027045
 Date of first issue: 03/26/2018

Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective

gloves.

Eye protection : Safety glasses

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : General industrial hygiene practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid Color : gold

Odor : characteristic
Odor Threshold : No data available

pH : substance/mixture is non-soluble (in water)

No data available

Melting point/ range : Not applicable Boiling point/boiling range : > 100 °C

Flash point : > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit / Upper : No data available

flammability limit

Lower explosion limit / Lower

flammability limit

Vapor pressure : No data available Relative density : No data available Density : 1.4 g/cm3

2 onerty .

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

SECTION 10. STABILITY AND REACTIVITY



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version Revision Date: SDS Number: Date of last issue: 06/07/2024 4.1 02/20/2025 102000027045 Date of first issue: 03/26/2018

Reactivity No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Chemical stability Possibility of hazardous Stable under recommended storage conditions.

No decomposition if stored and applied as directed. reactions

Conditions to avoid Do not allow evaporation to dryness.

No data available

Hazardous decomposition products

Thermal decomposition Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Not classified due to lack of data.

Components:

Copper:

Acute oral toxicity Assessment: The component/mixture is moderately toxic after

single ingestion.

Zinc:

Acute oral toxicity (Rat): > 2,000 mg/kg

: LC50 (Rat): 5.41 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

1-Butanone, 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(4-morpholinyl)phenyl]-:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

LD50 (Rat): > 2,000 mg/kg Acute dermal toxicity

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Not classified due to lack of data.



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

Components:

Copper:

Remarks: May cause skin irritation in susceptible persons.

2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:

Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation. Causes serious eye irritation.

Components:

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1):

Result: Irritating to eyes.

Copper:

Result: Eye irritation

2-Propenoic acid, 1,1'-[2-[[2,2-bis[[(1-oxo-2-propen-1-yl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl] ester:

Result: Eye irritation

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propen-1-yl)oxy]-:

Result: Eye irritation

2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:

Result: Eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

Respiratory sensitization

Not classified due to lack of data.

Components:

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1):

Result: May cause sensitization by skin contact.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propen-1-yl)oxy]-:

Result: May cause sensitization by skin contact.

2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethylene)-:

Result: May cause sensitization by skin contact.

2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:

Result: May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer. Suspected of causing cancer.

Components:

2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:

Carcinogenicity - : Limited evidence of carcinogenicity in animal studies

Assessment

IARC Group 2B: Possibly carcinogenic to humans

2-Propenoic acid, 1,1'-[2- 15625-89-5

ethyl-2-[[(1-oxo-2-propen-1-

yl)oxy]methyl]-1,3propanediyl] ester

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/07/2024

 4.1
 02/20/2025
 102000027045
 Date of first issue: 03/26/2018

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging the unborn child.

Components:

1-Butanone, 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(4-morpholinyl)phenyl]-:

Reproductive toxicity - : Some evidence of adverse effects on development, based on

Assessment animal experiments.

STOT-single exposure

Not classified based on available information.

Not classified due to lack of data.

STOT-repeated exposure

Not classified based on available information.

Not classified due to lack of data.

Aspiration toxicity

Not classified based on available information.

Not classified due to lack of data.

Further information

Components:

Copper:

Remarks: No data available

Zinc:

Remarks: No data available



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1):

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Copper:

M-Factor (Acute aquatic

: 10

toxicity)

M-Factor (Chronic aquatic

: 10

toxicity)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

2-Propenoic acid, 1,1'-[2-[[2,2-bis[[(1-oxo-2-propen-1-yl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl] ester:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Zinc:

M-Factor (Acute aquatic

: 1

toxicity)

M-Factor (Chronic aquatic

: 1

toxicity)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

1-Butanone, 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(4-morpholinyl)phenyl]-:

M-Factor (Chronic aquatic

۵. (۵...ه...ه ۵. ۱۱ 1

toxicity)



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethylene)-:

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Other adverse effects

No data available

Components:

Copper:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Zinc:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega.-[(1-

oxo-2-propen-1-yl)oxy]-:

Additional ecological

information

: No data available



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/07/2024

 4.1
 02/20/2025
 102000027045
 Date of first issue: 03/26/2018

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company. In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Copper metal powder)

Class : 9 Packing group : III

Labels : Miscellaneous Dangerous Goods

964

Packing instruction (cargo

aircraft)

Packing instruction : 964

(passenger aircraft)

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Copper metal powder)

Class : 9
Packing group : III
Labels : 9

EmS Code : F-A, S-F Marine pollutant : yes



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/07/2024

 4.1
 02/20/2025
 102000027045
 Date of first issue: 03/26/2018

Remarks : For single packagings <=5L / 5 kg, or combination

packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197

IATA-DGR may be applied.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ
		(lbs)
Copper	7440-50-8	5000
Zinc	7440-66-6	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

Carcinogenicity
Reproductive toxicity

Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Copper 7440-50-8 >= 20 - < 30 %

Zinc 7440-66-6 >= 5 - < 10 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Copper 7440-50-8 21.3 %

Zinc 7440-66-6 8.22 %

This product contains the following priority pollutants related to the U.S. Clean Water Act:

Copper 7440-50-8 21.3 %

Zinc 7440-66-6 8.22 %

US State Regulations

Massachusetts Right To Know

 Copper
 7440-50-8

 Zinc
 7440-66-6

Pennsylvania Right To Know

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)

Copper 7440-50-8

2-Propenoic acid, 1,1'-[2-[[2,2-bis[[(1-oxo-2-propen-1-yl)oxy]methyl]-2-ethyl-1,3-propanediyl] ester

Zinc 7440-66-6

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''- 52408-84-1 1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propen-1-yl)oxy]-

Aluminum 7429-90-5

California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018



WARNING: This product can expose you to chemicals including 2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Copper 7440-50-8

Zinc 7440-66-6

California Permissible Exposure Limits for Chemical Contaminants

Copper 7440-50-8

Zinc 7440-66-6

The ingredients of this product are reported in the following inventories:

DSL : This product contains one or several components that are not

on the Canadian DSL nor NDSL.

TSCA : All chemical substances in this product are either listed as

active on the TSCA Inventory or are in compliance with a

TSCA Inventory exemption.

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule:

1-Butanone, 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1- 119344-86-4

[4-(4-morpholinyl)phenyl]-

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with 2067275-86-7

oxirane, 4-(dimethylamino)benzoate

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

Zinc 7440-66-6

1-Butanone, 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1- 119344-86-4

[4-(4-morpholinyl)phenyl]-

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with 2067275-86-7

oxirane, 4-(dimethylamino)benzoate



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/07/2024

 4.1
 02/20/2025
 102000027045
 Date of first issue: 03/26/2018

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and



ROTOSTAR SUPERECO UV FP75-10350 RICH GOLD

Version 4.1

Revision Date: 02/20/2025

SDS Number: 102000027045

Date of last issue: 06/07/2024 Date of first issue: 03/26/2018

Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/20/2025

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8