



Version	Revision Date:	SDS Number:	Date of last issue: 03/31/2025
3.3	05/09/2025	102000026955	Date of first issue: 03/26/2018

SECTION 1. IDENTIFICATION

Product name Product code	: ROTOSTAR AQUA 441 GOLD 3554-02 : 046526CT0	
Manufacturer or supplier's de	tails	
Company name of supplier Address	 ECKART America Corporation 830 East Erie Street Painesville OH 44077 	
Telephone	: 866-458-7837 (440) 954-7600	
Telefax	: (440) 354-6224	
e-mail adresse	: info.eckart.america.oh@altana.com	
Emergency telephone	: CHEMTREC: 800-424-9300	
	CHEMTREC: 1-703-527-3387 (International)	
	NCEC:	
	(contract no. ECKART29003-NCEC)	
	US: +1 866 928 0789 (Toll free)	
	Canada: +1 800 579 7421 (Toll Free) Mexico: +52 55 5004 8763	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in acco 1910.1200)	rdar	nce with the OSH	A Hazard Communication Standard (29 CFR
Acute toxicity (Oral)	:	Category 4	
Eye irritation	:	Category 2A	
GHS label elements Hazard pictograms	:	~	
nazara protogramo			
Signal Word	:	Warning	
Hazard Statements	:	H302 Harmful if H319 Causes s	swallowed. erious eye irritation.
Precautionary Statements	:	Prevention:	
		P264 P270	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this
		A / A ·	







Version 3.3	Revision Date: 05/09/2025	SDS Number: 102000026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018
		P280	product. Wear eye protection/ face protection.
		Response:	
		P301 + P312 +	P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
		P305 + P351 +	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P337 + P313	If eye irritation persists: Get medical advice/ attention.
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

Copper

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Copper	7440-50-8	>= 30 - < 50
1,2-Propanediol	57-55-6	>= 5 - < 10
Zinc	7440-66-6	>= 5 - < 10
2-Propanol	67-63-0	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	 Take the victim into fresh air. Move out of dangerous area. Show this material safety data sheet to the doctor in attendance.
If inhaled	: If unconscious, place in recovery position and seek medical advice.
	If symptoms persist, call a physician.
In case of skin contact	: Wash off immediately with soap and plenty of water.
In case of eye contact	: Immediately flush eye(s) with plenty of water.







Version Revision Date: 3.3 05/09/2025		SDS Number: 102000026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018			
Most	allowed important symptoms ffects, both acute and ed	If eye irritation : Keep respirate Do not give m Never give an If symptoms p : Harmful if swa	e open while rinsing. persists, consult a specialist. ory tract clear. ilk or alcoholic beverages. ything by mouth to an unconscious person. ersist, call a physician.			
ECTION	5. FIRE-FIGHTING ME	ASURES				
Suital	ble extinguishing media	: Special powde Dry sand ABC powder	er against metal fire			
Unsuitable extinguishing media		: Water High volume v	•			
Specific hazards during fire fighting			Do not allow run-off from fire fighting to enter drains or water			
Further information Special protective equipment		Collect contan must not be di Fire residues a be disposed o : Wear self-con	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Wear self-contained breathing apparatus for firefighting if			
	e-fighters 6. ACCIDENTAL RELE	necessary.				
Perso	onal precautions, ctive equipment and gency procedures	: Evacuate pers Ensure adequ	connel to safe areas. ate ventilation. protective equipment.			
General advice		courses or the Prevent produ Prevent furthe	ct from entering drains. r leakage or spillage if safe to do so. contaminates rivers and lakes or drains inform			
Enviro	onmental precautions	: The product sl courses or the	hould not be allowed to enter drains, water			
		Prevent furthe	r leakage or spillage if safe to do so.			
		3 /	17 A member of C ALTAN			







/ersion 8.3	Revision Date: 05/09/2025		Number: 00026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018
			the product co espective authc	ntaminates rivers and lakes or drains inform prities.
	ds and materials for nment and cleaning up	: U	lse mechanical	handling equipment.
		D C a v lc S	Do not flush with Contain spillage bsorbent mater ermiculite) and bcal / national re Coak up with ine	sfer to properly labeled containers. n water. , and then collect with non-combustible rial, (e.g. sand, earth, diatomaceous earth, place in container for disposal according to egulations (see section 13). ert absorbent material (e.g. sand, silica gel, rersal binder, sawdust).
				, closed containers for disposal.
ECTION 7	7. HANDLING AND ST	ORAG	iΕ	
	on protection against d explosion		leep away from lo smoking.	heat and sources of ignition.
		Ν	lormal measure	es for preventive fire protection.
Advice	on safe handling	A F S a D	or personal pro moking, eating pplication area	th skin and eyes. otection see section 8. and drinking should be prohibited in the
Condit	ions for safe storage	: К С К Т S К Р С к	Geep away from to not store near Geep containers To maintain produnlight. Geep container to lace. Containers whic ept upright to p Electrical installa	a sources of ignition - No smoking. ar combustible materials. tightly closed in a cool, well-ventilated place. duct quality, do not store in heat or direct tightly closed in a dry and well-ventilated h are opened must be carefully resealed and revent leakage. ations / working materials must comply with
		th	ne technologica	Il safety standards.







	ssue: 03/31/2025 ssue: 03/26/2018
--	--------------------------------------

Do not store together with oxidizing and self-igniting products.

Further information on : No decomposition if stored and applied as directed. storage stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Copper	7440-50-8	TWA	1 mg/m3 (Copper)	ACGIH
		TWA (dust and mists)	1 mg/m3 (Copper)	NIOSH REL
		TWA	1 mg/m3 (Copper)	OSHA P0
		TWA	0.2 mg/m3 (Copper)	ACGIH
		TWA	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	ACGIH
		TWA (Fumes)	0.2 mg/m3 (Copper)	ACGIH
		TWA (Dust)	1 mg/m3 (Copper)	NIOSH REL
		TWA (Mist)	1 mg/m3 (Copper)	NIOSH REL
		TWA (dusts and mists)	1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA Z-1
		TWA (Fumes)	0.1 mg/m3 (Copper)	OSHA P0
		TWA (Dust and mist)	1 mg/m3 (Copper)	OSHA P0
1,2-Propanediol	57-55-6	TWA	10 mg/m3	US WEEL
Zinc	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3





 ~~ ~~ ~	 Date of last issue: 03/31/2025 Date of first issue: 03/26/2018
	Date 01 11 St 155de: 05/20/2010

		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
2-Propanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
2-Propanol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection		Use suitable breathing protection if workplace concentration requires. Equipment should conform to EN 14387
Hand protection Material	:	Solvent-resistant gloves (butyl-rubber)
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the





Version 3.3	Revision Date: 05/09/2025	SDS Number: 102000026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018
		conditions unc danger of cuts Recommende washed after o	ake into consideration the specific local ler which the product is used, such as the , abrasion, and the contact time. d preventive skin protection Skin should be contact. The suitability for a specific workplace sussed with the producers of the protective
Еуе р	protection	: Safety glasses Wear face-ship problems.	s eld and protective suit for abnormal processing
Skin a	and body protection	: Choose body	protection according to the amount and of the dangerous substance at the work place.
Hygie	ene measures	: General indus When using de When using de	trial hygiene practice. o not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

:	liquid gold characteristic No data available 6 - 8 Concentration: 100 %
:	Not applicable > 100 °C
:	> 100 °C
	No data available No data available No data available No data available No data available No data available 1.55 - 1.61 g/cm3
:	insoluble No data available No data available
	:







ersion 3	Revision Date: 05/09/2025		DS Number: 2000026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018
Deco Visco	mposition temperature	:	No data availab No data availab	
	Volatile organic	•	5.00 - 10.00 %	
comp	oounds (VOC) content	:	5.00 - 10.00 %	
ECTION	10. STABILITY AND F	REAC	CTIVITY	
Read		:		on if stored and applied as directed.
	nical stability ibility of hazardous	:		on if stored and applied as directed. commended storage conditions.
react		•		on if stored and applied as directed.
Cond	litions to avoid	:	Do not allow eva No data availab	aporation to dryness.
Haza	rdous decomposition	nro		
	mal decomposition	:		de, carbon dioxide and unburned moke).
ECTION	11. TOXICOLOGICAL	. INF	ORMATION	
		. INF	ORMATION	
Acut	e toxicity	. INF	ORMATION	
Acut Harm	e toxicity nful if swallowed.	. INF	ORMATION	
Acut Harm <u>Com</u>	e toxicity hful if swallowed. ponents:	. INF	ORMATION	
Acut Harm <u>Com</u> Copp	e toxicity hful if swallowed. ponents:	. INF		e component/mixture is moderately toxic after
Acut Harm <u>Com</u> Copp Acute	e toxicity nful if swallowed. ponents: per: e oral toxicity	. INF	Assessment: The	e component/mixture is moderately toxic after
Acut Harm <u>Com</u> Acute 1,2-P	e toxicity nful if swallowed. ponents: per:	. INF :	Assessment: The	
Acut Harm Com Acute 1,2-P Acute	e toxicity nful if swallowed. ponents: per: e oral toxicity Propanediol:	. INF ⁽ : :	Assessment: The single ingestion.	,000 mg/kg
Acut Harm Com Acute 1,2-P Acute	e toxicity nful if swallowed. ponents: per: e oral toxicity Propanediol: e oral toxicity e dermal toxicity	. INF ⁽ : :	Assessment: The single ingestion. LD50 (Rat): > 22	,000 mg/kg
Acute Harm Copp Acute Acute Acute Zinc:	e toxicity nful if swallowed. ponents: per: e oral toxicity Propanediol: e oral toxicity e dermal toxicity	· INF ⁽ : :	Assessment: The single ingestion. LD50 (Rat): > 22	,000 mg/kg 2,000 mg/kg
Acute Harm Copp Acute Acute Acute Acute	e toxicity nful if swallowed. ponents: per: e oral toxicity Propanediol: e oral toxicity e dermal toxicity	:	Assessment: The single ingestion. LD50 (Rat): > 22 LD50 (Rabbit): >	,000 mg/kg 2,000 mg/kg ng/kg mg/l h
Acute Harm Copp Acute Acute Acute Acute Acute	e toxicity Inful if swallowed. ponents: poer: e oral toxicity Propanediol: e oral toxicity e dermal toxicity e oral toxicity e oral toxicity e inhalation toxicity	:	Assessment: The single ingestion. LD50 (Rat): > 22 LD50 (Rabbit): > (Rat): > 2,000 m LC50 (Rat): 5.41 Exposure time: 4	,000 mg/kg 2,000 mg/kg ng/kg mg/l h
Acute Harm Copp Acute Acute Acute Acute Acute Acute	e toxicity Inful if swallowed. ponents: ber: e oral toxicity Propanediol: e oral toxicity e dermal toxicity : e oral toxicity	:	Assessment: The single ingestion. LD50 (Rat): > 22 LD50 (Rabbit): > (Rat): > 2,000 m LC50 (Rat): 5.41 Exposure time: 4	,000 mg/kg 2,000 mg/kg ng/kg mg/l h :: dust/mist





Version 3.3	Revision Date: 05/09/2025	SDS Number: 102000026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018
Acute	e dermal toxicity	: LD50 (Rabbit):	> 2,000 mg/kg
	corrosion/irritation	f data.	
Com	ponents:		
Сорр	per:		
		irritation in susceptible	persons.
1 2-P	Propanediol:		
-	Ilt: No skin irritation		
0			
	bus eye damage/eye ses serious eye irritatio		
	ponents:	л.	
Copr			
	Ilt: Eye irritation		
	Propanediol:		
Resu	Ilt: No eye irritation		
2-Pro	opanol:		
Resu	It: Eye irritation		
Resp	piratory or skin sensi	itization	
Skin	sensitization		
Not c	classified due to lack o	f data.	
Resp	piratory sensitization		
Not c	classified due to lack o	f data.	
	n cell mutagenicity		
Not c	classified due to lack o	f data.	
	inogenicity classified due to lack o	f data.	
IAR	C		nis product present at levels greater than or dentified as probable, possible or confirmed
		9/1	7







Version 3.3	Revision Date: 05/09/2025	SDS Number: 102000026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018		
		human carcinogen	by IARC.		
OSH	łA		is product present at levels greater than or OSHA's list of regulated carcinogens.		
NTF		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
Rep	roductive toxicity				
Not o	classified due to lack of c	lata.			
	T-single exposure				
Not	classified due to lack of c	lata.			
<u>Com</u>	ponents:				
	opanol:				
Asse	essment: May cause drov	wsiness or dizziness.			
	T-repeated exposure classified due to lack of c	lata.			
-	ration toxicity	lata.			
Furt	her information				
Com	ponents:				
Сор	per:				
Rem	arks: No data available				
Zinc					
	• arks: No data available				
SECTION	I 12. ECOLOGICAL INF	ORMATION			
Ecot	oxicity				
Com	ponents:				
Сор	per:				
	actor (Acute aquatic	: 10			
toxic M-Fa	actor (Chronic aquatic	: 10			







rsion S	Revision Date: 05/09/2025		lumber: 0026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018
toxicity	/)			
Ecoto	xicology Assessment			
Acute	aquatic toxicity	: Ve	ry toxic to aqua	atic life.
Chroni	Chronic aquatic toxicity		ry toxic to aqua	atic life with long lasting effects.
1,2-Pr	opanediol:			
	y to daphnia and other c invertebrates	: (C	aphnia magna	(Water flea)): > 10,000 mg/l
Zinc:				
M-Fac toxicity	tor (Acute aquatic /)	: 1		
	tor (Chronic aquatic	: 1		
	xicology Assessment			
Acute	aquatic toxicity	: Ve	ry toxic to aqua	atic life.
Chroni	ic aquatic toxicity	: Ve	ry toxic to aqua	atic life with long lasting effects.
	tence and degradabili a available	ty		
	cumulative potential a available			
	adverse effects a available			
<u>Comp</u>	onents:			
Coppe	er:			
Additic inform	onal ecological ation	un	professional ha	hazard cannot be excluded in the event of andling or disposal. atic life with long lasting effects.
1,2-Pr	opanediol:			
	onal ecological	: No	o data available	
Zinc:				
Additic inform	onal ecological ation	un	professional ha	hazard cannot be excluded in the event of indling or disposal. atic life with long lasting effects.







Version	Revision Date:	SDS Number:	Date of last issue: 03/31/2025
3.3	05/09/2025	102000026955	Date of first issue: 03/26/2018

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. 	
Contaminated packaging	 In accordance with local and national regulations. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. In accordance with local and national regulations. 	

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	::	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Copper metal powder) 9 III Miscellaneous Dangerous Goods 964 964
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper metal powder) 9 III 9 F-A, S-F yes





Version	Revision Date:	SDS Number:	Date of last issue: 03/31/2025
3.3	05/09/2025	102000026955	Date of first issue: 03/26/2018

Remarks

: For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CENCEA Reportable Quantity		
Components	CAS-No.	Component RQ (lbs)
Copper	7440-50-8	5000
	7 440 00 0	0000
Zinc	7440-66-6	1000
Ethanamine, N,N-diethyl-	121-44-8	5000
1,4-Dioxane	123-91-1	100
Acetaldehyde	75-07-0	1000
Oxirane	75-21-8	10

CERCLA Reportable Quantity

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)
Oxirane	75-21-8	10

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute toxicity (any route of exposure) Serious eye damage or eye irritation		
SARA 313	:	The following components established by SARA Title	,	orting levels
		Copper	7440-50-8	>= 30 - < 50 %
		Zinc	7440-66-6	>= 5 - < 10 %
		2-Propanol	67-63-0	>= 1 - < 5 %

A member of **C** ALTANA



Version	Revision Date:	SDS Number:	Date of last issue: 03/31/2025
3.3	05/09/2025	102000026955	Date of first issue: 03/26/2018

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

1,2-Propanediol	57-55-6	>= 5 - < 10 %
2-Propanol	67-63-0	>= 1 - < 5 %
White mineral oil (petroleum)	8042-47-5	>= 0.1 - < 1 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Ethanamine, N,N-diethyl-	121-44-8	%
Acetaldehyde	75-07-0	%

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ethanamine, N,N-diethyl-	121-44-8	%
Acetaldehyde	75-07-0	%

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307 Copper 7440-50-8 32.4539 %

Zinc	7440-66-6	5.5926 %

This product contains the following priority pollutants related to the U.S. Clean Water Act:
Copper 7440-50-8 32.4539 %

Zinc	7440-66-6	5.5926 %

US State Regulations

	Regulations	
Massach	nusetts Right To Know	
	Copper	7440-50-8
	Zinc	7440-66-6
	2-Propanol	67-63-0
	1,4-Dioxane	123-91-1





Version 3.3	Revision Date: 05/09/2025	SDS Number: 102000026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018	
	Acetaldehyde		75-07-0	
	Oxirane		75-21-8	
Penn	sylvania Right To K	now		
	Copper		7440-50-8	
	Water		7732-18-5	
	Polyurethane/po	lyurea polymer	Not Assigned	
	1,2-Propanediol		57-55-6	
	Zinc		7440-66-6	
	Dextrin		9004-53-9	
	2-Propanol		67-63-0	
	Aluminum		7429-90-5	
	Ethanamine, N,N	I-diethyl-	121-44-8	

California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including 1,4-Dioxane, Acetaldehyde, Oxirane, which is/are known to the State of California to cause cancer, and Oxirane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Copper	7440-50-8
Zinc	7440-66-6
2-Propanol	67-63-0

California Permissible Exposure Limits for Chemical Contaminants

Copper

7440-50-8





Version 3.3	Revision Date: 05/09/2025	SDS Number: 102000026955	Date of last issue: 03/31/2025 Date of first issue: 03/26/2018				
Zinc			7440-66-6				
	2-Propanol		67-63-0				
The i	The ingredients of this product are reported in the following inventories:						
DSL		•	This product contains one or several components that are not on the Canadian DSL nor NDSL. All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.				
TSCA	Ą	: All chemical su active on the T					
EINE	EINECS : On the inventory, or in compliance with the inventor						
TSCA	A list						
No su	No substances are subject to a Significant New Use Rule.						

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: Zinc 7440-66-6

SECTION 16. OTHER INFORMATION

Full text of other abbreviations						
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)				
ACGIH BEI		ACGIH - Biological Exposure Indices (BEI)				
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits				
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)				
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants				
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts				
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)				
ACGIH / TWA	:	8-hour, time-weighted average				
ACGIH / STEL		Short-term exposure limit				
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek				
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday				
OSHA P0 / TWA	:	8-hour time weighted average				
OSHA P0 / STEL	:	Short-term exposure limit				
OSHA Z-1 / TWA	:	8-hour time weighted average				
OSHA Z-3 / TWA	:	8-hour time weighted average				
US WEEL / TWA	:	8-hr TWA				



Version	Revision Date:	SDS Number:	Date of last issue: 03/31/2025
3.3	05/09/2025	102000026955	Date of first issue: 03/26/2018

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very **Bioaccumulative**

Revision Date

: 05/09/2025

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8