SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUXAN E241

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product	identifier
	Trade	

Trade name	: LUXAN E241
Product code	: 038017ML0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	: ECKART GmbH Guentersthal 4 91235 Hartenstein
Telephone	: +499152770
Telefax	: +499152777008
E-mail address of person responsible for the SDS	: msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.	
--------	---	--

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

LUXAN E241



Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Remarks

: No hazardous ingredients

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	Do not leave the victim unattended.		
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.		
In case of skin contact	:	Wash off with soap and water.		
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.		
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.		

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.



LUXAN E241

Version	Revision Date: 13.02.2023	SDS Number:	Print Date: 02.12.2024
4.0		10200000646	Date of first issue: 10.01.2014

5.2 Special hazards arising from the substance or mixture

This information is not available.

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions,	protective	equipment and emergency procedures
Personal precautions	:	Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : No sp	pecial environmental precautions required.
-----------------------------------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
-------------------------	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	General industrial hygiene practice.
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.
Further information on	:	Keep in a dry place.



LUXAN E241

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014
stora	ge stability	No decompos	ition if stored and applied as directed.

7.3 Specific end use(s)

No decomposition if stored and applied as directed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dus when samplir MDHS14/4 G respirable, th substance ha concentration inhalable dus any dust will I levels. Some must comply particles of a particular par response tha distinguishes and 'respirab material that available for to the fraction definitions an contain comp should be co	nation: For the purport t are those fractions or a sundertaken in a eneral methods for so oracic and inhalable zardous to health indo in air equal to or great t or 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. ticle after entry into t t it elicits, depend on two size fractions for le'., Inhalable dust appendent that penetrates to the deposition in the respondent that penetrates to the deposition in the respondent to that penetrates to the deposition in the respondent that penetrates to the source of the source of the deposition in the respondent the source of the source of the deposition in the respondent the source of the source of the deposition in the respondent the source of the so	bess of these limits, respirable of airborne dust which will b ccordance with the methods sampling and gravimetric and aerosols., The COSHH defi- cludes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to d signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition a he human respiratory syster the nature and size of the p or limit-setting purposes term oproximates to the fraction o mouth during breathing and biratory tract. Respirable dus ne gas exchange region of the al are given in MDHS14/4., ir own assigned WEL, all the no specific short-term expose exposure limit should be use	e collected described in alysis or nition of a present at a TWA of s means that ust above these posure to these contain and fate of any n, and the body article. HSE ed 'inhalable' f airborne is therefore of approximates he lung. Fuller Where dusts e relevant limits ure limit is listed,
		TWA (Inhalable) TWA (Respirable	10 mg/m3 4 mg/m3	GB EH40 GB EH40
	inhalable dus when samplir MDHS14/4 G respirable, th substance ha concentration inhalable dus any dust will I levels. Some must comply	dust) nation: For the purpo t are those fractions ng is undertaken in a eneral methods for s oracic and inhalable zardous to health ind in air equal to or gre t or 4 mg.m-3 8-hour be subject to COSHF dusts have been ass with the appropriate	pses of these limits, respirable of airborne dust which will b ccordance with the methods sampling and gravimetric and aerosols., The COSHH defi- cludes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to d signed specific WELs and ex- limits., Most industrial dusts The behaviour, deposition a	e dust and e collected described in alysis or nition of a present at a TWA of s means that ust above these posure to these contain



LUXAN E241

Version 4.0	Revision Date: 13.02.2023	SDS Number: 10200000646	Print Date: 02.12.2024 Date of first issue: 10.	-
	respo distir and ' mate avail to the defin conta shou	onse that it elicits, dep nguishes two size fract respirable'., Inhalable rial that enters the nos able for deposition in t e fraction that penetrate itions and explanatory ain components that hat Id be complied with., V ure three times the long	v into the human respirator end on the nature and size ions for limit-setting purpo dust approximates to the fill e and mouth during breath he respiratory tract. Respir es to the gas exchange reg material are given in MDH we their own assigned WE Vhere no specific short-ter g-term exposure limit shou	of the particle. HSE ses termed 'inhalable' raction of airborne ning and is therefore able dust approximates gion of the lung. Fuller IS14/4., Where dusts EL, all the relevant limits m exposure limit is listed, Id be used.
		TWA (Respi fraction)	rable 4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection Skin and body protection Respiratory protection	:	Safety glasses Protective suit No personal respiratory protective equipment normally
		required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	powder
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	2,501 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	Not relevant
Decomposition temperature	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LUXAN E241



Versi 4.0	on Revision Date: 13.02.2023	-	S Number: 2000000646	Print Date: 02.12.2024 Date of first issue: 10.01.2014
I	рΗ	:	substance/mixtu	re is non-soluble (in water)
	Viscosity, kinematic	:	No data available	9
	Water solubility	:	No data available	9
	Solubility in other solvents	:	No data available	9
	Partition coefficient: n-	:	No data available)
	Vapour pressure	:	No data available	9
	Relative density	:	No data available	9
	Density	:	2.50 - 2.7 g/cm3	
	Bulk density Relative vapour density	:	0.27 - 0.53 g/cm No data available	
	Particle Size Distribution	:		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

This information is not available.



LUXAN E241

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available





Version 4.0	Revision Date: 13.02.2023	SDS Number: 10200000646	Print Date: 02.12.2024 Date of first issue: 10.01.2014
	istence and degrada ata available	ability	
	ccumulative potenti ata available	al	
	ility in soil ata available		
12.5 Resu	Its of PBT and vPvI	B assessment	
<u>Prod</u> Asse	<u>uct:</u> ssment	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
	ocrine disrupting protection of the second sec	operties	
12.7 Othe	r adverse effects		
	uct: tional ecological mation	: No data availa	ble

13.1 Waste treatment methods

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
ADR IMDG	:	Not regulated as a dangerous good Not regulated as a dangerous good
	:	0 0 0

:

LUXAN E241



Version 4.0	Revision Date: 13.02.2023	•	DS Number: 02000000646	Print Date: 02.12.2024 Date of first issue: 10.01.2014
ADR		-	Not regulated as	a dangerous good
IMDG		:	Not regulated as	a dangerous good
ΙΑΤΑ		:	Not regulated as	a dangerous good
14.4 Pack	ing group			
ADR		:	Not regulated as	a dangerous good
IMDG	6	:	Not regulated as	a dangerous good
ΙΑΤΑ	(Cargo)	:	Not regulated as	a dangerous good
ΙΑΤΑ	(Passenger)	:	Not regulated as	a dangerous good
	ronmental hazards egulated as a dangero	ous go	od	
14.6 Spec	ial precautions for u	Iser		
Rema	arks	:	Not classified as regulations.	dangerous in the meaning of transport

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text	of other	abbreviations
-----------	----------	---------------

GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)



LUXAN E241

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000646	Date of first issue: 10.01.2014

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN