

# SYMIC OEM MEDIUM RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/21/2022

 2.2
 03/09/2022
 102000002393
 Date of first issue: 03/21/2018

#### **SECTION 1. IDENTIFICATION**

Product name : SYMIC OEM MEDIUM RED

Product code : 035667MJ0

Manufacturer or supplier's details

Company name of supplier : ECKART America Corporation

Address : 830 East Erie Street

Painesville OH 44077

Telephone : 866-458-7837

(440) 954-7600

Telefax : (440) 354-6224

e-mail adresse : info.eckart.america.oh@altana.com

Emergency telephone : **CHEMTREC**: 800-424-9300

CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free)

Mexico: +52 55 5004 8763

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

# Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Titanium oxide (TiO2)	13463-67-7	>= 50 - < 70
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	12003-38-2	>= 30 - < 50
Tin oxide (SnO2)	18282-10-5	>= 1 - < 5

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**



# SYMIC OEM MEDIUM RED

Version Revision Date: SDS Number: Date of last issue: 01/21/2022 2.2 03/09/2022 102000002393 Date of first issue: 03/21/2018

Do not leave the victim unattended. General advice

If inhaled If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact Wash off with soap and water.

In case of eye contact Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Foam

Carbon dioxide (CO2)

ABC powder

Further information Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Avoid dust formation.

Environmental precautions No special environmental precautions required.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel.

Keep in suitable, closed containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.



# SYMIC OEM MEDIUM RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/21/2022

 2.2
 03/09/2022
 102000002393
 Date of first issue: 03/21/2018

Conditions for safe storage : Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

: Keep in a dry place.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Titanium oxide (TiO2)	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	12003-38-2	TWA	2.5 mg/m3 (Fluorine)	OSHA Z-1
		TWA	2.5 mg/m3 (Fluorine)	ACGIH
		TWA (Respirable particulate matter)	1 mg/m3 (Aluminum)	ACGIH
		TWA	2.5 mg/m3 (Fluorine)	OSHA P0
Tin oxide (SnO2)	18282-10-5	TWA	2 mg/m3 (Tin)	NIOSH REL
		TWA	2 mg/m3 (Tin)	OSHA Z-1



# SYMIC OEM MEDIUM RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/21/2022

 2.2
 03/09/2022
 102000002393
 Date of first issue: 03/21/2018

TWA	2 mg/m3 (Tin)	OSHA P0
TWA (Inhalable particulate matter)	2 mg/m3 (Tin)	ACGIH

# Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Fluorphlogopite (Mg3K[AIF2O(SiO3)3])	12003-38- 2	Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : Safety glasses Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder Color : red

Odor : characteristic
Odor Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : No data available

Boiling point/boiling range : 2,501 °C

Flash point : No data available Evaporation rate : No data available Flammability (solid, gas) : Will not burn



# SYMIC OEM MEDIUM RED

Version Revision Date: SDS Number: Date of last issue: 01/21/2022 2.2 03/09/2022 102000002393 Date of first issue: 03/21/2018

Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

Lower explosion limit / Lower

flammability limit

Vapor pressure Relative density

Solubility(ies)

Water solubility

Partition coefficient: n-

octanol/water

Autoignition temperature Decomposition temperature

Viscosity

No data available

No data available

No data available No data available

insoluble

No data available

No data available No data available No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Chemical stability Possibility of hazardous

reactions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

Conditions to avoid No data available

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

# **Components:**

Titanium oxide (TiO2):

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat): 6.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

## Skin corrosion/irritation

Not classified based on available information.

#### Serious eve damage/eve irritation

Not classified based on available information.



# SYMIC OEM MEDIUM RED

Version 2.2

Revision Date: 03/09/2022

SDS Number: 102000002393

Date of last issue: 01/21/2022 Date of first issue: 03/21/2018

## Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

# Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

# Carcinogenicity

Not classified based on available information.

IARC Group 2B: Possibly carcinogenic to humans

Titanium oxide (TiO2) 13463-67-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

## **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

No data available

#### Persistence and degradability

No data available



# SYMIC OEM MEDIUM RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/21/2022

 2.2
 03/09/2022
 102000002393
 Date of first issue: 03/21/2018

#### Bioaccumulative potential

No data available

#### Other adverse effects

No data available

## **Components:**

# Fluorphlogopite (Mg3K[AIF2O(SiO3)3]):

Additional ecological

information

: No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **Domestic regulation**

#### 49 CFR

Not regulated as a dangerous good

49 CFR : Not classified as dangerous in the meaning of transport

regulations.

#### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

## IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

Remarks : Not classified as dangerous in the meaning of transport

regulations.

ADR : Not classified as dangerous in the meaning of transport

regulations.

IATA-DGR : Not classified as dangerous in the meaning of transport

regulations.



# SYMIC OEM MEDIUM RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/21/2022

 2.2
 03/09/2022
 102000002393
 Date of first issue: 03/21/2018

IMDG-Code : Not classified as dangerous in the meaning of transport

regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### **US State Regulations**

## Massachusetts Right To Know



# SYMIC OEM MEDIUM RED

Version 2.2

Revision Date: 03/09/2022

SDS Number: 102000002393

Date of last issue: 01/21/2022 Date of first issue: 03/21/2018

Titanium oxide (TiO2) 13463-67-7

Tin oxide (SnO2) 18282-10-5

Pennsylvania Right To Know

Titanium oxide (TiO2) 13463-67-7

Fluorphlogopite (Mg3K[AlF2O(SiO3)3]) 12003-38-2

#### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including Titanium oxide (TiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California List of Hazardous Substances

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) 12003-38-2

Tin oxide (SnO2) 18282-10-5

## California Permissible Exposure Limits for Chemical Contaminants

Titanium oxide (TiO2) 13463-67-7

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) 12003-38-2

Tin oxide (SnO2) 18282-10-5

#### The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

TSCA : On TSCA Inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



# SYMIC OEM MEDIUM RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/21/2022

 2.2
 03/09/2022
 102000002393
 Date of first issue: 03/21/2018

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet;



# SYMIC OEM MEDIUM RED

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/21/2022

 2.2
 03/09/2022
 102000002393
 Date of first issue: 03/21/2018

TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/09/2022

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8