

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

SECTION 1. IDENTIFICATION

Product name : STAPA HYDROXAL E 8 Aluminum Paste
Product code : 045611CR0

Manufacturer or supplier's details

Company name of supplier : ECKART America Corporation
Address : 830 East Erie Street
Painesville OH 44077
Telephone : 866-458-7837
Telefax : (440) 354-6224
Emergency telephone : **CHEMTREC:** 800-424-9300
CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC)
US: +1 866 928 0789 (Toll free)
Canada: +1 800 579 7421 (Toll Free)
Mexico: +52 55 5004 8763

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Specific target organ toxicity : Category 2 (Kidney)
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.

Precautionary Statements :

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Response:

P314 Get medical advice/ attention if you feel

STAPA HYDROXALE 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

unwell.

Disposal:

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

Phosphonic acid, P-octyl-

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Hazardous ingredients**

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|-----------|-----------------------|
| Aluminum | 7429-90-5 | $\geq 50 - < 70$ |
| 1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro- | 95-38-5 | $\geq 5 - < 10$ |
| Phosphonic acid, P-octyl- | 4724-48-5 | $\geq 1 - < 3$ |
| Octadecanoic acid | 57-11-4 | $\geq 1 - < 5$ |

SECTION 4. FIRST AID MEASURES

- General advice : Take the victim into fresh air.
Do not leave the victim unattended.
Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

| | | |
|---|---|--|
| If swallowed | : | Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : | May cause damage to organs through prolonged or repeated exposure. |

SECTION 5. FIRE-FIGHTING MEASURES

| | | |
|--|---|---|
| Suitable extinguishing media | : | Dry sand Special powder against metal fire |
| Unsuitable extinguishing media | : | Water Foam Carbon dioxide (CO2) ABC powder |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Evacuate personnel to safe areas. Use personal protective equipment. Use personal protective equipment. Avoid dust formation. Remove all sources of ignition. |
| Environmental precautions | : | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, |

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

acid binder, universal binder, sawdust).

Do not flush with water.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Earthing of containers and apparatuses is essential.
Take measures to prevent the build up of electrostatic charge.
Use explosion-proof equipment.

Avoid dust formation.
Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Keep away from heat and sources of ignition.
Avoid dust formation.
Ensure adequate ventilation.
Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Keep container closed when not in use.
Keep away from sources of ignition - No smoking.
No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.

Technical measures/Precautions : Protect from humidity and water.
Do not allow to dry.
Materials to avoid : Do not store together with oxidizing and self-igniting products.
Never allow product to get in contact with water during storage.
Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Further information on storage stability : No decomposition if stored and applied as directed.

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|-----------|-------------------------------------|---|-----------|
| Aluminum | 7429-90-5 | TWA (total dust) | 50 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (Respirable) | 5 mg/m3 | NIOSH REL |
| | | TWA (total dust) | 15 mg/m3 | OSHA Z-3 |
| | | TWA (total) | 10 mg/m3 | NIOSH REL |
| | | TWA (respirable fraction) | 5 mg/m3 | OSHA Z-3 |
| | | TWA (respirable fraction) | 15 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (Respirable particulate matter) | 1 mg/m3 | ACGIH |
| | | TWA | 5 mg/m3 (Aluminum) | NIOSH REL |
| | | TWA (Total) | 15 mg/m3 (Aluminum) | OSHA P0 |
| | | TWA (Respirable fraction) | 5 mg/m3 (Aluminum) | OSHA P0 |
| | | TWA (total dust) | 15 mg/m3 (Aluminum) | OSHA Z-1 |
| | | TWA (respirable fraction) | 5 mg/m3 (Aluminum) | OSHA Z-1 |
| | | TWA (Total dust) | 15 mg/m3 (Aluminum) | OSHA P0 |
| | | TWA (respirable dust fraction) | 5 mg/m3 (Aluminum) | OSHA P0 |
| | | TWA (welding fumes) | 5 mg/m3 (Aluminum) | NIOSH REL |

STAPA HYDROXAL E 8 Aluminum Paste

Version 2.1 Revision Date: 10/28/2020 SDS Number: 102000028766 Date of last issue: 12/12/2019
 Date of first issue: 03/27/2018

| | | | | |
|-------------------|---------|-------------------------------------|--------------------|-----------|
| | | TWA (pyro powders) | 5 mg/m3 (Aluminum) | NIOSH REL |
| | | TWA (Respirable particulate matter) | 1 mg/m3 (Aluminum) | ACGIH |
| | | TWA (Fumes) | 5 mg/m3 | OSHA P0 |
| Octadecanoic acid | 57-11-4 | TWA | 10 mg/m3 | ACGIH |
| | | TWA (Inhalable particulate matter) | 10 mg/m3 | ACGIH |
| | | TWA (Respirable particulate matter) | 3 mg/m3 | ACGIH |

Hazardous components without workplace control parameters

| Components | CAS-No. |
|--|-----------|
| 1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro- | 95-38-5 |
| Phosphonic acid, P-octyl- | 4724-48-5 |

Personal protective equipment

Respiratory protection : Use suitable breathing protection if workplace concentration requires.

Hand protection
 Material : Solvent-resistant gloves (butyl-rubber)

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

gloves.

| | | |
|--------------------------|---|---|
| Eye protection | : | Wear face-shield and protective suit for abnormal processing problems. |
| Skin and body protection | : | Long sleeved clothing Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures | : | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|--|---|---|
| Appearance | : | Pasty solid |
| Color | : | silver |
| Odor | : | characteristic |
| Odor Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | > 100 °C |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Combustible Solids |
| Auto-flammability | : | not auto-flammable |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative density | : | No data available |
| Solubility(ies) | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | : | No data available |
| Explosive properties | : | Not explosive Vapors may form explosive mixture with air. |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|--------------------------|---|---|
| Reactivity | : | No decomposition if stored and applied as directed. |
| Chemical stability | : | No decomposition if stored and applied as directed. |
| Possibility of hazardous | : | Reacts with alkalis, acids, halogenes and oxidizing agents. |

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

| | |
|------------------------|---|
| reactions | Contact with acids and alkalis may release hydrogen. Mixture reacts slowly with water resulting in evolution of hydrogen. Vapors may form explosive mixture with air. Stable under recommended storage conditions. |
| Conditions to avoid | : Do not allow to dry. Heat, flames and sparks. |
| Incompatible materials | : Acids Bases Oxidizing agents Highly halogenated compounds |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:**1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Phosphonic acid, P-octyl-:

Acute oral toxicity : (Rat): 500 - 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:**

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Remarks: Extremely corrosive and destructive to tissue.

Phosphonic acid, P-octyl-:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Not classified based on available information.

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

Components:**1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:**

Result: No eye irritation

Remarks: May cause irreversible eye damage.

Phosphonic acid, P-octyl-:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

Components:**1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:**

Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information**Components:****1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:**

Remarks: No data available

Phosphonic acid, P-octyl-:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Other adverse effects

No data available

Components:**1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:**

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Phosphonic acid, P-octyl-:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION**Domestic regulation****49 CFR**

Not regulated as a dangerous good

International Regulations**IATA-DGR**

Not permitted for transport

IMDG-Code

Not regulated as a dangerous good

Remarks : Due to the risk of hydrogen development we recommend to refrain from airfreighting this/these product(s).

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

STAPA HYDROXALE 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) |
|--|------------|-----------------------|
| Carbamic acid, N-1H-benzimidazol-2-yl-, methyl ester | 10605-21-7 | 10 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|----------|-----------|----------------|
| Aluminum | 7429-90-5 | >= 50 - < 70 % |
|----------|-----------|----------------|

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

| | |
|--|-----------|
| Aluminum | 7429-90-5 |
| 1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro- | 95-38-5 |

STAPA HYDROXALE 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

| | |
|---------------------------|------------|
| Phosphonic acid, P-octyl- | 4724-48-5 |
| Castor oil, ethoxylated | 61791-12-6 |

Pennsylvania Right To Know

| | |
|--|-----------|
| Aluminum | 7429-90-5 |
| Water | 7732-18-5 |
| 1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro- | 95-38-5 |

California Prop. 65

WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

| | |
|----------|-----------|
| Aluminum | 7429-90-5 |
|----------|-----------|

California Permissible Exposure Limits for Chemical Contaminants

| | |
|----------|-----------|
| Aluminum | 7429-90-5 |
|----------|-----------|

The ingredients of this product are reported in the following inventories:

| | |
|------|--|
| DSL | : This product contains one or several components listed in the Canadian NDSL. |
| | : On the inventory, or in compliance with the inventory |
| TSCA | : On TSCA Inventory |

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

| | |
|-----------|---|
| ACGIH | : USA. ACGIH Threshold Limit Values (TLV) |
| NIOSH REL | : USA. NIOSH Recommended Exposure Limits |
| OSHA P0 | : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| OSHA Z-1 | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 |

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

OSHA Z-3 : Limits for Air Contaminants
: USA. Occupational Exposure Limits (OSHA) - Table Z-3
Mineral Dusts
ACGIH / TWA : 8-hour, time-weighted average
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour
workday during a 40-hour workweek
OSHA P0 / TWA : 8-hour time weighted average
OSHA Z-1 / TWA : 8-hour time weighted average
OSHA Z-3 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/28/2020

STAPA HYDROXAL E 8 Aluminum Paste

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 12/12/2019 |
| 2.1 | 10/28/2020 | 102000028766 | Date of first issue: 03/27/2018 |

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8