

# Rotovario UV 900 114 Silver

Version Revision Date: SDS Number: Date of last issue: 01/15/2024 3.1 02/06/2024 102000021561 Date of first issue: 02/22/2018

#### **SECTION 1. IDENTIFICATION**

Product name Rotovario UV 900 114 Silver

Product code 053498G60

Manufacturer or supplier's details

Company name of supplier **ECKART America Corporation** 

Address 830 East Erie Street

Painesville OH 44077

866-458-7837 Telephone

(440) 954-7600

Telef ax (440) 354-6224

e-mail adresse info.eckart.america.oh@altana.com

Emergency telephone **CHEMTREC**: 800-424-9300

CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free)

Mexico: +52 55 5004 8763

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

Specific target organ toxicity : Category 2 (Kidney)

- repeated exposure

**GHS** label elements

Hazard pictograms





Signal Word Warning

Hazard Statements H317 May cause an allergic skin reaction.

H373 May cause damage to organs (Kidney) through prolonged

or repeated exposure.

**Precautionary Statements** Prevention:



# Rotovario UV 900 114 Silver

Version	Revision Date:	SDS Number:	Date of last issue: 01/15/2024
3.1	02/06/2024	102000021561	Date of first issue: 02/22/2018

P260 Do not breathe dust.

P272 Contaminated work clothing must not be

allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P314 Get medical advice/ attention if you feel

unwell.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous ingredients which must be listed on the label:

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propen-1-yl)oxy]-

Phosphonic acid, P-dodecyl-

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Aluminum	7429-90-5	>= 30 - < 50
Poly(oxy-1,2-ethanediyl), .alphahydroomega[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)	28961-43-5	>= 30 - < 50
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega[(1-oxo-2-propen-1-yl)oxy]-	52408-84-1	>= 5 - < 10
Phosphonic acid, P-dodecyl-	5137-70-2	>= 5 - < 10
Octadecanoic acid	57-11-4	>= 1 - < 5

Actual concentration is withheld as a trade secret



# Rotovario UV 900 114 Silver

Version Revision Date: SDS Number: Date of last issue: 01/15/2024 02/06/2024 3.1 102000021561 Date of first issue: 02/22/2018

#### **SECTION 4. FIRST AID MEASURES**

General advice Take the victim into fresh air.

Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled Remove to fresh air.

If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

Wash off immediately with soap and plenty of water. In case of skin contact

Immediately flush eye(s) with plenty of water. In case of eye contact

Flush eyes with water as a precaution.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

May cause damage to organs through prolonged or repeated

If symptoms persist, call a physician. May cause an allergic skin reaction.

Most important symptoms

and effects, both acute and

exposure.

delayed

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Dry sand

Special powder against metal fire

Unsuitable extinguishing

media

Water

Foam

ABC powder

Specific hazards during fire

fighting

Carbon dioxide (CO2) Do not allow run-off from fire fighting to enter drains or water

courses.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for fire-fighters

Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if

necessary.



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.
Use personal protective equipment.
Remove all sources of ignition.
Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

General advice : The product should not be allowed to enter drains, water

courses or the soil.

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Environmental precautions : The product should not be allowed to enter drains, water

courses or the soil.

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Use mechanical handling equipment.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

Earthing of containers and apparatuses is essential.

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Keep away from heat and sources of ignition.

Avoid dust formation.
Ensure adequate ventilation.

Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.



# Rotovario UV 900 114 Silver

Version Revision Date: SDS Number: Date of last issue: 01/15/2024 02/06/2024 3.1 102000021561 Date of first issue: 02/22/2018

> Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Keep container closed when not in use.

Keep away from sources of ignition - No smoking. Keep container tightly closed in a dry and well-ventilated

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Technical Protect from humidity and water. Do not allow to dry.

measures/Precautions

Do not store together with oxidizing and self-igniting products. Materials to avoid

Never allow product to get in contact with water during

storage.

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Further information on

storage stability

No decomposition if stored and applied as directed.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aluminum	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (total)	10 mg/m3	NIOSH REL



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

		TWA (respirable	5 mg/m3	OSHA Z-3
		fraction)		
		TWA	15 Million	OSHA Z-3
		(respirable	particles per cubic	
		fraction)	foot	
		TWA	1 mg/m3	ACGIH
		(Respirable		
		particulate		
		matter)		
		TWA	5 mg/m3	NIOSH REL
			(Aluminum)	
		TWA (Total)	15 mg/m3	OSHA P0
			(Aluminum)	
		TWA	5 mg/m3	OSHA P0
		(Respirable fraction)	(Aluminum)	
		TWA (total	15 mg/m3	OSHA Z-1
		dust)	(Aluminum)	
		TWA	5 mg/m3	OSHA Z-1
		(respirable fraction)	(Aluminum)	
		TWA (Total	15 mg/m3	OSHA P0
		dust)	(Aluminum)	
		TWA	5 mg/m3	OSHA P0
		(respirable	(Aluminum)	
		dust fraction)	- / -	\!!00!! DE!
		TWA	5 mg/m3	NIOSH REL
		(welding	(Aluminum)	
		fumes)	F / 0	NICOLL DEL
		TWA (pyro powders)	5 mg/m3 (Aluminum)	NIOSH REL
		TWA	1 mg/m3	ACGIH
		(Respirable	(Aluminum)	ACGIN
		particulate	(Alaitiiliaiti)	
		matter)		
		TWA	5 mg/m3	OSHA P0
		(Fumes)		
		TWA	5 mg/m3	OSHA P0
		(powder)	(Aluminum)	
Octadecanoic acid	57-11-4	ŤWA	10 mg/m3	ACGIH
		TWA	10 mg/m3	ACGIH
		(Inhalable	J	
		particulate		
		matter)		



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

TWA (Respirable particulate	3 mg/m3	ACGIH
matter)		

Personal protective equipment

Respiratory protection : Use suitable breathing protection if workplace concentration

requires.

Hand protection

Material : Solvent-resistant gloves

Remarks : Take note of the information given by the producer

concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Recommended preventive skin protection Skin should be

washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective

gloves.

Eye protection : Tightly fitting safety goggles

Skin and body protection : Long sleeved clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Pasty solid Color : silver

Odor : characteristic
Odor Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/range : > 600 °C

Initial boiling point and boiling :

range

No data available



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

Evaporation rate : No data available Flammability (solid, gas) : Combustible Solids

Auto-flammability : not auto-flammable Upper explosion limit / Upper : No data available

flammability limit

Lower explosion limit / Lower

flammability limit

Vapor pressure : No data available Relative density : No data available Density : 1.3 - 2.0 g/cm3 (20 °C)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

Explosive properties : Not explosive

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed. Chemical stability : No decomposition if stored and applied as directed.

No data available

Possibility of hazardous : Reacts with alkalis, acids, halogenes and oxidizing agents.

reactions Contact with acids and alkalis may release hydrogen.

Mixture reacts slowly with water resulting in evolution of

hydrogen.

Vapor/air-mixtures are explosive at intense warming. No decomposition if stored and applied as directed.

Conditions to avoid : Do not allow to dry.

No data available

Incompatible materials : Acids

**Bases** 

Oxidizing agents

Highly halogenated compounds

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Not classified based on available information.



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

#### Skin corrosion/irritation

Not classified based on available information.

# **Components:**

# Phosphonic acid, P-dodecyl-:

Result: Corrosive after 3 minutes to 1 hour of exposure

## Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1):

Result: Irritating to eyes.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propen-1-yl)oxy]-:

Result: Eye irritation

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1):

Result: May cause sensitization by skin contact.

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propen-1-yl)oxy]-:

Result: May cause sensitization by skin contact.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# Reproductive toxicity

Not classified based on available information.

# STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.

#### Components:

### Phosphonic acid, P-dodecyl-:

Target Organs: Kidney

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 2.

#### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

#### **Components:**

### Phosphonic acid, P-dodecyl-:

Remarks: No data available

#### Octadecanoic acid:

Remarks: No data available



# Rotovario UV 900 114 Silver

Version Revision Date: 3.1 02/06/2024

SDS Number: 102000021561

Date of last issue: 01/15/2024 Date of first issue: 02/22/2018

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1):

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Phosphonic acid, P-dodecyl-: Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Other adverse effects

No data available

**Components:** 

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha."-1,2,3-propanetriyltris[.omega.-[(1-

oxo-2-propen-1-yl)oxy]-:

Additional ecological

information

: No data available

Phosphonic acid, P-dodecyl-:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

Octadecanoic acid:

Additional ecological

: No data available

information

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **Domestic regulation**

**49 CFR** 

Not regulated as a dangerous good

49 CFR : Not classified as dangerous in the meaning of transport

regulations.

#### International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Remarks : Not classified as dangerous in the meaning of transport

regulations.

ADR : Not classified as dangerous in the meaning of transport

regulations.

IATA-DGR : Not classified as dangerous in the meaning of transport

regulations.

IMDG-Code : Not classified as dangerous in the meaning of transport

regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



# Rotovario UV 900 114 Silver

Version Revision Date: 3.1 02/06/2024

SDS Number: 102000021561

Date of last issue: 01/15/2024 Date of first issue: 02/22/2018

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Aluminum 7429-90-5 >= 30 - < 50 %

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

# **US State Regulations**

#### Massachusetts Right To Know

Aluminum 7429-90-5

# Pennsylvania Right To Know

Aluminum 7429-90-5



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[(1-oxo-2-28961-43-5

propen-1-yl)oxy]-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-

propanediol (3:1)

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha.''- 52408-84-1

1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propen-1-yl)oxy]-

Phosphonic acid, P-dodecyl- 5137-70-2

### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### California List of Hazardous Substances

Aluminum 7429-90-5

### California Permissible Exposure Limits for Chemical Contaminants

Aluminum 7429-90-5

### The ingredients of this product are reported in the following inventories:

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

TSCA : All substances listed as active on the TSCA inventory

**TSCA list** 

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour



# Rotovario UV 900 114 Silver

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/15/2024

 3.1
 02/06/2024
 102000021561
 Date of first issue: 02/22/2018

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average
OSHA Z-1 / TWA : 8-hour time weighted average
OSHA Z-3 / TWA : 8-hour time weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/06/2024

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



# Rotovario UV 900 114 Silver

Version 3.1

Revision Date: 02/06/2024

SDS Number: 102000021561

Date of last issue: 01/15/2024 Date of first issue: 02/22/2018

US / Z8