

STAPA HYDROXALE 4 Aluminum Paste

Version Revision Date: SDS Number: Date of last issue: 12/12/2019 2.1 10/28/2020 102000028766 Date of first issue: 03/27/2018

SECTION 1. IDENTIFICATION

Product name STAPA HYDROXAL E 4 Aluminum Paste

Product code 046344CR0

Manufacturer or supplier's details

Company name of supplier **ECKART America Corporation**

Address 830 East Erie Street

Painesville OH 44077

Telephone 866-458-7837 Telef ax (440) 354-6224

CHEMTREC: 800-424-9300 Emergency telephone

CHEMTREC: 1-703-527-3387 (International)

NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free)

Mexico: +52 55 5004 8763

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity : Category 2 (Kidney)

- repeated exposure

GHS label elements

Hazard pictograms



Signal Word Warning

Hazard Statements H373 May cause damage to organs (Kidney) through prolonged

or repeated exposure.

Precautionary Statements

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/

spray.

Response:

P314 Get medical advice/ attention if you feel



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

unwell.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous ingredients which must be listed on the label:

Phosphonic acid, P-octyl-

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Aluminum	7429-90-5	>= 50 - < 70
1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-	95-38-5	>= 5 - < 10
Phosphonic acid, P-octyl-	4724-48-5	>= 1 - < 3
Octadecanoic acid	57-11-4	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : Take the victim into fresh air.

Do not leave the victim unattended. Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms

and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry sand

Special powder against metal fire

Unsuitable extinguishing

media

Water Foam

Carbon dioxide (CO2)

ABC powder

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.
Use personal protective equipment.

Use personal protective equipment.

Avoid dust formation.

Remove all sources of ignition.

Environmental precautions :

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

Use mechanical handling equipment.

containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,



STAPA HYDROXALE 4 Aluminum Paste

Version Revision Date: SDS Number: Date of last issue: 12/12/2019 2.1 10/28/2020 102000028766 Date of first issue: 03/27/2018

acid binder, universal binder, sawdust).

Do not flush with water.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Earthing of containers and apparatuses is essential.

Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Avoid dust formation.

Keep away from open flames, hot surfaces and sources of

ignition.

Advice on safe handling Keep away from heat and sources of ignition.

Avoid dust formation.

Ensure adequate ventilation.

Avoid formation of respirable particles.

Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Keep container closed when not in use.

Keep away from sources of ignition - No smoking.

No smoking.

Keep container tightly closed in a dry and well-ventilated

Electrical installations / working materials must comply with

the technological safety standards.

Technical

Protect from humidity and water.

measures/Precautions

Do not allow to dry.

Materials to avoid Do not store together with oxidizing and self-igniting products.

Never allow product to get in contact with water during

storage.

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Further information on

storage stability

No decomposition if stored and applied as directed.



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aluminum	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable particulate matter)	1 mg/m3	ACGIH
		TWA	5 mg/m3 (Aluminum)	NIOSH REL
		TWA (Total)	15 mg/m3 (Aluminum)	OSHA P0
		TWA (Respirable fraction)	5 mg/m3 (Aluminum)	OSHA P0
		TWA (total dust)	15 mg/m3 (Aluminum)	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3 (Aluminum)	OSHA Z-1
		TWA (Total dust)	15 mg/m3 (Aluminum)	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3 (Aluminum)	OSHA P0
		TWA (welding fumes)	5 mg/m3 (Aluminum)	NIOSH REL



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

		TWA (pyro powders)	5 mg/m3 (Aluminum)	NIOSH REL
		TWA (Respirable particulate matter)	1 mg/m3 (Aluminum)	ACGIH
		TWA (Fumes)	5 mg/m3	OSHA P0
Octadecanoic acid	57-11-4	TWA	10 mg/m3	ACGIH
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

Hazardous components without workplace control parameters

Components	CAS-No.	
1H-Imidazole-1-ethanol, 2-(8-	95-38-5	
heptadecen-1-yl)-4,5-dihydro-		
Phosphonic acid, P-octyl-	4724-48-5	

Personal protective equipment

Respiratory protection : Use suitable breathing protection if workplace concentration

eauires.

Hand protection

Material : Solvent-resistant gloves (butyl-rubber)

Remarks : Take note of the information given by the producer

concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

gloves.

Eye protection : Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Long sleeved clothing

Safety shoes

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Pasty solid Color : silver

Odor : characteristic
Odor Threshold : No data available
pH : No data available
Melting point/freezing point : No data available
Initial boiling point and boiling : No data available

range

Flash point : $> 100 \, ^{\circ}\text{C}$

Evaporation rate : No data available Flammability (solid, gas) : Combustible Solids

Auto-flammability : not auto-flammable Upper explosion limit / Upper : No data available

flammability limit

Lower explosion limit / Lower

flammability limit

: No data available

Vapor pressure : No data available
Relative density : No data available
Solubility(ies) : No data available
Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

Explosive properties : Not explosive Vapors may form explosive mixture with air.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed. Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous : Reacts with alkalis, acids, halogenes and oxidizing agents.



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

reactions Contact with acids and alkalis may release hydrogen.

Mixture reacts slowly with water resulting in evolution of

hydrogen.

Vapors may form explosive mixture with air. Stable under recommended storage conditions.

Conditions to avoid : Do not allow to dry.

Heat, flames and sparks.

Incompatible materials : Acids

Bases

Oxidizing agents

Highly halogenated compounds

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Phosphonic acid, P-octyl-:

Acute oral toxicity : (Rat): 500 - 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Remarks: Extremely corrosive and destructive to tissue.

Phosphonic acid, P-octyl-:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Not classified based on available information.



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Result: No eye irritation

Remarks: May cause irreversible eye damage.

Phosphonic acid, P-octyl-:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Remarks: No data available

Phosphonic acid, P-octyl-:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

M-Factor (Acute aquatic : 10

toxicity)

M-Factor (Chronic aquatic

toxicity)

)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Other adverse effects

No data available

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Phosphonic acid, P-octyl-:

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company. In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum. In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not permitted for transport

IMDG-Code

Not regulated as a dangerous good

Remarks : Due to the risk of hydrogen development we recommend to

refrain from airfreighting this/these product(s).

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ
		(lbs)
Carbamic acid, N-1H-	10605-21-7	10
benzimidazol-2-yl-, methyl ester		

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Aluminum 7429-90-5 >= 50 - < 70 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311. Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Aluminum 7429-90-5

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro- 95-38-5



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

Phosphonic acid, P-octyl- 4724-48-5

Castor oil, ethoxylated 61791-12-6

Pennsylvania Right To Know

Aluminum 7429-90-5

Water 7732-18-5

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro- 95-38-5

California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Aluminum 7429-90-5

California Permissible Exposure Limits for Chemical Contaminants

Aluminum 7429-90-5

The ingredients of this product are reported in the following inventories:

DSL : This product contains one or several components listed in the

Canadian NDSL.

: On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

Limits for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3

Mineral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances: AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS -Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA -Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/28/2020



STAPA HYDROXALE 4 Aluminum Paste

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/12/2019

 2.1
 10/28/2020
 102000028766
 Date of first issue: 03/27/2018

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8