according to Regulation (EC) No. 1907/2006



LUXAN E271

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000648	Date of first issue: 04.04.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	LUXAN E271

Product code : 038034ML0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Colouring agents, pigments
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	Gi	CKART GmbH Jentersthal 4 235 Hartenstein
Telephone	: +4	99152770
Telefax	: +4	99152777008
E-mail address of person responsible for the SDS	: <u>m</u> e	sds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe) Call and response in your language is possible. Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Additional Labelling

EUH210	Safety data sheet available on request.	
--------	---	--

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe



LUXAN E271

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000648	Date of first issue: 04.04.2014

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

eempenente			
Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	. ,
	Registration number		
Substances with a workplace expo	sure limit :	·	
tin dioxide	18282-10-5		>= 1 - < 10
	242-159-0		
For exploration of abbreviations are continued.			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed None known.



LUXAN E271

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000648	Date of first issue: 04.04.2014

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

5.2 Special hazards arising from the substance or mixture

This information is not available.

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

	equipment and emergency procedures Avoid dust formation.
6.2 Environmental precautions Environmental precautions :	No special environmental precautions required.
6.3 Methods and material for contain Methods for cleaning up :	nment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling				
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.		
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.		

according to Regulation (EC) No. 1907/2006



LUXAN E271

Version 4.0	Revision Date: 13.02.2023)S Number: 2000000648	Print Date: 02.12.2024 Date of first issue: 04.04.2014
Hy	giene measures	:	General indust	rial hygiene practice.
7.2 Con	ditions for safe storage,	incl	uding any inco	ompatibilities
	quirements for storage as and containers	:		Illations / working materials must comply with cal safety standards.
Ad	vice on common storage	:	No materials t	o be especially mentioned.
	ther information on rage stability	:	Keep in a dry p No decompos	blace. ition if stored and applied as directed.
7 3 Sno	cific and usa(s)			

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
	inhalable dust when samplin MDHS14/4 G respirable, the substance has concentration inhalable dust any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions and contain comp should be cor	hation: For the purpo t are those fractions in a second inhalable practic and inhalable zardous to health ind in air equal to or great tor 4 mg.m-3 8-hour be subject to COSHH dusts have been ass with the appropriate wide range of sizes. ticle after entry into the it elicits, depend on two size fractions for e'., Inhalable dust appendent to size fractions for e'., Inhalable dust appendent that penetrates to the dexplanatory material onents that have the mplied with., Where re	ses of these limits, respirable of airborne dust which will be ccordance with the methods ampling and gravimetric ana aerosols., The COSHH defir dudes dust of any kind when eater than 10 mg.m-3 8-hour TWA of respirable dust. This if people are exposed to du- signed specific WELs and ex- imits., Most industrial dusts The behaviour, deposition a ne human respiratory system the nature and size of the pa- r limit-setting purposes termed proximates to the fraction of mouth during breathing and iratory tract. Respirable dus ne gas exchange region of the al are given in MDHS14/4., N ir own assigned WEL, all the pospecific short-term expos-	e collected described in lysis or nition of a present at a TWA of s means that ust above these posure to these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne is therefore t approximates he lung. Fuller Where dusts relevant limits ure limit is listed, ed.
		TWA (Inhalable) TWA (Respirable	10 mg/m3 4 mg/m3	GB EH40 GB EH40
		dust)		
	inhalable dust	t are those fractions	ses of these limits, respirable of airborne dust which will be ccordance with the methods	e collected

according to Regulation (EC) No. 1907/2006



LUXAN E271

Version 4.0	Revision Date 13.02.2023			int Date: 02.12.2024 ate of first issue: 04.04.2014	
		respirable, the substance has concentration inhalable dusi any dust will b levels. Some must comply particles of a particular part response that distinguishes and 'respirabl material that e available for o to the fraction definitions and contain comp should be cor	pracic and inhalable zardous to health ind in air equal to or gre t or 4 mg.m-3 8-hou be subject to COSHI dusts have been as with the appropriate wide range of sizes. ticle after entry into t it elicits, depend or two size fractions for e'., Inhalable dust a enters the nose and deposition in the resp that penetrates to t d explanatory material onents that have the nplied with., Where	sampling and gravimetric ana aerosols., The COSHH defin cludes dust of any kind when eater than 10 mg.m-3 8-hour r TWA of respirable dust. This I if people are exposed to du signed specific WELs and exp limits., Most industrial dusts The behaviour, deposition a he human respiratory system the nature and size of the pa or limit-setting purposes terms oproximates to the fraction of mouth during breathing and it piratory tract. Respirable dust he gas exchange region of th al are given in MDHS14/4., We ir own assigned WEL, all the no specific short-term expose exposure limit should be use 4 mg/m3	ition of a present at a TWA of s means that ist above these posure to these contain and fate of any and the body article. HSE ed 'inhalable' airborne is therefore t approximates ie lung. Fuller Where dusts relevant limits ure limit is listed,
tin dio	vido	18282-10-5	fraction)	2 mg/m3	91/322/EEC
		10202-10-3		(Tin)	91/322/EEC
		Further information: Indicative, Existing scientific data on health effects to be particularly limited			h effects appear
		· · · ·	TWA	2 mg/m3 (Tin)	GB EH40
			STEL	4 mg/m3 (Tin)	GB EH40

8.2 Exposure controls

Personal protective equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: powder
Colour	: green
Odour	: characteristic
Odour Threshold	: No data available
Freezing point	: No data available

according to Regulation (EC) No. 1907/2006

LUXAN E271



Vers 4.0	sion	Revision Date: 13.02.2023		S Number: 000000648	Print Date: 02.12.2024 Date of first issue: 04.04.2014
	Boiling	point/boiling range	:	2,501 °C	
	Flamm	ability	:	Will not burn	
		explosion limit / Upper ability limit	:	No data available)
		explosion limit / Lower ability limit	:	No data available	
	Flash p	point	:	No data available)
	Auto-ig	nition temperature	:	Not relevant	
	Decom	position temperature	:	No data available	9
	рН		:	substance/mixtu	re is non-soluble (in water)
	Viso	cosity, kinematic	:	No data available)
	Wat	er solubility	:	No data available)
	Sol	ubility in other solvents	:	No data available	9
		n coefficient: n-	:	No data available)
	octano Vapou	r pressure	:	No data available)
	Relativ	e density	:	No data available	9
	Density	/	:	No data available)
	Relativ	e vapour density	:	No data available	9
	Par	ticle Size Distribution	:		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

LUXAN E271



Version 4.0	Revision Date: 13.02.2023	SDS Number: 102000000648	
Hazaı	dous reactions		nder recommended storage conditions. ds to be specially mentioned.
	litions to avoid itions to avoid	: No data a	available
10.5 Incoi	npatible materials		
	rdous decomposition nation is not available		
SECTIO	N 11: Toxicologica	linformation	
4 4 1.5			l in Demulation (EQ) No. 4070/0000
		asses as defined	l in Regulation (EC) No 1272/2008
	e toxicity lassified based on ava	ailable information	n.
-	corrosion/irritation lassified based on ava	ailable information	n.
	us eye damage/eye lassified based on ava		n.
Resp	iratory or skin sensi	tisation	
-	sensitisation lassified based on ava	ailable information	n.
•	iratory sensitisation lassified based on ava	ailable information	n.
	cell mutagenicity	ailable information	
			1.
	nogenicity lassified based on ava	ailable information	n.
Donn	ductivo toxicity		

Reproductive toxicity Not classified based on available information.

STOT - single exposure Not classified based on available information.

STOT - repeated exposure Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

LUXAN E271



Version 4.0	Revision Date: 13.02.2023	SDS Number: 102000000648	Print Date: 02.12.2024 Date of first issue: 04.04.2014
11.2 Infor	mation on other haz	ards	
Furth	er information		
<u>Produ</u> Rema		: No data avai	lable
SECTION	N 12: Ecological in	formation	
12.1 Toxic No da	city ata available		
	stence and degrada	bility	
	ccumulative potentia ata available	al	
12.4 Mobi No da	lity in soil ata available		
12.5 Resu	Its of PBT and vPvE	assessment	
<u>Produ</u> Asses	<u>uct:</u> ssment	to be either p	ace/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or ent and very bioaccumulative (vPvB) at levels of er.
	ocrine disrupting pro ata available	operties	
12.7 Othe	r adverse effects		
	uct: ional ecological nation	: No data avai	lable

:

SECTION 14: Transport information

14.1 UN number or ID number

Contaminated packaging

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

LUXAN E271



Version 4.0	Revision Date: 13.02.2023	SDS Number:Print Date: 02.12.202410200000648Date of first issue: 04.04.2014		
ADR		: Not regulated as a dangerous good		
IMDG		: Not regulated as a dangerous good		
ΙΑΤΑ		: Not regulated as a dangerous good		
14.2 UN pi	roper shipping name			
ADR		: Not regulated as a dangerous good		
IMDG		: Not regulated as a dangerous good		
ΙΑΤΑ		: Not regulated as a dangerous good		
14.3 Trans	port hazard class(es)			
ADR		: Not regulated as a dangerous good		
IMDG		: Not regulated as a dangerous good		
ΙΑΤΑ		: Not regulated as a dangerous good		
14.4 Packi	ng group			
ADR		: Not regulated as a dangerous good		
IMDG		: Not regulated as a dangerous good		
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good		
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good		
14.5 Envir	onmental hazards			
Not re	gulated as a dangerou	s good		
14.6 Speci	ial precautions for us	er		
Rema	rks	: Not classified as dangerous in the meaning of transport regulations.		
14.7 Maritime transport in bulk according to IMO instruments				

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	:	Not applicable
mixtures and articles (Annex XVII)		
Regulation (EC) No 1005/2009 on substances that	:	Not applicable
deplete the ozone layer		
UK REACH List of substances subject to authorisation	:	Not applicable
(Annex XIV)		
UK REACH List of substances subject to authorisation	:	Not applicable



LUXAN E271

Version	Revision Date:	SDS Number:
4.0	13.02.2023	10200000648

Print Date: 02.12.2024 Date of first issue: 04.04.2014

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations

91/322/EEC	:	Europe. Commission Directive 91/322/EEC on establishing indicative limit values
GB EH40 91/322/EEC / TWA		UK. EH40 WEL - Workplace Exposure Limits Limit Value - eight hours
GB EH40 / TWA GB EH40 / STEL		Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative



LUXAN E271

Version	Revision Date:	SDS Number:	Print Date: 02.12.2024
4.0	13.02.2023	10200000648	Date of first issue: 04.04.2014

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN