according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MASTERSAFE MP 55-20B

Product code : 052642FA0

1.2 Relevant identified uses of the substance or mixture and uses advised against

This information is not available.

1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH

Guentersthal 4 91235 Hartenstein

Telephone : +499152770

Telefax : +499152777008

E-mail address of person

responsible for the SDS

: msds.eckart@altana.com

1.4 Emergency telephone number

NCEC: +44 1235 239670 (Europe)

Call and response in your language is possible.

Contract no.: ECKART29003-NCEC.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a dangerous substance according to GHS.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

2.3 Other hazards

Combustible Solids

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	ClassificationREGUL	Concentration
	EC-No.	ATION (EC) No	(% w/w)
	Index-No.	1272/2008	
	Registration number		
aluminium powder (stabilised)	7429-90-5	Flam. Sol. 1; H228	>= 50 - <= 100
	231-072-3		
	013-002-00-1		
	01-2119529243-45		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

Move the victim to fresh air.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.

In case of eye contact : Remove contact lenses.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry sand

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

Special powder against metal fire

Unsuitable extinguishing

media

ABC powder

Carbon dioxide (CO2)

Water Foam

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Contact with water liberates extremely flammable gas

(hydrogen).

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.

Use personal protective equipment. Evacuate personnel to safe areas.

6.2 Environmental precautions

General advice : If the product contaminates rivers and lakes or drains inform

respective authorities.

The product should not be allowed to enter drains, water

courses or the soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.

Sweep up and shovel. Do not flush with water.

Keep in suitable, closed containers for disposal.

Use mechanical handling equipment.

6.4 Reference to other sections

For personal protection see section 8.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Avoid creating dust.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Store away from heat.

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Electrical installations / working materials must comply with

the technological safety standards.

Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition

- No smoking. Keep container closed when not in use.

Further information on

storage conditions

Protect from humidity and water.

Advice on common storage : Do not store near acids.

Do not store together with oxidizing and self-igniting products.

Never allow product to get in contact with water during

storage

Keep away from oxidizing agents and strongly acid or alkaline

materials.

Further information on

storage stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
aluminium powder	7429-90-5	TWA (Inhalable)	10 mg/m3	GB EH40
(stabilised)				
		TWA (Respirable	4 mg/m3	GB EH40
		fraction)		
		TWA (inhalable	10 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

I		dust)		
	inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will be levels. Some of must comply a particles of a verticular part response that distinguishes and 'respirable material that e available for dust to the fraction definitions and contain composition.	nation: For the purpor are those fractions g is undertaken in acceptant and inhalable aracic and inhalable as with the appropriate wide range of sizes. icle after entry into the it elicits, depend on two size fractions for a control in the respentant penetrates to the dexplanatory material onents that have the	leses of these limits, respirable of airborne dust which will be accordance with the methods sampling and gravimetric analeaerosols., The COSHH definitudes dust of any kind when eater than 10 mg.m-3 8-hour. TWA of respirable dust. This if people are exposed to dustigned specific WELs and explimits., Most industrial dusts. The behaviour, deposition a he human respiratory system the nature and size of the pair limit-setting purposes terms oppoximates to the fraction of mouth during breathing and intratory tract. Respirable dustine gas exchange region of the all are given in MDHS14/4., Vir own assigned WEL, all the	e collected described in lysis or nition of a present at a TWA of s means that ust above these posure to these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne is therefore t approximates he lung. Fuller Where dusts relevant limits
		times the long-term	no specific short-term exposi exposure limit should be use	ed.
		TWA (Respirable dust)	4 mg/m3	GB EH40
	inhalable dust when samplin MDHS14/4 Ge respirable, the substance has concentration inhalable dust any dust will be levels. Some of must comply a particles of a varicular part response that distinguishes and 'respirable material that e available for dust to the fraction definitions and contain composhould be considered.	are those fractions g is undertaken in an eneral methods for so tracic and inhalable exardous to health incident in air equal to or greater of a management of the equal to example of sizes. With the appropriate wide range of sizes icle after entry into the equal to energy in the explanatory material onents that have the energy in the energy in the explanatory material onents that have the energy in the en	ses of these limits, respirable of airborne dust which will be coordance with the methods campling and gravimetric analerosols., The COSHH defindudes dust of any kind when eater than 10 mg.m-3 8-hour. TWA of respirable dust. This if people are exposed to dustigned specific WELs and explimits., Most industrial dusts. The behaviour, deposition a he human respiratory system the nature and size of the partimit-setting purposes termes proximates to the fraction of mouth during breathing and intratory tract. Respirable dustine gas exchange region of the large given in MDHS14/4., We in own assigned WEL, all the no specific short-term exposite exposure limit should be use	e collected described in lysis or nition of a present at a TWA of s means that ast above these posure to these contain nd fate of any n, and the body article. HSE ed 'inhalable' airborne is therefore t approximates he lung. Fuller Where dusts a relevant limits ure limit is listed,

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

Substance name	End Use	Exposure routes	Potential health effects	Value
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3.72 mg/m3
	Workers	Inhalation	Long-term local effects	3.72 mg/m3
	Consumers	Oral	Long-term systemic effects	3.95 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
aluminium powder (stabilised)	Fresh water	0.0749 mg/l
	clarification plant	20 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Safety glasses

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to

be observed.

Skin and body protection : Long sleeved clothing

Respiratory protection : No personal respiratory protective equipment normally

required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form : pellets

Colour : silver

Odour : characteristic

Odour Threshold : No data available

Melting point/range : 100 - 120 °C

Boiling point/boiling range : Not applicable

Flammability : Combustible Solids

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Density : 2.36 g/cm3

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Contact with acids and alkalis may release hydrogen.

Dust may form explosive mixture in air.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Acids

Bases

Oxidizing agents

Water

10.6 Hazardous decomposition products

This information is not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

aluminium powder (stabilised):

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological

information

: No data available

SECTION 13: Disposal considerations

European Waste Catalogue : 12 01 04 - non-ferrous metal dust and particles

European Waste Catalogue : 10 03 21 - other particulates and dust (including ball-mill dust)

containing hazardous substances

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

In accordance with local and national regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport

regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006

C ECKART

MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

 $\ensuremath{\mathsf{REACH}}$ - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be

considered:

aluminium powder (stabilised)

(Number on list 40)

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

Regulation (EU) 2019/1148 on the marketing and use of :

explosives precursors

UK REACH List of substances subject to authorisation

(Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of

explosives precursors

Not applicable

aluminium powder (stabilised)

: Not applicable

This product is regulated by Regulation (EU) 2019/1148: all aluminium powder (stabilised) suspicious transactions, and significant disappearances and thefts (ANNEX II) should be reported to the relevant national contact point.

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H228 : Flammable solid.

Full text of other abbreviations

Flam. Sol. : Flammable solids

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System:

according to Regulation (EC) No. 1907/2006



MASTERSAFE MP 55-20B

Version Revision Date: SDS Number: Print Date: 03.12.2024

3.1 03.04.2024 102000031932 Date of first issue: 03.09.2019

GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN