



Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

#### **SECTION 1. IDENTIFICATION**

Product name Product code	METALSTAR PANTONE 07-2876 GOLD US 045684MK0
Manufacturer or supplier's de	tails
	ECKART America Corporation 830 East Erie Street Painesville OH 44077
Telephone	866-458-7837 (440) 954-7600
Telefax	(440) 354-6224
e-mail adresse	info.eckart.america.oh@altana.com
Emergency telephone	CHEMTREC: 800-424-9300
	CHEMTREC: 1-703-527-3387 (International)
	NCEC:
	(contract no. ECKART29003-NCEC)
	US: +1 866 928 0789 (Toll free)
	Canada: +1 800 579 7421 (Toll Free) Mexico: +52 55 5004 8763

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accord 1910.1200)	an	ce with the OSHA Hazard Communication Standard (29 CFR
Acute toxicity (Oral)	:	Category 4
Eye irritation	:	Category 2A
Skin sensitization	:	Category 1
Reproductive toxicity	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
		1/18 A member of O ALTON







Version 2.5	Revision Date: 04/23/2025	SDS Number: 102000026751	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018
		H361d Suspect	ted of damaging the unborn child.
Preca	autionary Statements	Prevention:	
		P201	Obtain special instructions before use.
		P202	Do not handle until all safety precautions have been read and understood.
		P261	Avoid breathing mist or vapors.
		P264	Wash skin thoroughly after handling.
		P270	Do not eat, drink or smoke when using this product.
		P272	Contaminated work clothing must not be allowed out of the workplace.
		P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P301 + P312 +	P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
		P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
		P305 + P351 +	
		P308 + P313	IF exposed or concerned: Get medical advice attention.
		P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
		P337 + P313	If eye irritation persists: Get medical advice/ attention.
		P363	Wash contaminated clothing before reuse.
		Storage:	
		P405	Store locked up.
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

Copper Rosin, maleated, polymer with pentaerythritol 9-Octadecenoic acid (9Z)-, cobalt salt (1:?) Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester





Version	Revision Date:	SDS Number:
2.5	04/23/2025	102000026751

Date of last issue: 04/03/2025 Date of first issue: 03/26/2018

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Copper	7440-50-8	>= 30 - < 50
White mineral oil (petroleum)	8042-47-5	>= 10 - < 20
Rosin, maleated, polymer with pentaerythritol	68333-69-7	>= 5 - < 10
Zinc	7440-66-6	>= 1 - < 5
9-Octadecenoic acid (9Z)-, cobalt salt (1:?)	14666-94-5	>= 0.1 - < 1
Propanoic acid, 2-methyl-, 1,1'-[2,2- dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester	6846-50-0	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Take the victim into fresh air. Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.
,		Remove contact lenses.
		Keep eye wide open while rinsing.
		If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear.
		Do NOT induce vomiting.
		Do not give milk or alcoholic beverages.
		Never give anything by mouth to an unconscious person.
		If symptoms persist, call a physician.
		Take victim immediately to hospital.
Most important symptoms	:	Harmful if swallowed.
and effects, both acute and		May cause an allergic skin reaction.
delayed		Causes serious eye irritation.
		Suspected of damaging the unborn child.





Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Special powder against metal fire Dry sand ABC powder
Unsuitable extinguishing media	:	Water High volume water jet Carbon dioxide (CO2)
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Ensure adequate ventilation.
General advice :	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Environmental precautions :	The product should not be allowed to enter drains, water courses or the soil. Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	Use mechanical handling equipment.
	Pick up and transfer to properly labeled containers. Do not flush with water. Contain spillage, and then collect with non-combustible





Conditions for safe storage

Technical

measures/Precautions Materials to avoid

Further information on

storage stability



## **METALSTAR PANTONE 07-2876 GOLD US**

Version 2.5	Revision Date: 04/23/2025		DS Number: 02000026751	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018	
			vermiculite) and p	al, (e.g. sand, earth, diatomaceous earth, place in container for disposal according to gulations (see section 13).	
			Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.		
SECTION	17. HANDLING AND ST	OR	AGE		
	ce on protection against and explosion	:	Keep away from No smoking.	heat and sources of ignition.	
			Normal measures	s for preventive fire protection.	
Advi	ce on safe handling	:			

application area.

regulations.

sunlight.

place.

:

:

:

Dispose of rinse water in accordance with local and national

Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct

Containers which are opened must be carefully resealed and

Electrical installations / working materials must comply with

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.

: No decomposition if stored and applied as directed.

Keep container tightly closed in a dry and well-ventilated

Keep away from sources of ignition - No smoking.

Do not store near combustible materials.

kept upright to prevent leakage.

the technological safety standards. Protect from humidity and water.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters





Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Copper	7440-50-8	TWA	1 mg/m3 (Copper)	ACGIH
		TWA (dust	1 mg/m3	NIOSH REL
		and mists)	(Copper)	
		TWA	1 mg/m3	OSHA P0
			(Copper)	
		TWA	0.2 mg/m3	ACGIH
			(Copper)	
		TWA	0.1 mg/m3	OSHA P0
			(Copper)	
		TWA (Dust	1 mg/m3	ACGIH
		and mist)	(Copper)	
		TWA	0.2 mg/m3	ACGIH
		(Fumes)	(Copper)	
		TWA (Dust)	1 mg/m3	NIOSH REL
			(Copper)	
		TWA (Mist)	1 mg/m3	NIOSH REL
		TWA (dusts	(Copper)	OSHA Z-1
		and mists)	1 mg/m3 (Copper)	05HA Z-1
		TWA	0.1 mg/m3	OSHA Z-1
		(Fumes)	(Copper)	03HA 2-1
		TWA	0.1 mg/m3	OSHA P0
		(Fumes)	(Copper)	CONATO
		TWA (Dust	1 mg/m3	OSHA P0
		and mist)	(Copper)	001///10
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
White mineral oil (petroleum)	8042-47-5	TWÀ	5 mg/m3	OSHA P0
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

A member of **C ALTANA** 

## SAFETY DATA SHEET



# **METALSTAR PANTONE 07-2876 GOLD US**

Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

Zinc	7440-66-6	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3

## Personal protective equipment

Respiratory protection Hand protection Material	:	Use suitable breathing protection if workplace concentration requires. Equipment should conform to EN 14387 Solvent-resistant gloves (butyl-rubber)
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	General industrial hygiene practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES





Version 2.5	Revision Date: 04/23/2025		S Number: 2000026751	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018
Co Od Od PH Me Boi Fla Eva Fla Up flar Lov	or or Threshold Iting point/freezing point ling point/boiling range sh point aporation rate mmability (solid, gas) per explosion limit / Upper nmability limit wer explosion limit / Lower		liquid gold characteristic No data available substance/mixtur No data available > 100 °C > 100 °C No data available No data available No data available	re is non-soluble (in water) e e e
Vaj Re	nmability limit oor pressure lative density nsity	:	No data available No data available 1.4 g/cm3	
Pai oct Aut De Vis	ubility(ies) Water solubility rtition coefficient: n- anol/water coignition temperature composition temperature cosity Viscosity, kinematic	::	insoluble No data available No data available No data available > 21 mm2/s (40 °	9
	al Volatile organic npounds (VOC) content	:	10.00 - 20.00 %	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	<ul> <li>No decomposition if stored and applied as directed.</li> <li>No decomposition if stored and applied as directed.</li> <li>Stable under recommended storage conditions. No decomposition if stored and applied as directed.</li> </ul>			
Conditions to avoid	: Do not allow evaporation to dryness. No data available			
Hazardous decomposition products				
Thermal decomposition	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).			







Version	Revision Date:	SDS Number:
2.5	04/23/2025	102000026751

Date of last issue: 04/03/2025 Date of first issue: 03/26/2018

## SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if swallowed. Components:		
<b>Copper:</b> Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
<b>Zinc:</b> Acute oral toxicity Acute inhalation toxicity	:	(Rat): > 2,000 mg/kg LC50 (Rat): 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist

### Skin corrosion/irritation

Not classified due to lack of data.

## **Components:**

**Copper:** Remarks: May cause skin irritation in susceptible persons.

## Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester:

Species: Rabbit Exposure time: 4 h Method: OECD Test Guideline 404 Result: No skin irritation

## Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

**Copper:** Result: Eye irritation

## Rosin, maleated, polymer with pentaerythritol:

Result: Eye irritation





Version	Revision Date:	SDS Number:
2.5	04/23/2025	102000026751

Date of last issue: 04/03/2025 Date of first issue: 03/26/2018

Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester:

Species: Rabbit Result: No eye irritation Exposure time: 72 h Method: OECD Test Guideline 405

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified due to lack of data.

#### **Components:**

#### Rosin, maleated, polymer with pentaerythritol:

Result: May cause sensitization by skin contact.

#### 9-Octadecenoic acid (9Z)-, cobalt salt (1:?):

Result: May cause sensitization by skin contact.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Suspected of damaging the unborn child.

## **Components:**

Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl] ester:
-----------------------------------------------------------------------------------------

Reproductive toxicity - : Some evidence of adverse effects on development, based on





Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

Assessment

animal experiments.

#### STOT-single exposure

Not classified due to lack of data.

#### STOT-repeated exposure

Not classified due to lack of data.

#### **Aspiration toxicity**

Not classified due to lack of data.

### **Components:**

White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

## **Further information**

### Components:

**Copper:** Remarks: No data available

## Zinc:

Remarks: No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity		
Components:		
Copper:		
M-Factor (Acute aquatic toxicity)	:	10
M-Factor (Chronic aquatic toxicity)	:	10
Ecotoxicology Assessment	t	
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
Rosin, maleated, polymer v	vith	pentaerythritol:
Ecotoxicology Assessment	t	
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.







rsion	Revision Date: 04/23/2025		2000026751	Date of last issue: 04/03/2025 Date of first issue: 03/26/2018
Zinc:				
M-Fac toxicit	ctor (Acute aquatic	:	1	
	ctor (Chronic aquatic	:	1	
Ecoto	xicology Assessment			
Acute	aquatic toxicity	:	Very toxic to aqu	atic life.
Chron	ic aquatic toxicity	:	Very toxic to aqu	atic life with long lasting effects.
Propa	noic acid, 2-methyl-, 1	,1'-	[2,2-dimethyl-1-(	1-methylethyl)-1,3-propanediyl] ester:
	ty to daphnia and other ic invertebrates	:	(Daphnia): 2.46	mg/l
Ecoto	xicology Assessment			
Chron	ic aquatic toxicity	:	Harmful to aqua	ic life with long lasting effects.
	stence and degradabili ta available	ity		
	<b>cumulative potential</b> ta available			
	adverse effects ta available			
<u>Comp</u>	oonents:			
Сорр	er:			
Additio inform	onal ecological nation	:	unprofessional h	al hazard cannot be excluded in the event o andling or disposal. latic life with long lasting effects.
Zinc:				
	onal ecological nation	:	unprofessional h	al hazard cannot be excluded in the event o andling or disposal. atic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Waste from residues		The product should not be allowed to enter drains, water
---------------------	--	----------------------------------------------------------

A member of **C** ALTANA





Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018
Conta	minated packaging	chemical or used Send to a license In accordance wi Empty remaining Dispose of as un Do not re-use en	ate ponds, waterways or ditches with d container. ed waste management company. ith local and national regulations. g contents. used product.

## **SECTION 14. TRANSPORT INFORMATION**

## **Domestic regulation**

#### 49 CFR

Not regulated as a dangerous good

## International Regulations

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Copper metal powder)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous Dangerous Goods
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
		N.O.S.
Olasa		(Copper metal powder)
Class	•	9
Packing group	÷	
Labels	•	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
Remarks	:	For single packagings <=5L / 5 kg, or combination packagings containing inner packagings <= 5L / 5 kg net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.





Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ
		(lbs)
Copper	7440-50-8	5000
Zinc	7440-66-6	1000

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Acute toxicity (any route of Respiratory or skin sensiti Reproductive toxicity Serious eye damage or eye	zation	
SARA 313	: The following components are subject to reporting leve established by SARA Title III, Section 313:		orting levels
	Copper	7440-50-8	>= 30 - < 50 %
	Zinc	7440-66-6	>= 1 - < 5 %

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

White mineral oil (petroleum)	8042-47-5	>= 5 - < 10 %
White mineral oil (petroleum)	8042-47-5	>= 5 - < 10 %



Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

## **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A. This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3. This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307					
	Copper	7440-50-8	40.162		
	Zinc	7440-66-6	4.05	%	
This prod	luct contains the following p Copper	riority pollutants related to the 7440-50-8	e U.S. C 40.162		
	Zinc	7440-66-6	4.05	%	
US State	Regulations				
Massach	usetts Right To Know				
	Copper			7440-50-8	
	White mineral oil (petroleum)			8042-47-5	
	White mineral oil (petroleum)			8042-47-5	
	Zinc			7440-66-6	
Pennsylvania Right To Know					
-	Copper			7440-50-8	
	White mineral oil (petroleum)			8042-47-5	
	Rosin, maleated, polymer with pentaerythritol			68333-69-7	
	Rosin, maleated, polymer with p-tert-butylphenol, formaldehyde and pentaerythritol			68082-96-2	
	White mineral oil (petroleu	im)		8042-47-5	
	Distillates (petroleum), ste	am-cracked, polymd.		68131-77-1	
	Linseed oil, polymer with i	sophthalic acid and pentaery	thritol	67989-61-1	
	Zinc			7440-66-6	
	polyethylene wax dispersion	on		Not Assigned	
Aluminum 7429-90-5				7429-90-5	

## California Prop. 65





Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances Copper 7440-50-8					
Copper		7440-30-0			
White mineral oil (p	etroleum)	8042-47-5			
Zinc		7440-66-6			
California Permissible Exposure Limits for Chemical Contaminants					
Copper		7440-50-8			
White mineral oil (p	etroleum)	8042-47-5			
White mineral oil (p	etroleum)	8042-47-5			
Zinc		7440-66-6			
The ingredients of this product are reported in the following inventories:					
DSL	: This product contains the following co Canadian NDSL. All other componen				
TSCA	<ul> <li>DSL.</li> <li>All chemical substances in this produ active on the TSCA Inventory or are i TSCA Inventory exemption.</li> </ul>				
TSCA list					
No substances are subject to TSCA 12(b) export notification requirements.					
No substances are subject to a Significant New Use Rule.					
The following substance(s) is/are subject to TSCA 12(b) export notification requirements: Zinc 7440-66-6					



Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

#### **SECTION 16. OTHER INFORMATION**

Full text of other abbrev	viations	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA PO		USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1		USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3		USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA		Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST		STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average
AllC Australian Invent	on of Ind	dustrial Chamicalay ACTM American Society for the Tasting

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition





Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2025
2.5	04/23/2025	102000026751	Date of first issue: 03/26/2018

Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/23/2025

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8