

## SYNCRYSTAL Spring Gold

| Version | Revision Date: | SDS Number:  | Date of last issue: 08/22/2019  |
|---------|----------------|--------------|---------------------------------|
| 2.0     | 12/06/2019     | 102000029241 | Date of first issue: 03/21/2018 |

#### **SECTION 1. IDENTIFICATION**

| Product name                       | : | SYNCRYSTAL Spring Gold                   |  |  |  |  |  |  |
|------------------------------------|---|--|--|--|--|--|--|--|
| Product code                       | : | 035674MJ0                                |  |  |  |  |  |  |
| Manufacturer or supplier's details |   |  |  |  |  |  |  |  |
| Company name of supplier           | : | ECKART America Corporation               |  |  |  |  |  |  |
| Address                            | : | 830 East Erie Street                     |  |  |  |  |  |  |
|                                    |   | Painesville OH 44077                     |  |  |  |  |  |  |
| Telephone                          | : | 866-458-7837                             |  |  |  |  |  |  |
| Telefax                            | : | (440) 354-6224                           |  |  |  |  |  |  |
| Emergency telephone                | : | CHEMTREC: 800-424-9300                   |  |  |  |  |  |  |
|                                    |   | CHEMTREC: 1-703-527-3387 (International) |  |  |  |  |  |  |
|                                    |   |  |  |  |  |  |  |  |
|                                    |   |  |  |  |  |  |  |  |

#### NCEC:

(contract no. ECKART29003-NCEC) US: +1 866 928 0789 (Toll free) Canada: +1 800 579 7421 (Toll Free) Mexico: +52 55 5004 8763

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous ingredients

| Chemical name  | CAS-No.    | Concentration (% w/w) |
|--|------------|-----------------------|
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3])                   | 12003-38-2 | >= 50 - < 70          |
| Titanium oxide (TiO2)                                  | 13463-67-7 | >= 30 - < 50          |
| Iron oxide (Fe2O3)                                     | 1309-37-1  | >= 1 - < 5            |
| A studie a second retire to with he let a second reads |            |                       |

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

| General advice | : No hazards which require special first aid measures.        |
|----------------|---|
| If inhaled     | : If unconscious, place in recovery position and seek medical |
|                | advice.   |



# SYNCRYSTAL Spring Gold

| Versio<br>2.0 | on   | Revision Date:<br>12/06/2019                          |     | DS Number:<br>2000029241   | Date of last issue: 08/22/2019<br>Date of first issue: 03/21/2018                                  |  |  |  |  |
|---------------|--|---|-----|--|--|--|--|--|--|
| lr<br>If      | n case<br>f swallo                             |   | :   | Wash off with soa<br>Remove contact le<br>If eye irritation per<br>Keep respiratory to<br>Do not give milk of<br>Never give anythin<br>If symptoms persi | enses.<br>sists, consult a specialist.   |  |  |  |  |
| а             |  | portant symptoms<br>ects, both acute and              | :   | None known.  |  |  |  |  |  |
| SECT          | TION 5.  | FIRE-FIGHTING ME                                      | ASL | JRES   |  |  |  |  |  |
| F             | Further  | information   | :   | Use extinguishing  | re for chemical fires.<br>measures that are appropriate to local<br>d the surrounding environment. |  |  |  |  |
|               | Special protective equipment for fire-fighters |   | :   | : Wear self-contained breathing apparatus for firefighting if necessary.   |  |  |  |  |  |
| SECT          | TION 6.  | ACCIDENTAL RELE                                       | ASI | E MEASURES   |  |  |  |  |  |
| р             | orotectiv                                      | al precautions,<br>ve equipment and<br>ncy procedures | :   | Avoid dust format  | ion.   |  |  |  |  |
|               |  | s and materials for<br>nent and cleaning up           | :   | Sweep up and she   | ge disposal without creating dust.<br>ovel.<br>closed containers for disposal.                     |  |  |  |  |
| SECT          | TION 7.  | HANDLING AND ST                                       | OR  | AGE  |  |  |  |  |  |
|               |  | on protection against<br>explosion                    | :   | Normal measures  | for preventive fire protection.  |  |  |  |  |
| Δ             | Advice   | on safe handling                                      | :   |  | ection see section 8.<br>nd drinking should be prohibited in the                                   |  |  |  |  |
|               |  | ons for safe storage                                  | :   | Electrical installation the technological  |  |  |  |  |  |
| Ν             | Material                                       | s to avoid  | :   | No materials to be   | especially mentioned.  |  |  |  |  |
|               |  | information on<br>stability                           | :   | Keep in a dry plac   | e.   |  |  |  |  |







| Version | Revision Date: | SDS Number:  | Date of last issue: 08/22/2019  |
|---------|----------------|--------------|---------------------------------|
| 2.0     | 12/06/2019     | 102000029241 | Date of first issue: 03/21/2018 |

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components                              | CAS-No.    | Value type<br>(Form of<br>exposure) | Control<br>parameters /<br>Permissible<br>concentration | Basis    |
|---|------------|-------------------------------------|---|----------|
| Fluorphlogopite<br>(Mg3K[AIF2O(SiO3)3]) | 12003-38-2 | TWA                                 | 2.5 mg/m3<br>(Fluorine)                                 | OSHA Z-1 |
|   |            | TWA                                 | 2.5 mg/m3<br>(Fluorine)                                 | OSHA Z-1 |
|   |            | TWA                                 | 2.5 mg/m3<br>(Fluorine)                                 | ACGIH    |
|   |            | TWA                                 | 2.5 mg/m3<br>(Fluorine)                                 | ACGIH    |
|   |            | TWA<br>(Respirable<br>fraction)     | 1 mg/m3<br>(Aluminum)                                   | ACGIH    |
|   |            | TWA                                 | 2.5 mg/m3<br>(Fluorine)                                 | OSHA P0  |
|   |            | TWA                                 | 2.5 mg/m3<br>(Fluorine)                                 | OSHA P0  |
| Titanium oxide (TiO2)                   | 13463-67-7 | TWA (total<br>dust)                 | 50 Million<br>particles per cubic<br>foot               | OSHA Z-3 |
|   |            | TWA (total dust)                    | 15 mg/m3  | OSHA Z-3 |
|   |            | TWA<br>(respirable<br>fraction)     | 5 mg/m3   | OSHA Z-3 |
|   |            | TWA<br>(respirable<br>fraction)     | 15 Million<br>particles per cubic<br>foot               | OSHA Z-3 |
|   |            | TWA (total dust)                    | 15 mg/m3  | OSHA Z-1 |
|   |            | TWA (Total dust)                    | 10 mg/m3  | OSHA P0  |
|   |            | TWA                                 | 10 mg/m3<br>(Titanium dioxide)                          | ACGIH    |
| Iron oxide (Fe2O3)                      | 1309-37-1  | TWA (total<br>dust)                 | 50 Million<br>particles per cubic<br>foot               | OSHA Z-3 |
|   |            | TWA (total dust)                    | 15 mg/m3  | OSHA Z-3 |
|   |            | TWA                                 | 5 mg/m3   | OSHA Z-3 |





| VersionRevision Date:SDS Number:2.012/06/2019102000029241 | Date of last issue: 08/22/2019<br>Date of first issue: 03/21/2018 |
|---|---|
|---|---|

| (respirable<br>fraction)        |   |           |
|---------------------------------|---|-----------|
| TWA<br>(respirable<br>fraction) | 15 Million<br>particles per cubic<br>foot | OSHA Z-3  |
| TWA<br>(Respirable<br>fraction) | 5 mg/m3                                   | ACGIH     |
| TWA<br>(Fumes)                  | 10 mg/m3                                  | OSHA Z-1  |
| TWA (total dust)                | 15 mg/m3                                  | OSHA Z-1  |
| TWA<br>(respirable<br>fraction) | 5 mg/m3                                   | OSHA Z-1  |
| TWA (dust<br>and fume)          | 5 mg/m3<br>(Iron)                         | NIOSH REL |
| TWA<br>(Fumes)                  | 10 mg/m3                                  | OSHA P0   |

### Biological occupational exposure limits

| Components                              | CAS-No.        | Control<br>parameters  | Biological specimen | Samplin<br>g time  | Permissible<br>concentratio<br>n | Basis        |
|---|----------------|------------------------|---------------------|--|----------------------------------|--------------|
| Fluorphlogopite<br>(Mg3K[AIF2O(SiO3)3]) | 12003-38-<br>2 | Fluoride               | Urine               | Prior to<br>shift (16<br>hours<br>after<br>exposure<br>ceases)             | 3 mg/g                           | ACGIH<br>BEI |
|   |                | Fluoride               | Urine               | End of<br>shift (As<br>soon as<br>possible<br>after<br>exposure<br>ceases) | 10 mg/g                          | ACGIH<br>BEI |
|   |                | Fluoride<br>(Fluorine) | Urine               | Prior to<br>shift (16<br>hours<br>after<br>exposure<br>ceases)             | 2 mg/l                           | ACGIH<br>BEI |
|   |                | Fluoride<br>(Fluorine) | Urine               | End of<br>shift (As<br>soon as   | 3 mg/l                           | ACGIH<br>BEI |

A member of **C ALTANA** 





|   |  | SDS Number:<br>102000029241   | Date of last issue: 08/22/2019<br>Date of first issue: 03/21/2018 |  |
|---|--|---|---|--|
|   |  |   |   |  |
|   |  |   | possible<br>after   |  |
|   |  |   | exposure<br>ceases)   |  |
| Perso   | onal protective equipme  | ent   |   |  |
| Eye p   | rotection  | : Safety glasses  |   |  |
| Hygie   | ne measures  | : General indust  | rial hygiene practice.  |  |
|   |  | . No doto ovoilo  |   |  |
| рН<br>Meltin  | Threshold g point/freezing point   | <ul> <li>No data availa</li> <li>odorless</li> <li>No data availa</li> </ul>  | able<br>able<br>able  |  |
| Odor<br>Odor<br>pH<br>Meltin<br>Initial<br>range  | Threshold<br>g point/freezing point<br>boiling point and boiling   | <ul> <li>odorless</li> <li>No data availa</li> </ul>  | able<br>able<br>able<br>able                                      |  |
| Odor<br>Odor<br>pH<br>Meltin<br>Initial<br>range<br>Flash   | Threshold<br>g point/freezing point<br>boiling point and boiling   | : odorless<br>: No data availa<br>: No data availa<br>: No data availa  | able<br>able<br>able<br>able                                      |  |
| Odor<br>Odor<br>pH<br>Meltin<br>Initial<br>range<br>Flash<br>Evapo  | Threshold<br>g point/freezing point<br>boiling point and boiling<br>point  | <ul> <li>odorless</li> <li>No data availa</li> </ul>  | able<br>able<br>able<br>able                                      |  |
| Odor<br>Odor<br>pH<br>Meltin<br>Initial<br>range<br>Flash<br>Evapo<br>Flamr<br>Upper<br>flamr                           | Threshold<br>g point/freezing point<br>boiling point and boiling<br>point<br>pration rate<br>nability (solid, gas)<br>r explosion limit / Upper<br>nability limit                              | <ul> <li>odorless</li> <li>No data availa</li> <li>Wo data availa</li> <li>Will not burn</li> <li>No data availa</li> </ul> | able<br>able<br>able<br>able<br>able                              |  |
| Odor<br>Odor<br>pH<br>Meltin<br>Initial<br>range<br>Flash<br>Evapo<br>Flamn<br>Upper<br>flamm<br>Lower                  | Threshold<br>g point/freezing point<br>boiling point and boiling<br>point<br>pration rate<br>nability (solid, gas)<br>r explosion limit / Upper  | <ul> <li>odorless</li> <li>No data availa</li> <li>Wo data availa</li> <li>Will not burn</li> </ul>                         | able<br>able<br>able<br>able<br>able                              |  |
| Odor<br>Odor<br>PH<br>Meltin<br>Initial<br>range<br>Flash<br>Evapo<br>Flamm<br>Upper<br>flamm<br>Lower<br>flamm<br>Vapo | Threshold<br>g point/freezing point<br>boiling point and boiling<br>point<br>pration rate<br>nability (solid, gas)<br>r explosion limit / Upper<br>hability limit<br>r explosion limit / Lower | <ul> <li>odorless</li> <li>No data availa</li> <li>Wo data availa</li> <li>Will not burn</li> <li>No data availa</li> </ul> | able<br>able<br>able<br>able<br>able<br>able<br>able              |  |

| Solubility(ies)           | : | No data available |  |
|---------------------------|---|-------------------|--|
| Partition coefficient: n- | : | No data available |  |
| octanol/water             |   |                   |  |
| Autoignition temperature  | : | No data available |  |
| Decomposition temperature | : | No data available |  |
| Viscosity                 | : | No data available |  |
|                           |   |                   |  |

#### SECTION 10. STABILITY AND REACTIVITY

| Reactivity<br>Chemical stability<br>Possibility of hazardous<br>reactions |   | No decomposition if stored and applied as directed.<br>No decomposition if stored and applied as directed.<br>Stable under recommended storage conditions.<br>Dust may form explosive mixture in air. |
|---|---|---|
| Conditions to avoid   | : | No data available   |



## SYNCRYSTAL Spring Gold

| Version | Revision Date: | SI |
|---------|----------------|----|
| 2.0     | 12/06/2019     | 10 |

DS Number: 02000029241

Date of last issue: 08/22/2019 Date of first issue: 03/21/2018

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

#### **Components:**

| Titanium oxide (TiO2):<br>Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg  |
|---|---|--|
| Acute inhalation toxicity                     | : | LC50 (Rat): 6.8 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist |
| Acute dermal toxicity                         | : | LD50 (Rabbit): > 5,000 mg/kg   |

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

| IARC | Group 2B: Possibly carcinogenic to humans                                       |   |  |
|------|---|---|--|
|      | Titanium oxide (TiO2)   | 13463-67-7  |  |
| OSHA | No component of this product p<br>equal to 0.1% is on OSHA's list               |   |  |
| NTP  | No ingredient of this product pr<br>equal to 0.1% is identified as a<br>by NTP. | esent at levels greater than or known or anticipated carcinogen |  |





## SYNCRYSTAL Spring Gold

| Version | Revision Date: | SDS Number:  |
|---------|----------------|--------------|
| 2.0     | 12/06/2019     | 102000029241 |

Date of last issue: 08/22/2019 Date of first issue: 03/21/2018

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### **Further information**

#### **Components:**

Fluorphlogopite (Mg3K[AIF2O(SiO3)3]): Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

No data available

#### Persistence and degradability No data available

#### **Bioaccumulative potential** No data available

Other adverse effects

No data available

#### **Components:**

#### Fluorphlogopite (Mg3K[AIF2O(SiO3)3]):

Additional ecological : No data available information

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

| Waste from residues    | : | In accordance with local and national regulations.    |
|------------------------|---|---|
| Contaminated packaging | : | Empty containers should be taken to an approved waste |
|                        |   | handling site for recycling or disposal.              |
|                        |   | In accordance with local and national regulations.    |





## SYNCRYSTAL Spring Gold

| Version | Revision Date: | SDS Number:  | Date of last issue: 08/22/2019  |
|---------|----------------|--------------|---------------------------------|
| 2.0     | 12/06/2019     | 102000029241 | Date of first issue: 03/21/2018 |

#### **SECTION 14. TRANSPORT INFORMATION**

| Domestic regulation       |  |
|---------------------------|--|
| 49 CFR                    | : Not classified as dangerous in the meaning of transport regulations. |
| International Regulations |  |
| Remarks                   | : Not classified as dangerous in the meaning of transport regulations. |
| ADR                       | : Not classified as dangerous in the meaning of transport regulations. |
| IATA-DGR                  | : Not classified as dangerous in the meaning of transport regulations. |
| IMDG-Code                 | : Not classified as dangerous in the meaning of transport regulations. |
|                           |  |

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

#### SECTION 15. REGULATORY INFORMATION

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312 Hazards | : No SARA Hazards |
|----------------------|-------------------|
|----------------------|-------------------|

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



| Version | Revision Date: | SDS Number:  | Date of last issue: 08/22/2019  |
|---------|----------------|--------------|---------------------------------|
| 2.0     | 12/06/2019     | 102000029241 | Date of first issue: 03/21/2018 |

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

...

| Massachusetts Right To Know          |            |
|--------------------------------------|------------|
| Titanium oxide (TiO2)                | 13463-67-7 |
| Iron oxide (Fe2O3)                   | 1309-37-1  |
| Pennsylvania Right To Know           |            |
| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |
| Titanium oxide (TiO2)                | 13463-67-7 |
| Iron oxide (Fe2O3)                   | 1309-37-1  |

#### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including Titanium oxide (TiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California List of Hazardous Substances

| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |
|--------------------------------------|------------|
| Iron oxide (Fe2O3)                   | 1309-37-1  |

A member of **C ALTANA** 





| Version | Revision Date: | SDS Number:  | Date of last issue: 08/22/2019  |
|---------|----------------|--------------|---------------------------------|
| 2.0     | 12/06/2019     | 102000029241 | Date of first issue: 03/21/2018 |

#### California Permissible Exposure Limits for Chemical Contaminants

| Fluorphlogopite (Mg3K[AIF2O(SiO3)3]) | 12003-38-2 |
|--------------------------------------|------------|
| Titanium oxide (TiO2)                | 13463-67-7 |
| Iron oxide (Fe2O3)                   | 1309-37-1  |

#### The ingredients of this product are reported in the following inventories:

| DSL  | : | All components of this product are on the Canadian DSL |
|------|---|--|
| TSCA |   | On TSCA Inventory                                      |

#### **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations ACGIH : USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) ACGIH BEI : USA. NIOSH Recommended Exposure Limits NIOSH REL USA. OSHA - TABLE Z-1 Limits for Air Contaminants -OSHA P0 1910.1000 USA. Occupational Exposure Limits (OSHA) - Table Z-1 OSHA Z-1 Limits for Air Contaminants OSHA Z-3 USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts ACGIH / TWA 8-hour, time-weighted average : NIOSH REL / TWA Time-weighted average concentration for up to a 10-hour : workday during a 40-hour workweek OSHA P0/TWA 8-hour time weighted average : OSHA Z-1 / TWA : 8-hour time weighted average OSHA Z-3 / TWA : 8-hour time weighted average AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of

Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x%



| Version | Revision Date: | SDS Number:  | Date of last issue: 08/22/2019  |
|---------|----------------|--------------|---------------------------------|
| 2.0     | 12/06/2019     | 102000029241 | Date of first issue: 03/21/2018 |

growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/06/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8