

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : VISIONAIRE Maize Gold
Material number : 060323QP0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cosmetic products

1.3 Details of the supplier of the safety data sheet

Company : ECKART GmbH
Guentersthal 4
91235 Hartenstein
Telephone : +499152770
Telefax : +499152777008
E-mail address : msds.eckart@altana.com
Responsible/issuing person

1.4 Emergency telephone number**NCEC:**

(contract no.: ECKART29003-NCEC)

+44 1235 239671 (Middle East/Africa, call and response in your language)

+1 215 207 0061 (Americas, call and response in your language)

+65 3158 1074 (Asia-Pacific, call and response in your language)

SECTION 2: Hazards identification**GHS Classification**

: Acute toxicity, Category 4, Oral, H302
Short-term (acute) aquatic hazard, Category 1, H400

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

Long-term (chronic) aquatic hazard, Category 1, H410

GHS-Labeling

Symbol(s)



Signal word

: Warning

Hazard statements

: H302: Harmful if swallowed.
H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label

Identification
copper

CAS-No.
7440-50-8

SECTION 3: Composition/information on ingredients

Substance name : visionaire maize gold

Substance No. :

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

Hazardous components

| Chemical name | CAS-No. EINECS-No. | Classification and labelling | Concentration[%] |
|---|------------------------|--|------------------|
| Copper | 7440-50-8 231-159-6 | Acute Tox.;4;H302 ;2A;H319 Aquatic Acute;1;H400 Aquatic Chronic;1;H410 | 50 - 100 |
| zinc powder — zinc dust (stabilised) | 7440-66-6 231-175-3 | Aquatic Acute;1;H400 Aquatic Chronic;1;H410 | 10 - 20 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures

- General advice : Move the victim to fresh air.
Do not leave the victim unattended.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: Firefighting measures
5.1 Extinguishing media

Suitable extinguishing media : Special powder against metal fire, Dry sand, ABC powder

Unsuitable extinguishing media : Water, High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Evacuate personnel to safe areas.
Avoid dust formation.
Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.
Pick up and transfer to properly labelled containers.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : Avoid creating dust. Routine housekeeping should be
instituted to ensure that dusts do not accumulate on surfaces.

Avoid formation of respirable particles. Do not breathe
vapours/dust. For personal protection see section 8. Smoking,
eating and drinking should be prohibited in the application
area. Dispose of rinse water in accordance with local and
national regulations.

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Do not smoke. Wash hands before breaks and at the end of workday. Keep away from food and drink. Keep away from tobacco products.

When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Keep away from sources of ignition - No smoking. Do not store near combustible materials. Keep containers tightly closed in a cool, well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.

Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect from humidity and water.

Advice on common storage : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Do not store together with oxidizing and self-igniting products.

Dampness : Keep in a dry, cool and well-ventilated place.

Other data : Keep in a dry place. No decomposition if stored and applied as directed.

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

7.3 Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Germany:

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Update | Basis |
|--|--|----------------------------------|------------------------|------------|-------------|
| Copper | 7440-50-8 | AGW (inhalable fraction) | 1 mg/m ³ | | DE TRGS 900 |
| zinc powder — zinc dust (stabilised) | 7440-66-6 | AGW (Inhalable fraction) | 10 mg/m ³ | 2014-04-02 | DE TRGS 900 |
| Peak-limit: excursion factor (category) | 2;(II) | | | | |
| Further information | Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). | | | | |
| zinc powder — zinc dust (stabilised) | 7440-66-6 | AGW (Alveolate fraction) | 1,25 mg/m ³ | 2014-04-02 | DE TRGS 900 |
| Peak-limit: excursion factor (category) | 2;(II) | | | | |
| Further information | Commission for dangerous substances Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). | | | | |
| silicon dioxide | 7631-86-9 | AGW (Inhalable fraction) | 4 mg/m ³ | 2013-09-19 | DE TRGS 900 |
| Further information | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). Colloidal amorphous silica, including pyrogenic silica and in wet processes manufactured silica (precipitated silica, silicagel). When there is | | | | |

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

| | |
|--|---|
| | compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |
|--|---|

United States of America (USA):

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Update | Basis |
|--|-----------|----------------------------------|--|------------|-------|
| Copper | 7440-50-8 | TWA | 1 mg/m ³ | 2008-01-01 | |
| Copper | 7440-50-8 | TWA (dust and mists) | 1 mg/m ³ | 2005-09-01 | |
| Copper | 7440-50-8 | TWA | 1 mg/m ³ | 1989-01-19 | |
| Copper | 7440-50-8 | TWA | 0,2 mg/m ³ | 2008-01-01 | |
| Copper | 7440-50-8 | TWA | 0,1 mg/m ³ | 1989-01-19 | |
| Copper | 7440-50-8 | TWA (Dust and mist) | 1 mg/m ³ | 2010-03-01 | |
| Copper | 7440-50-8 | TWA (Fumes) | 0,2 mg/m ³ | 2010-03-01 | |
| Copper | 7440-50-8 | TWA (Dust) | 1 mg/m ³ | 2013-10-08 | |
| Copper | 7440-50-8 | TWA (Mist) | 1 mg/m ³ | 2013-10-08 | |
| Copper | 7440-50-8 | TWA (dusts and mists) | 1 mg/m ³ | 2011-07-01 | |
| Copper | 7440-50-8 | TWA (Fumes) | 0,1 mg/m ³ | 2011-07-01 | |
| Copper | 7440-50-8 | TWA (Fumes) | 0,1 mg/m ³ | 1989-01-19 | |
| Copper | 7440-50-8 | TWA (Dust and mist) | 1 mg/m ³ | 1989-01-19 | |
| Copper | 7440-50-8 | PEL (Fumes) | 0,1 mg/m ³ | 2014-11-26 | |
| zinc powder — zinc dust (stabilised) | 7440-66-6 | TWA (total dust) | 50 Million particles per cubic foot | 2012-07-01 | |
| zinc powder — zinc dust (stabilised) | 7440-66-6 | TWA (total dust) | 15 mg/m ³ | 2012-07-01 | |
| zinc powder — zinc dust (stabilised) | 7440-66-6 | TWA (respirable fraction) | 5 mg/m ³ | 2012-07-01 | |
| zinc powder — zinc dust (stabilised) | 7440-66-6 | TWA (respirable fraction) | 15 Million particles per cubic foot | 2012-07-01 | |
| zinc powder — zinc dust | 7440-66-6 | PEL (Total dust) | 10 mg/m ³ | 2014-11-26 | |

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

| | | | | | |
|--|-----------|-----------------------------------|---|------------|--|
| (stabilised) | | | | | |
| zinc powder — zinc dust (stabilised) | 7440-66-6 | PEL (respirable dust fraction) | 5 mg/m ³ | 2014-11-26 | |
| silicon dioxide | 7631-86-9 | TWA (Dust) | 20 Million particles per cubic foot | 2012-07-01 | |
| silicon dioxide | 7631-86-9 | TWA (Dust) | 80 mg/m ³ / %SiO ₂ | 2012-07-01 | |
| silicon dioxide | 7631-86-9 | TWA | 6 mg/m ³ | 2013-10-08 | |
| silicon dioxide | 7631-86-9 | PEL | 6 mg/m ³ | 2014-11-26 | |

8.2 Exposure controls
Personal protective equipment

Eye protection : Safety glasses
: Safety glasses

Hand protection

Material : Leather

Remarks : Leather gloves

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Recommended preventive skin protection

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Long sleeved clothing

Safety shoes

: Dust impervious protective suit

Choose body protection according to the amount and

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

Respiratory protection : concentration of the dangerous substance at the work place.
 : Use suitable breathing protection if workplace concentration
 requires.
 Respirator with a dust filter
 P1 filter

Environmental exposure controls

General advice :
 : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform
 respective authorities.
 Water : The product should not be allowed to enter drains, water
 courses or the soil.
 :

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

Appearance : powder
 Colour : gold
 Odour : odourless
 pH : No data available
 Freezing point : No data available
 Boiling point/boiling range : No data available
 Flash point : No data available
 Bulk density : No data available
 Flammability (solid, gas) : No data available
 Auto-flammability : No data available
 Upper explosion limit : No data available

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

| | |
|--|---------------------|
| Lower explosion limit | : No data available |
| Vapour pressure | : No data available |
| Density | : No data available |
| Water solubility | : No data available |
| Miscibility with water | : immiscible |
| Solubility in other solvents | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Ignition temperature | : No data available |
| Thermal decomposition | : No data available |
| Viscosity, dynamic | : No data available |
| Viscosity, kinematic | : No data available |
| Flow time | : No data available |

9.2 Other information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

No decomposition if stored and applied as directed.

No decomposition if stored and applied as directed.**10.2 Chemical stability**

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactionsHazardous reactions : Stable under recommended storage conditions., No hazards
to be specially mentioned.

No decomposition if stored and applied as directed.

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

Dust may form explosive mixture in air.

10.4 Conditions to avoidConditions to avoid : No data available
No data available**10.5 Incompatible materials**

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No data available

Other information : No data available

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Components:****Copper :**Acute oral toxicity : The component/mixture is moderately toxic after single
ingestion.**zinc powder — zinc dust (stabilised) :**

Acute oral toxicity : Rat: > 2 000 mg/kg

Skin corrosion/irritation

No data available

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

Serious eye damage/eye irritation**Product**

Result: No eye irritation

Respiratory or skin sensitisation

No data available

Carcinogenicity

No data available

Toxicity to reproduction/fertility

No data available

Reprod.Tox./Development/Teratogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information**Product**

| | | |
|--------------|--------------|---|
| Page 13 / 19 | 102000025790 | A member of  ALTANA |
|--------------|--------------|---|

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

No data available

SECTION 12: Ecological information**12.1 Toxicity****Components:****copper (7440-50-8) :**

M-Factor : 10

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard : Very toxic to aquatic life with long lasting effects.

zinc (7440-66-6) :**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects
Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations
13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.
 In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.
 In accordance with local and national regulations.

SECTION 14: Transport information
14.1 UN number

ADR : 3077

TDG

Not dangerous goods

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

CFR

Not dangerous goods

IMDG : 3077**IATA** : 3077**14.2 Proper shipping name****ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Copper metal powder)**TDG**

Not dangerous goods

CFR

Not dangerous goods

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(,Copper metal powder)**IATA** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Copper metal powder)**14.3 Transport hazard class****ADR** : 9**TDG**

Not dangerous goods

CFR

Not dangerous goods

IMDG : 9**IATA** : 9**14.4 Packing group**

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

ADR

Packaging group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

TDG

Not dangerous goods

CFR

Not dangerous goods

IMDG

Packaging group : III
Labels : 9
EmS Number : F-A, S-F

IATA

Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packaging group : III
Labels : 9

14.5 Environmental hazards**IMDG** : Marine pollutant**ADR** : Environmentally hazardous**14.6 Special precautions for user**

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

IMDG Code- segregation group:

: IMDG Code segregation group 7 - Heavy metals and their salts

For single packagings $\leq 5L / 5 \text{ kg}$, or combination packagings containing inner packagings $\leq 5L / 5 \text{ kg}$ net per inner packaging, SV375 ADR, 2.10.2.7 IMDG-Code, A197 IATA-DGR may be applied.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H319 : Causes serious eye irritation.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

VISIONAIRE Maize Gold

Version 2.0

Revision Date 11.12.2019

Print Date 12.04.2024

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.