

## **LUXAN K 261**

Version	Revision Date:	SDS Number:	Date of last issue: 12/05/2019
2.1	03/09/2022	10200000646	Date of first issue: 03/21/2018

### **SECTION 1. IDENTIFICATION**

:	LUXAN K 261		
:	022408SG0		
deta	ils		
:	ECKART America Corporation		
:	830 East Erie Street		
	Painesville OH 44077		
:	866-458-7837		
	(440) 954-7600		
:	(440) 354-6224		
:	info.eckart.america.oh@altana.com		
:	CHEMTREC: 800-424-9300		
	CHEMTREC: 1-703-527-3387 (International)		
	NCEC:		
	(contract no. ECKART29003-NCEC)		
	US: +1 866 928 0789 (Toll free)		
	Canada: +1 800 579 7421 (Toll Free)		
	deta		

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Mexico: +52 55 5004 8763

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Glass, oxide, chemicals	65997-17-3	>= 70 - < 90
Titanium oxide (TiO2)	13463-67-7	>= 20 - < 30

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice

: Do not leave the victim unattended.



# **LUXAN K 261**

Version 2.1	Revision Date: 03/09/2022		DS Number: 2000000646	Date of last issue: 12/05/2019 Date of first issue: 03/21/2018		
If inh	alad		lf upoopooique p	less in resource position and coold medical		
If inhaled		•	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> <li>Wash off with soap and water.</li> </ul>			
In case of eye contact		:	Remove contact lenses. If eye irritation persists, consult a specialist.			
If swallowed		:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			
	t important symptoms effects, both acute and yed	:	None known.			

### SECTION 5. FIRE-FIGHTING MEASURES

:	Foam
	Carbon dioxide (CO2)
	ABC powder
:	Standard procedure for chemical fires.
	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
:	Wear self-contained breathing apparatus for firefighting if necessary.
	:

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with



# **LUXAN K 261**

Version 2.1	Revision Date: 03/09/2022	SDS Number: 102000000646	Date of last issue: 12/05/2019 Date of first issue: 03/21/2018
Mater	ials to avoid		ogical safety standards. s to be especially mentioned.

Further information on : Keep in a dry place. storage stability

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ingredients with workplace				
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Titanium oxide (TiO2)	13463-67-7	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH

### Ingredients with workplace control parameters

### Personal protective equipment

i oloenai pretoetire equip	
Respiratory protection	: No personal respiratory protective equipment normally required.
Eye protection Skin and body protection Hygiene measures	<ul> <li>Safety glasses</li> <li>Protective suit</li> <li>General industrial hygiene practice.</li> </ul>

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold pH	<ul> <li>powder</li> <li>gold</li> <li>characteristic</li> <li>No data available</li> <li>substance/mixture is non-soluble (in water)</li> </ul>
---	--



# **LUXAN K 261**

Versio 2.1	n Revision Date: 03/09/2022		S Number: 000000646	Date of last issue: 12/05/2019 Date of first issue: 03/21/2018
	Melting point/freezing point Boiling point/boiling range		No data available 2,501 °C	3
E	Flash point Evaporation rate Flammability (solid, gas)		No data available No data available Not classified as	
	Upper explosion limit / Upper flammability limit		No data available	)
	Lower explosion limit / Lower flammability limit		No data available	)
	Vapor pressure		No data available	)
R	Relative density		No data available	
D	Density		2.54 - 2.7 g/cm3	
В	ulk density	:	0.27 - 0.53 g/cm3	3
	Solubility(ies)		No data available	
	artition coefficient: n- ctanol/water	:	No data available	
	utoignition temperatu		No data available	
	ecomposition temper	ature :	No data available	
V	ïscosity	:	No data available	)

### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

<u>Components:</u>		
Titanium oxide (TiO2): Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 6.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg



# LUXAN K 261

	Revision Date: 03/09/2022		ate of last issue: 12/05/2019 ate of first issue: 03/21/2018
-	<b>corrosion/irritation</b> lassified based on ava	ailable information.	
	us eye damage/eye lassified based on ava		
Resp	iratory or skin sensi	tization	
-	<b>sensitization</b> lassified based on ava	ailable information.	
-	iratory sensitization	ailable information.	
	cell mutagenicity	ailable information.	
	nogenicity lassified based on ava	ailable information.	
IARC	:	Group 2A: Probably car	cinogenic to humans
		Glass, oxide, chemicals	65997-17-3
		Glass, oxide, chemicals Group 2B: Possibly car	
OSH	A	Group 2B: Possibly car Titanium oxide (TiO2) No component of this p	cinogenic to humans

STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.



# **LUXAN K 261**

Version 2.1	Revision Date: 03/09/2022		9S Number: 2000000646	Date of last issue: 12/05/2019 Date of first issue: 03/21/2018
-	ration toxicity classified based on ava	ilable	information.	
Furth	ner information			
SECTION	12. ECOLOGICAL IN	FORM		
Ecot	oxicity			
	ata available			
	istence and degradab ata available	oility		
	ccumulative potential ata available	I		
	r adverse effects ata available			
<u>Com</u>	ponents:			
Addit	<b>s, oxide, chemicals:</b> tional ecological mation	:	No data availal	ble
SECTION	13. DISPOSAL CONS	SIDER	ATIONS	
Disp	osal methods			
-	aminated packaging	:		ers should be taken to an approved waste or recycling or disposal.
SECTION	14. TRANSPORT INF	ORM	ATION	
Dom	estic regulation			
<b>49 C</b> Not re	FR egulated as a dangero	us goo	od	
49 C	FR	:	Not classified regulations.	as dangerous in the meaning of transport
Inter	national Regulations			
UNR	-			

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good



# **LUXAN K 261**

Version	Revision Date:	SDS Number:	Date of last issue: 12/05/2019
2.1	03/09/2022	10200000646	Date of first issue: 03/21/2018

### IMDG-Code

Not regulated as a dangerous good

Remarks	: Not classified as dangerous in the meaning of transport regulations.
ADR	: Not classified as dangerous in the meaning of transport regulations.
IATA-DGR	: Not classified as dangerous in the meaning of transport regulations.
IMDG-Code	: Not classified as dangerous in the meaning of transport regulations.

Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



## **LUXAN K 261**

Version	Revision Date:	SDS Number:	Date of last issue: 12/05/2019
2.1	03/09/2022	10200000646	Date of first issue: 03/21/2018

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### US State Regulations

Massachusetts Right To Know				
Titanium oxide (TiO2)	13463-67-7			
Massachusetts Right To Know				
Titanium oxide (TiO2)	13463-67-7			
Pennsylvania Right To Know				
Glass, oxide, chemicals	65997-17-3			
Titanium oxide (TiO2)	13463-67-7			
Pennsylvania Right To Know				
Glass, oxide, chemicals	65997-17-3			
Titanium oxide (TiO2)	13463-67-7			
New Jersey Right To Know				
Glass, oxide, chemicals	65997-17-3			
Titanium oxide (TiO2)	13463-67-7			

### California Prop. 65



WARNING: This product can expose you to chemicals including lead and cadmium, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: This product can expose you to chemicals including Titanium oxide (TiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



## **LUXAN K 261**

Version	Revision Date:	SDS Number:	Date of last issue: 12/05/2019
2.1	03/09/2022	10200000646	Date of first issue: 03/21/2018

### California Permissible Exposure Limits for Chemical Contaminants

Titanium oxide (TiO2)

13463-67-7

### The ingredients of this product are reported in the following inventories:

DSL	:	All components of this product are on the Canadian DSL
TSCA	:	On TSCA Inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA PO	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
		1910.1000
OSHA Z-1		USA. Occupational Exposure Limits (OSHA) - Table Z-1
0011A 2-1	·	Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3
		Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
OSHA P0/TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average
OSHA Z-3 / TWA		8-hour time weighted average
	- f	dustrial Chamissian ACTM American Casisty for the Tas

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National



## LUXAN K 261

Version	ersion Revision Date:	SDS Number:	Date of last issue: 12/05/2019
2.1	03/09/2022	10200000646	Date of first issue: 03/21/2018

Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/09/2022

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8