



Version	Revision Date:	SDS Number:	Date of last issue: 08/28/2024
3.1	03/27/2025	102000026928	Date of first issue: 03/26/2018

SECTION 1. IDENTIFICATION

Product name Product code	:	ROTOSTAR AQUA 415 BS 1503-61 046500CG0
Manufacturer or supplier's de	eta	ails
		ECKART America Corporation 830 East Erie Street Painesville OH 44077
Telephone	:	866-458-7837 (440) 954-7600
Telefax	:	(440) 354-6224
e-mail adresse	:	info.eckart.america.oh@altana.com
Emergency telephone	:	CHEMTREC: 800-424-9300
		CHEMTREC: 1-703-527-3387 (International)
		NCEC:
		(contract no. ECKART29003-NCEC)
		US: +1 866 928 0789 (Toll free)
		Canada: +1 800 579 7421 (Toll Free)
		Mexico: +52 55 5004 8763

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)			
Eye irritation	:	Category 2A	
Specific target organ toxicity - repeated exposure	:	Category 2	
GHS label elements Hazard pictograms	:		
Signal Word	:	Warning	
Hazard Statements	:	H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure.	
Precautionary Statements	:	Prevention:	







Version 3.1	Revision Date: 03/27/2025	SDS Number: 102000026928	Date of last issue: 08/28/2024 Date of first issue: 03/26/2018
		P260 P264 P280	Do not breathe mist or vapors. Wash skin thoroughly after handling. Wear eye protection/ face protection.
		Response:	
		P305 + P351 +	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P314	Get medical advice/ attention if you feel unwell.
		P337 + P313	If eye irritation persists: Get medical advice/ attention.
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Aluminum	7429-90-5	>= 10 - < 20
Styrene/acrylic copolymer	Not Assigned	>= 5 - < 10
1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-	95-38-5	>= 1 - < 5
yl)-4,5-dihydro-		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	 Take the victim into fresh air. Move out of dangerous area. Show this material safety data sheet to the doctor in attendance.
If inhaled	: If unconscious, place in recovery position and seek medical advice.
In case of skin contact In case of eye contact	 If symptoms persist, call a physician. Wash off immediately with soap and plenty of water. Immediately flush eye(s) with plenty of water.
In case of eye contact	. Ininecially flush eye(s) with plenty of water.





Version 3.1	Revision Date: 03/27/2025	SDS Number: 102000026928	Date of last issue: 08/28/2024 Date of first issue: 03/26/2018
If swallowed Most important symptoms and effects, both acute and delayed		Remove conta Keep eye wide If eye irritation : Keep respirato Do not give mi Never give any If symptoms po	e open while rinsing. persists, consult a specialist. ory tract clear. Ik or alcoholic beverages. /thing by mouth to an unconscious person. ersist, call a physician.
SECTION 5	5. FIRE-FIGHTING ME	SURES	
Unsuita media	e extinguishing media able extinguishing c hazards during fire	 Dry sand ABC powder Foam Water Carbon dioxide Do not allow ru courses. 	e (CO2) un-off from fire fighting to enter drains or water
Specia	r information I protective equipment fighters	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Wear self-contained breathing apparatus for firefighting if necessary. 	
SECTION 6	6. ACCIDENTAL RELE	ASE MEASURES	
protect	nal precautions, tive equipment and ency procedures		onnel to safe areas. protective equipment.
	al advice nmental precautions	courses or the Prevent product Prevent further If the product of respective auth The product sh	ct from entering drains. r leakage or spillage if safe to do so. contaminates rivers and lakes or drains inform norities. nould not be allowed to enter drains, water
		Prevent furthe	ct from entering drains. r leakage or spillage if safe to do so. contaminates rivers and lakes or drains inform

A member of 🜔 ALTANA





Vers 3.1	sion	Revision Date: 03/27/2025		DS Number: 2000026928	Date of last issue: 08/28/2024 Date of first issue: 03/26/2018
				respective author	ities.
	Methods and materials for containment and cleaning up		:	Soak up with iner	andling equipment. t absorbent material (e.g. sand, silica gel, rsal binder, sawdust).
				acid binder, unive Do not flush with	t absorbent material (e.g. sand, silica gel, rsal binder, sawdust). water. closed containers for disposal.
SEC	TION 7	7. HANDLING AND ST	OR	AGE	
		on protection against d explosion	:	Normal measures	for preventive fire protection.
	Advice	on safe handling	:	Smoking, eating a application area.	
	Condit	ions for safe storage	:	 Earthing of containers and apparatuses is essential. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with 	
	Materia	als to avoid	:	the technological Do not store near Do not store toge Keep away from o materials. Keep away from o	safety standards.
_		r information on e stability	:	No decompositior	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters





Version	n Revision Date:	SDS Number:	Date of last issue: 08/28/2024
3.1	03/27/2025	102000026928	Date of first issue: 03/26/2018

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aluminum	7429-90-5	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable particulate matter)	1 mg/m3	ACGIH
		TWA	5 mg/m3 (Aluminum)	NIOSH REL
		TWA (Total)	15 mg/m3 (Aluminum)	OSHA P0
		TWA (Respirable fraction)	5 mg/m3 (Aluminum)	OSHA P0
		TWA (total dust)	15 mg/m3 (Aluminum)	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3 (Aluminum)	OSHA Z-1
		TWA (Total dust)	15 mg/m3 (Aluminum)	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3 (Aluminum)	OSHA P0
		TWA (welding fumes)	5 mg/m3 (Aluminum)	NIOSH REL
		TWA (pyro powders)	5 mg/m3 (Aluminum)	NIOSH REL
		TWA	1 mg/m3	ACGIH



Version



Date of last issue: 08/28/2024

ROTOSTAR AQUA 415 BS 1503-61

SDS Number:

Revision Date:

	03/27/2025	10200002693	2000026928 Date of first issue: 03/26/2018		18
			(Respirable particulate matter)	(Aluminum)	
			TWA (Fumes)	5 mg/m3	OSHA PO
			TWA (powder)	5 mg/m3 (Aluminum)	OSHA P0
	onal protective equip				
Respi	ratory protection	: Use suita requires.	ble breathing prote	ction if workplace c	oncentration
	protection aterial		esistant gloves (but	yl-rubber)	
Re	emarks	concernir special w contact). permeabi the suppl specific lo such as t Recomm washed a	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.		
Eye p	rotection	: Goggles Wear fac problems	Wear face-shield and protective suit for abnormal processing		
Skin a	and body protection	: Choose b	Choose body protection according to the amount and concentration of the dangerous substance at the work place. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		
Hygie	ne measures	: When usi When usi			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: silver
Odor	: characteristic
Odor Threshold	: No data available
рН	: 6-8
	Concentration: 100 %







Version 3.1	Revision Date: 03/27/2025		S Number: 2000026928	Date of last issue: 08/28/2024 Date of first issue: 03/26/2018
	ng point/ range ng point/boiling range	:	Not applicable > 100 °C	
Flash	n point	:	> 100 °C	
Flam Uppe flam Lowe flam Vapo	poration rate imability (solid, gas) er explosion limit / Upper mability limit er explosion limit / Lower mability limit or pressure tive density sity	::	No data available No data available No data available No data available No data available 1.0 - 1.2 g/cm3	-
W Parti octar Auto Decc Visco Total	bility(ies) /ater solubility tion coefficient: n- nol/water ignition temperature omposition temperature osity I Volatile organic pounds (VOC) content	:	insoluble No data available No data available No data available No data available 0.50 - 1.00 %	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Contact with acids and alkalis may release hydrogen. Stable under recommended storage conditions.
Conditions to avoid	: Do not allow evaporation to dryness. No data available
Incompatible materials	: Acids Bases Oxidizing agents

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after





Version	Revision Date:	SDS Number:	۵
3.1	03/27/2025	102000026928	C

Date of last issue: 08/28/2024 Date of first issue: 03/26/2018

single ingestion.

Skin corrosion/irritation

Not classified based on available information.

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Styrene/acrylic copolymer:

Result: Eye irritation

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Result: No eye irritation

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.







Version	Revision Date:	SDS Number:	Date of last issue: 08/28/2024
3.1	03/27/2025	102000026928	Date of first issue: 03/26/2018

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

M-Factor (Acute aquatic toxicity) M-Factor (Chronic aquatic toxicity)	:	10 1		
Ecotoxicology Assessment Acute aquatic toxicity	:	Very toxic to aquatic life.		
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.		
Persistence and degradability				

Persistence and degradability

No data available

Bioaccumulative potential

No data available





Version	Revision Date:	SDS Number:	Date of last issue: 08/28/2024
3.1	03/27/2025	102000026928	Date of first issue: 03/26/2018

Other adverse effects

No data available

Components:

1H-Imidazole-1-ethanol, 2-(8-heptadecen-1-yl)-4,5-dihydro-:

Additional ecological : information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. In accordance with local and national regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR Not permitted for transport

IMDG-Code Not regulated as a dangerous good

Remarks

: Due to the risk of hydrogen development we recommend to refrain from airfreighting this/these product(s).

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.





Version	Revision Date:	SDS Number:	Date of last i
3.1	03/27/2025	102000026928	Date of first i

Date of last issue: 08/28/2024 Date of first issue: 03/26/2018

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)
Sodium hydroxide (Na(OH))	1310-73-2	1000
Carbamic acid, N-1H- benzimidazol-2-yl-, methyl ester	10605-21-7	10

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards		Specific target organ toxic Serious eye damage or e		y (single or repeated exposure) irritation	
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		oorting levels	
		Aluminum	7429-90-5	>= 10 - < 20 %	

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

1,2-Propanediol	57-55-6	>= 0.1 - < 1 %
1-Propanol	71-23-8	>= 0.1 - < 1 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sodium hydroxi	de	1310-73-2	9	6	
(Na(OH))					

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:





ersion 1	Revision Date: 03/27/2025	SDS Number: 102000026928	Date of last issue: 08 Date of first issue: 03	
	Sodium hydroxide (Na(OH)) product does not contain product does not contain			ean Water Act Section 30 ean Water Act
US St	ate Regulations			
Mass	achusetts Right To Kn	ow		
	Aluminum			7429-90-5
Penn	sylvania Right To Kno Water	w		7732-18-5
			Gemisch gemäß dem	Not Assigned
	Global Harmonisier Aluminum	ten System (GHS).		7429-90-5
	Styrene/acrylic cop	olymer		Not Assigned
	Sodium hydroxide	(Na(OH))		1310-73-2
	which is/are kno	wn to the State of Ca	you to chemicals includ lifornia to cause cancer ion go to www.P65War	and birth defects or othe
Califo	ornia List of Hazardous	s Substances		
	Aluminum			7429-90-5
Califo	ornia Permissible Expo	osure Limits for Che	mical Contaminants	
	Aluminum			7429-90-5
The ii	ngredients of this prod	luct are reported in	the following inventor	ies:
DSL		-	ntains one or several co	
TSCA			estances in this product SCA Inventory or are in o	
TSCA	list			
No su	bstances are subject to	a Significant New Us	e Rule.	
No su	bstances are subject to	TSCA 12(b) export n	otification requirements	







Version	Revision Date:	SDS Number:	Date o
3.1	03/27/2025	102000026928	Date o

Date of last issue: 08/28/2024 Date of first issue: 03/26/2018

SECTION 16. OTHER INFORMATION

Full text of other abbreviations				
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)		
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits		
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)		
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts		
ACGIH / TWA	:	8-hour, time-weighted average		
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek		
OSHA P0 / TWA	:	8-hour time weighted average		
OSHA Z-1 / TWA	:	8-hour time weighted average		
OSHA Z-3 / TWA	:	8-hour time weighted average		

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition





Version	Revision Date:	SDS Number:	Date of last issue: 08/28/2024
3.1	03/27/2025	102000026928	Date of first issue: 03/26/2018

Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/27/2025

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8